


**TOP QUALITY • LOW PRICES • SERVICE**



# **1960 HUNTING CATALOG**

**11th  
EDITION**



**PARKER**  
**distributors**

**3516 WHITE PLAINS ROAD, NEW YORK 67, N.Y. • TULIP 1-1900**





# WINCHESTER

TRADE MARK

CENTER FIRE  
RIFLES

**NEW!**

## Model 100 Automatic Rifle



Everything about this new rifle is right. It's automatic... gets off five shots just as fast as you can pull the trigger. It's light... just a fraction over seven pounds with fast pointing, perfect balance. It's good looking... proudly carried in the field... a delight in any gun rack. It's a pleasure to shoot; because it has a minimum of aim-destroying recoil you stay right on target for the sometimes all-important second and succeeding shots. It's dependable... with the same type of flawless action relied upon by the U.S. Army and Marine Corps. and best of all... you can count on superb game-getting performance-at forty yards in the brush or 'way out there where drop-'em-in-their-tracks accuracy is a must.

No matter what you hunt or where you hunt it, here's a rifle you'll be proud to own... a truly great rifle, perfectly suited for any type of North American game from predator to moose.

### SPECIFICATIONS

**CALIBER:** 308 Winchester

**ACTION:** Gas operated, automatic (self-loading)

**BARREL:** Winchester proof Steel, crowned at muzzle.

**STOCK:** One-piece American walnut, checkered pistol grip and fore-end fitted with 1" sling swivels. Stock dimensions: Pull, 13½", drop at heel, 2½".

**MAGAZINE:** Detachable box type, four round capacity plus one in chamber.

**SIGHTS:** Ramp bead front sight with removable cover; adjustable folding rear sight. Receiver drilled and tapped for receiver sights and scope mounts.

**SAFETY:** Cross bolt in forward section of trigger guard, Red indicator when in "Fire" position.

**OVERALL LENGTH:** 42¼"

**WEIGHT:** 7¼ pounds, approximate.

**RETAIL** **SPECIAL**  
\$155.00 \$131.75

\*Extra 4 shot magazine  
**SPECIAL \$3.90**

## Model 88 LEVER ACTION REPEATING RIFLE



G 8812 C

SYMBOL	CALIBER 22" BARREL	SIGHT	RETAIL	SPECIAL
G8811C	243 Winchester	Winchester No. 103C		
G8812C	308 Winchester	Bead Front		
G8815C	358 Winchester	No. 16A Lyman	\$139.55	\$118.95
		Adjustable folding leaf rear		
	Extra 4 Cartridge Magazine			<b>SPECIAL \$3.90</b>

## Model 94 LEVER ACTION REPEATING CARBINE



G 9412 C

SYMBOL	CALIBER 20" BARREL	SIGHT	RETAIL	SPECIAL
G9412C	30-30 Winchester	Sporting Rear	\$81.95	\$69.75
G9423C	32 Winchester Special			

## Model 70 BOLT ACTION REPEATING RIFLE

### MODEL 70 FEATHERWEIGHT




G 7060 CN

CALIBER 22" BARREL	SYMBOL MONTE CARLO STOCK	RETAIL	SPECIAL
243 Winchester	G7062CN	\$134.95	\$114.70
270 Winchester	G7063CN		
30-06 Springfield	G7064CN		
.308 Winchester	G7060CN		

### MODEL 70 STANDARD

CALIBER	BARREL LENGTH	SYMBOL MONTE CARLO STOCK	RETAIL	SPECIAL
243 Winchester	24"	G7032CN		
270 Winchester	24"	G7033CN		
30-06 Springfield	24"	G7034CN	\$134.45	\$114.70
300 H & H Magnum	26"	G7039CN		

## MODEL 70 VARMINT RIFLE—Monte Carlo Stock



G 7012 CN

Without Sights or Sling

SYMBOL	CALIBER 26" BARREL	RETAIL	SPECIAL
G7011CN	220 Swift	\$149.50	\$126.95
G7012CN	243 Winchester		

Heavy Weight Barrel  
(Stainless Steel)



# WINCHESTER

TRADE MARK

CENTER FIRE  
RIFLES

MODEL 70 *Alaskan*



SYMBOL	CALIBER	BARREL LENGTH	RETAIL	SPECIAL
G7035CN	338 Win. Magnum	25"	\$144.95	\$123.20
G7037CN	375 H & H Magnum	25"		
G7045CN	.264 Magnum	26"		

MODEL 61 SLIDE ACTION HAMMERLESS REPEATING RIFLE



SYMBOL	CALIBER	BARREL LENGTH	RETAIL	SPECIAL
G6101R	22 Short, Long and Long Rifle Interchangeably	24"	\$61.95	\$52.65
G6105R	22 Winchester Magnum	24"	\$66.50	\$57.85

Model 77 AUTOMATIC (Self-Loading) RIFLE



SYMBOL	CALIBER	SIGHT	RETAIL	SPECIAL
G7707R	22" BARREL		\$46.95	\$40.95
G7708R	22 Long Rifle	Winchester No. 75	\$53.95	\$45.95
	Clip Magazine	Bead front and No. 32B		
		sporting rear sight		
	Extra 8 Cartridge			
	Clip Magazine	Special	2.15	

**NEW!**

a Magnificent  
AUTOMATIC SHOTGUN

SHOTGUNS

with *WIN-LITE* barrel!  
TRADE MARK

Lightning-Like Speed • 6½ pounds Light



Model 59

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G5961S	12	30" Full Choke	\$149.95	\$127.45
G5963S	12	28" Modified Choke		
G5964S	12	28" Full Choke		
G5965S	12	26" Improved Cylinder Bore		

Model 50 AUTOMATIC (Self-Loading)

Standard Weight

MODEL 50 FIELD GUN



G 5001 S

Plain Barrel

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G5001S	12	30" Full Choke	\$134.45	\$114.25
G5003S	12	28" Modified Choke		
G5005S	12	26" Imp. Cylinder Bore		

The discount prices shown on Remington, Winchester, Savage, Ithaca, and Mossberg guns apply only to orders which originate from the following Non-Fair Trade states: Alaska, Arkansas, Colorado, Florida, Georgia, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Nebraska, New Mexico, Ohio, Oklahoma,\* Oregon, South Carolina, Texas, Utah, Vermont, Washington, Washington, D.C., West Virginia.

\* ALL MERCHANDISE PERSONALLY SELECTED FOR GREATEST VALUES

**PARKER'S**

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



# WINCHESTER

TRADE MARK

## SHOTGUNS

### Winchester Special Ventilated Rib Barrel



G 5031 SV

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G5011SV	12	30" Full Choke		
G5014SV	12	28" Full Choke		
G5013SV	12	28" Mod. Choke		
G5015SV	12	26" Imp. Cyl. Bore	\$178.10	\$151.40

### INTERCHANGEABLE BARRELS FOR MODEL 50 STANDARD OR FEATHERWEIGHT

Interchangeable barrels (no forearm) in lengths and chokes listed under catalog symbols:

Plain .....	RETAIL	SPECIAL
Winchester Special Ventilated Rib .....	\$35.00	\$29.75
	\$74.30	\$63.15

### Model 50 AUTOMATIC (Self-loading)

### MODEL 50 FIELD GUN—FEATHERWEIGHT



G 5061 S

Plain Barrel

SYMBOL	GAUGE	BARREL	Retail	SPECIAL
G5061S	12	30" Full Choke		
G5064S	12	28" Full Choke		
G5063S	12	28" Modified Choke		
G5065S	12	26" Improved Cylinder Bore	144.95	\$123.20

### MODEL 50 FIELD GUN—FEATHERWEIGHT

### Winchester Special Ventilated Rib Barrel



G 5071 SV

SYMBOL	GAUGE	BARREL	Retail	SPECIAL
G5071SV	12	30" Full Choke		
G5074SV	12	28" Full Choke		
G5073SV	12	28" Modified Choke		
G5075SV	12	26" Improved Cylinder Bore	188.60	\$160.25



G 1206 S

Plain Barrel

### SHOTGUNS

### Model 12 SLIDE ACTION REPEATING SHOTGUN

### MODEL 12 FIELD GUN

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G1206S	12	30" Full Choke		
G1204S	12	28" Full Choke		
G1203S	12	28" Modified Choke		
G1208S	12	26" Improved Cylinder Bore		
G1293S	12 (Riot)	20" Cylinder Bore		
G1240S	16	28" Full Choke	\$109.15	\$92.75
G1241S	16	28" Modified Choke		
G1211S	16	26" Improved Cylinder Bore		
G1248S	20	28" Full Choke		
G1249S	20	28" Modified Choke		
G1231S	20	26" Improved Cylinder Bore		

### MODEL 12 FEATHERWEIGHT FIELD GUN



G 1275 S

Plain Barrel

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G1275S	12	30" Full Choke		
G1274S	12	28" Full Choke	\$94.95	\$80.70
G1273S	12	28" Modified Choke		
G1272S	12	26" Improved Cylinder Bore		

### MODEL 12 MAGNUM DUCK GUN

### Chambered for 3 inch Shells



G 1264 S

SYMBOL	GAUGE	BARREL	RETAIL	SPECIAL
G1264S	12	30" Plain Full Choke	\$122.00	\$103.70


The discount prices shown on Remington, Winchester, Savage, Ithaca, and Mossberg guns apply only to orders which originate from the following Non-Fair Trade states: Alaska, Arkansas, Colorado, Florida, Georgia, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Nebraska, New Mexico, Ohio, Oklahoma,\* Oregon, South Carolina, Texas, Utah, Vermont, Washington, Washington, D.C., West Virginia.

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



## THE "SPORTSMAN" 58 Autoloading Shotgun



STYLE	3 shot autoloading shotgun
GAUGES	12 Magnum 12, 16 and 20
BARREL	High Strength Remington Proof steel-RSS Equipped with special Rifle Sights.
SAFETY	Convenient cross-bolt type
RECEIVER	Inscribed game scenes — matted top surface
STANDARD STOCK DIMENSIONS	14" long, 2½" drop at heel, 1¾" drop at comb Magnum Equipped with Recoil Pad
WEIGHT	12 gauge about 7 lbs. 16 gauge about 6¾ lbs. 20 gauge about 6½ lbs.

**Specifications & Prices • "SPORTSMAN" 58**

FIELD GUNS	Retail	SPECIAL
"Sportsman" 58 ADL Plain	136.45	115.95
"Sportsman" 58 ADL Vent. Rib	161.05	136.90
"Sportsman" 58 RSS	146.45	124.50
Plain barrel for above	44.35	37.75
Vent. Rib barrel for above	66.50	56.50
Plain barrel with rifle sights RSS	54.35	46.25
MAGNUM GUNS		
"Sportsman" 58 Mag. ADL Plain	149.95	127.45
"Sportsman" 58 Mag. ADL Vent. Rib	169.95	144.45

**SELECTION OF BARREL LENGTHS AND BORINGS • IN INCHES**

GAUGE	TYPE	PLAIN	VENT. RIB
12 Ga. Magnum	Full Choke (only)	30 (only)	30 (only)
12 gauge	Full Choke Modified Choke Imp. Cyl.	28, 30 28 26	28, 30 28 26
12RSS	Rifled Slug Bore	26 (only)	Special Rifle Sights
16 gauge	Full Choke Modified Choke Imp. Cyl.	28 28 26	28 28 26
20 gauge	Full Choke Modified Choke Imp. Cyl.	28 28 26	28 28 26

**Remington**


**Specifications & Prices • "WINGMASTER" 870**

FIELD GUNS	Retail	SPECIAL
870AP Plain	89.45	75.95
870AP Vent. Rib	115.00	97.25
870RSS Rifle Sights	99.80	84.95
870ADL Matted Top Surface	102.25	85.95
870ADL Vent. Rib	127.80	108.60
MAGNUM GUNS		
870 Mag. AP Plain	102.25	85.95
870 Mag. ADL Vent. Rib, 12, 20 Ga.	147.00	124.95
EXTRA BARRELS		
Plain, AP	35.70	30.45
Vent. Rib, AP, ADL	58.75	50.95
Matted, ADL	40.90	33.95
Plain Barrel with Rifle Sights	46.10	39.95

**SELECTION OF BARREL LENGTHS AND BORINGS • IN INCHES**

GAUGE	TYPE	PLAIN	MATTED TOP SURFACE	VENT. RIB
12 gauge	Full Choke Modified Choke Imp. Cyl.	28, 30 28 26	28, 30 28 26	28, 30 28 26
12 ga. Magnum RSS	Full Choke only Rifle Slug Bore	30" only 26" Special Rifle Sights		30" only
16 gauge	Full Choke Modified Choke Imp. Cyl.	28 28 26	28 28 26	28 28 26
20 gauge	Full Choke Modified Choke Imp. Cyl.	28 28 26	28 28 26	28 28 26
20 ga. magnum	Full only	28" only		28" only

## THE MODEL 11-48 Autoloading Shotgun



STYLE	5 shot autoloading shotgun — 4 shot in 28 and 410 gauges
GAUGES	12, 16, 20, 28 and 410 gauges
BARREL RSS	Remington Proof Steel Equipped with Rifle Sights
SAFETY	Convenient cross-bolt type
RECEIVER	Solid breech, top matted
STANDARD STOCK DIMENSIONS	12, 16, 20 ga. — 14" long, 2½" drop at heel, 1¾" drop at comb. 28 and 410 ga. — 13¾" long, 2¾" drop at heel, 1¾" drop at comb
WEIGHT	12 gauge — about 7½ lbs. 16 gauge — about 6¾ lbs. 20 gauge — about 6½ lbs. 28 gauge — about 6¼ lbs. 410 gauge — about 6¼ lbs.

**Specifications & Prices • MODEL 11-48**

FIELD GUNS	Retail**	SPECIAL
11-48A Plain	122.95	104.50
11-48A Vent. Rib	147.45	125.35
11-48 RSS Rifle Sights	132.95	112.95
Plain barrel A grade	44.35	37.75
Vent. Rib barrel A grade	66.50	56.50
Plain barrel with rifle sights	54.35	46.25

**SELECTION OF BARREL LENGTHS AND BORINGS • IN INCHES**

GAUGE	TYPE	PLAIN	VENT. RIB
12 gauge	Full Modified Imp. Cyl.	28, 30 28	28, 30 28
RSS	Rifled Slug Bore	26 26" (Rifle Sights)	26
16 gauge	Full Modified Imp. Cyl.	28 28 26	28 28 26
20 gauge	Full Modified Imp. Cyl.	28 28 26	28 28 26
28 gauge and 410 gauge	Full Modified Imp. Cyl.	25 25 25	25 25 25

## THE "Wingmaster" SERIES Pump Action Shotguns



**THE "WINGMASTER" MODEL 870 "Rifled Slug Special" 12 Gauge Only**



**THE "WINGMASTER" MODEL 870AP**



**THE "WINGMASTER" MODEL 870ADL**


STYLE	5 shot pump action shotgun. Take down, hammerless, solid breech.
GAUGES	12, 16 and 20
BARREL	Special Remington proof steel. Top of barrel matted on ADL model. RSS gas Special Rifle Sights
SAFETY	Convenient cross-bolt type.
RECEIVER	Solid breech, hammerless. Matted top surface.
STANDARD STOCK DIMENSIONS	14" long, 2½" drop at heel, 1¾" drop at comb. Recoil Pad on Magnum Models
WEIGHT	20 ga., about 6½ lbs.; 16 ga. about 6¼ lbs.; 12 ga. without "Vari-Weight" steel plug, about 7 lbs., with steel plug, about 7¼ lbs.

**PARKER'S**  
3516 WHITE PLAINS ROAD  
N. Y., 67, N. Y.



# NEW! Remington "Automaster"


## THE MODEL 878 AUTOLOADING SHOTGUN



Value for value, the new Remington Model 878 "Automaster" is the best shotgun buy ever! Loaded with famous Remington features, it's the lightweight, dependable autoloader priced for everyone, everywhere.

MODEL 878 A "AUTOMASTER" • SPECIFICATIONS		Retail	Special
STYLE	3 shot autoloading shotgun. Take down, hammerless, solid breech.	Model 878A 114.95	97.75
GAUGE	12	Extra Barrels 41.10	36.95
BARREL	High strength Remington proof steel	SELECTION OF BARREL LENGTHS AND BORINGS • IN INCHES	
SAFETY	Convenient cross-bolt type		
RECEIVER	Solid Breech, hammerless. Matted top surface	GAUGE	TYPE
STANDARD STOCK DIMENSIONS	14" long, 2½" drop at heel, 1½" drop at comb.	12 gauge	Full Modified Imp. Cvl.
WEIGHT	about 7 lbs.		PLAIN
			28, 30 28 26

### MODELS 721A and 722



#### PRICES • MODELS 721 - 722

721A — 280 Remington, 30-06 and 270 Win. Calibers  
721A — 300 H&H Caliber  
722A — 222 Rem., 222 Rem. Mag., 244 Rem., 243 Win. Calibers  
722A — 308 Win. Calibers


Retail**	SPECIAL
98.25	83.55
110.35	93.70
98.25	83.55
92.45	78.60

#### SPECIFICATIONS • MODELS 721 - 722

CALIBERS	721A — 300 H & H Magnum, 30-06, 280 Rem., 270 Win. 722A — 222 Rem., 222 Rem. Mag., 244 Rem., 243 Win., 308 Win.	OVER-ALL LENGTH	42½" in 280 Rem., 30-06, 270 Win. 44¼" in 300 H & H Magnum 41¾" in 244 Rem., 243 Win., 308 Win. 43¾" in 222 Rem., 222 Rem. Mag.
CAPACITY	721A — 300 H & H Magnum, 3 in magazine plus one in chamber 721A — 30-06, 280 Rem., 270 Win., 4 in magazine plus one in chamber 722A — 222 Rem., 222 Rem. Mag., 5 in magazine plus one in chamber 722A — 244 Rem., 243 Win., 308 Win., 4 in magazine plus one in chamber	STANDARD STOCK DIMENSIONS	13½" length of pull 2¾" drop at heel 1½" drop at comb 300 H & H Magnum has Rubber Recoil Pad
BARREL LENGTH	22" in 244 Rem., 243 Win., 280 Rem., 270 Win., 308 Win., 30-06 24" in 222 Rem., 222 Rem. Mag., 300 H & H Mag.	RECEIVER	Drilled and tapped for both 'scope and metallic receiver sights
		SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw
		WEIGHT	7 lbs. in 280 Rem., 30-06, 270 Win. 8 lbs. in 300 H & H Magnum 7 lbs. in 244 Rem., 243 Win., 308 Win. 8 lbs. in 222 Rem., 222 Rem. Mag.

## Remington

### THE MODEL 725ADL



#### PRICES • MODEL 725

725 ADL

Retail	SPECIAL
134.95	114.70

#### SPECIFICATIONS • MODEL 725

CALIBERS	222 Rem., 244 Rem., 243 Win., 280 Rem., 30-06, 270 Win.
CAPACITY	4 in magazine plus one in chamber, except 222 Rem. has 5 in magazine plus one in chamber
BARREL LENGTH	22" in 280 Rem., 30-06, 270 Win., 244 Rem., 243 Win. 24" in 222 Rem.
OVER-ALL LENGTH	42½" in 280 Rem., 30-06, 270 Win., 244 Rem., 243 Win. 43¾" in 222 Rem.
STANDARD STOCK DIMENSIONS	13½" length of pull, 2¾" drop at heel, 1½" drop at comb.
RECEIVER	Drilled and tapped for 'scope mounts. Hinged floor plate, fixed box magazine.
SIGHTS	Flat faced gold bead with hooded ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	7 lbs.

### MODEL 742

## NEW

## "Woodsmaster"



#### SPECIFICATIONS • MODEL 742 "WOODSMASTER"

CALIBERS	280 Rem., 30-06, 308 Win.	SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
CAPACITY	4 in box magazine plus one in chamber	WEIGHT	About 7½ lbs.
BARREL LENGTH	22"		
OVER-ALL LENGTH	42"		
STANDARD STOCK DIMENSIONS	13½" length of pull 2" drop at heel 1¼" drop at comb		
RECEIVER	Drilled and tapped for 'scope mounts. Removable box magazine.		

#### PRICES • MODEL 742 "WOODSMASTER"

	Retail	SPECIAL
742A	138.50	117.75
742ADL	154.45	131.25
Extra Box Magazine	5.30	



## THE MODEL 760

*Gamemaster*



### THE MODEL 760A "STANDARD" GRADE

A distinctive achievement in firearms manufacture, the Remington Model 760 has advanced design, sturdy construction, lightweight and light recoil . . . plus outstanding value and lifetime dependability.



### THE MODEL 760 ADL "DELUXE" GRADE

This "Deluxe" Grade model combines all of the features of the "Standard" Grade plus fine checkering, sling swivels and decorative grip cap.

#### SPECIFICATIONS • MODEL 760 "GAMEMASTER"


CALIBERS	280 Rem., 270 Win., 30-06, 308 Win., 35 Rem.
CAPACITY	4 in box magazine plus one in chamber,
BARREL LENGTH	22" 18½" in 760C Model
OVER-ALL LENGTH	42¼"
STANDARD STOCK DIMENSIONS	13½" length of pull } 760C 13½" 2" drop at heel } 2-17/8" 1¼" drop at comb } 1¼"
RECEIVER	Drilled and tapped for 'scope mounts. Removable box magazine.

SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	About 7½ lbs. 760C - 6½ lbs.

#### PRICES • MODEL 760 "GAMEMASTER"

	Retail	SPECIAL
760A	115.85	98.45
760ADL	133.25	113.20
760C - Available in .280, .270 or 30.06 only	115.85	98.45
Extra Box Magazine		only 3.55

## NEW Remington nylon66



Now Structural Nylon and ordnance steel combine to provide the most dependable and accurate 22 autoloader ever made. And a real lightweight ----- only 4 lbs.!

#### REMINGTON NYLON 66 • SPECIFICATIONS

CALIBER	22 long rifle rim fire.
CAPACITY	14 long rifle cartridges plus one in chamber.
STOCK	Structural Nylon, finely checkered grip and fore-end with white diamond inlay. Grooved Nylon butt plate. Pistol grip with decorative black grip cap.
SAFETY	Convenient top-of-grip thumb type.
SIGHTS	Rear sight fully adjustable with thumb screws. Modern styled, flat faced blade front sight. Receiver grooved for instant use of "tip-off" type 'scope mounts.
BARREL	Crowned, 19½ inch round barrel.
OVER-ALL LENGTH	38½ inches.
WEIGHT	4 lbs.


- Sharp, Fine Line Checkering
- Rear Sight Adjustable for Both Windage and Elevation
- Friction Free Steel Parts Ride on Nylon Bearings — needs no Lubrication
- Structural Nylon Stock — Strongest, Most Rugged Ever Made
- Top-of-Grip Thumb Safety
- Colors — Mohawk Brown or Seneca Green

Retail	Special
52.95	46.95

## Remington

### THE MODEL 552 "SPEEDMASTER"

22 caliber Autoloading Rifle



Retail	Special
54.95	48.95

Autoloading, hammerless, 25-inch round tapered barrel. Capacity: 20 short, 17 long, or 15 long Rifle cartridges interchangeably. Cross-bolt safety. Receiver grooved for "Tip-Off" mounts. Length over-all 42". Weight: About 5½ lbs. Walnut stock.

### THE MODEL 550 22 caliber Autoloading Rifle




Retail	Special
48.75	42.95

24" round, tapered barrel. Thumb safety. Length over-all 43½". Step adjustable rear sight. Shoots 22 Short, 17 Long or 15 Long Rifle cartridges interchangeably. Top of receiver grooved for "Tip-Off" mounts. Weight: About 6¼ lbs.

## Remington

### THE MODEL 572 "FIELDMASTER"

22 Caliber Slide Action Rifle




Retail	Special
54.95	48.95

25" round, tapered barrel. Chambered to take without adjustment 20 Short, 17 Long or 15 Long Rifle cartridges. Single loading through ejection port. Cross-bolt Safety. Step-adjustable sporting rear sight, white metal bead front sight. Receiver grooved for "Tip-Off" type telescope mounts. Length over-all 42". Weight: About 5½ lbs.

### THE MODEL 572 "FIELDMASTER"

Lightweight 22 caliber Slide Action Rifle in Crow-Wing Black, Buckskin Tan or Teal-Wing Blue



Retail	Special
65.35	57.95

The Model 572 Lightweight differs from the Standard Grade in the following respects. Weight: Only 4 lbs. New "Sun-Grain" stock and fore-end. Barrel and receiver finished in attractive colors. Stock and fore-end checkered. Chrome plated magazine tube, trigger and floor plate.

The discount prices shown on Remington, Winchester, Savage, Ithaca, and Mossberg guns apply only to orders which originate from the following Non-Fair Trade states: Alaska, Arkansas, Colorado, Florida, Georgia, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Nebraska, New Mexico, Ohio, Oklahoma,\* Oregon, South Carolina, Texas, Utah, Vermont, Washington, Washington, D.C., West Virginia.



## Savage hi-power lever action rifles

### 99-DL


**Calibers**  
**.300 and .250-3000 Savage**  
**.308, .358 and .243 Winchester**

The world's favorite lever action big game rifle is now better than ever! New top tang safety is fast, quiet and convenient; new trigger-sear mechanism means crisper trigger pull for precision shooting. The handsome Monte Carlo stock has a high-comb for scope use. Other de luxe features include: anodized aluminum butt plate, gold-plated trigger, specially shaped fore-end and studs for sling swivels. The 99-DL retains all the other outstanding features that have made the Savage 99 the choice of experienced hunters for 65 years.

**Barrel**—Tapered, lightweight, chrome-molybdenum steel, proof-tested. Length, 24". **Action**—Hammerless, solid breech, lever action. Damascened bolt, case-hardened lever, blued steel receiver. Gold-plated trigger, new sear mechanism for crisp pull. Indicator on top tang shows when action is cocked. Safety on top tang locks trigger and lever. **Magazine**—Fully enclosed box type with rotary carrier. Number of cartridges in magazine indicated on left side of receiver. Capacity: 5 shots plus one in chamber. **Stock**—High comb Monte Carlo stock of selected walnut, fluted comb, capped pistol grip, non-slip anodized aluminum butt plate. Specially shaped fore-end. Checkering on pistol grip and fore-end. Equipped with studs for quick detachable sling swivels. Dimensions: length, 13½"; drop 1½" at comb, 1½" at Monte Carlo, 2½" at heel. **Sights**—Front, gold bead on raised ramp; rear, semi-buckhorn with step elevator, folds flat for scope use, returns to same elevation setting. Tapped for top-mount scopes. **Weight**—About 6¾ pounds. Length over-all, 43¾".

<b>RETAIL</b>	<b>SPECIAL</b>
\$127.50	\$108.25

### 99-F



The featherweight 99-F has enjoyed great popularity since its introduction a few years ago. Now it has the same basic improvements as the 99-DL: new top tang safety and trigger-sear mechanism. This handy rifle weighs only about 6½ pounds, is light to carry, quick and easy to point.

**Barrel**—Tapered, lightweight, chrome-molybdenum steel, proof-tested. Length, 22". **Action**—Hammerless, solid breech, lever action. Damascened bolt, case-hardened lever, blued steel receiver. Gold-plated trigger, new sear mechanism for crisp pull. Indicator on top tang shows when action is cocked. Safety on top tang locks trigger and lever. **Magazine**—Fully enclosed box type with rotary carrier. Number of cartridges in magazine indicated on left side of receiver. Capacity: 5 shots plus one in chamber. **Stock**—Selected walnut, checkered. Capped, full pistol grip; fluted comb. Checkered fore-end, flush with receiver. Dimensions: length 13½"; drop 1½" at comb, 2½" at heel. Corrugated steel butt plate. **Sights**—Front, gold bead on raised ramp; rear, semi-buckhorn with step elevator, folds flat for scope use, returns to same elevation setting. Tapped for top-mount scopes. **Weight**—About 6½ pounds. Length over-all, 41¾".

<b>RETAIL</b>	<b>SPECIAL</b>
\$121.50	\$103.25

## Savage hi-power bolt action rifles

### 110



**Calibers**  
**long action—.30-06 and .270**  
**short action—.243 and .308**

A completely new bolt action rifle developed and manufactured entirely in America. Brilliant simplicity of design and precision engineering have produced a rifle that combines beautiful lines and perfect balance with rugged strength, velvet-smooth action and exceptional accuracy. Chambered for four favorite calibers, .243, .270, .30-06 and .308.

**Barrel**—Tapered, medium weight, chrome-molybdenum steel, proof-tested. Full-floating for utmost accuracy. Length, 22". **Action**—Cocks on opening. Double front locking lugs for maximum strength. Recessed bolt head fully enclosed in receiver when firing. Receiver has twin gas ports for added safety. Indicator shows by sight or touch when action is cocked. Bolt easily removed and disassembled without tools. Top tang safety locks bolt, sear and trigger. Crisp trigger pull is readily adjusted by screw located directly in front of safety. **Magazine**—Staggered box type; built-in buffer protects bullet tips. Holds 4 cartridges; one in chamber makes 5 shots available. **Stock**—Gracefully contoured stock of selected walnut with checkered pistol grip and fore-end. Non-slip anodized aluminum butt plate. Capped pistol grip. Medium high fluted comb. Dimensions: trigger pull 13½"; drop at comb 1½", at heel 2½". **Sights**—Gold bead front sight on removable ramp. Semi-buckhorn rear sight has step elevator, folds flat for scope use, returns to same elevation setting. Receiver tapped for aperture sights and top-mount scopes. Bolt design permits low scope mounting. **Weight**—About 6¾ pounds. Length over-all 42½"-43".

<b>RETAIL</b>	<b>SPECIAL</b>
\$112.50	\$96.50

### 110-MC

with High Comb Monte Carlo Stock

All other specifications same as 110.



<b>RETAIL</b>	<b>SPECIAL</b>
\$114.75	\$97.50

### 110-MCL

Left handed action with Monte Carlo Stock.

All other specifications same as 110

<b>RETAIL</b>	<b>SPECIAL</b>
\$124.75	\$105.95



PARKER'S



# Savage over-and-under rifle shotgun

24



choice of  
.22 caliber  
.410 gauge

**Single trigger**  
No wonder the Model 24 grows in popularity every year. It's the only gun of its kind in the world. Ideal first gun for the beginner—a must for experienced sportsmen, in camp, on the trail or fishing. A flick of the selector button gives instant choice of the upper .22 caliber rifle barrel or lower .410 shotgun barrel. So dependable the Air Force used thousands in World War II as survival guns for bomber crews.

**takedown**  
**Barrels**—Rifle barrel precision rifled for accuracy. Shotgun barrel bored full choke. Upper barrel chambered for .22 Long Rifle (Short or Long may also be used). Lower barrel chambered for .410 gauge 3" and 2½" shells. Length, 24". **Action**—Single trigger. Slide button on right side of frame for instant selection of barrel to be fired. Low rebounding hammer. Separate extractors. Two-way top opening lever convenient for either left- or right-handed shooters. **Frame**—Case-hardened over high polish. **Stock**—Selected walnut stock and fore-end, full pistol grip. Corrugated butt plate. Fore-end has special fastening to prevent it from shooting loose. Length, about 14"; drop at comb 1½", at heel 2½". **Sights**—Ramp front sight and open rear sight with elevation adjustment. **Weight**—About 6½ pounds. Length over-all, 40"; taken down, 24".

Also available in NEW Same price for either  
.22 Winchester Magnum model.  
and .410 gauge comb.

RETAIL \$43.50  
SPECIAL \$37.50

340



Calibers  
.222 Remington  
.22 Hornet  
.30-30 Winchester

This superbly accurate firearm is a top value among high power rifles. Manufacturing methods developed by Savage produce a rifle of outstanding accuracy and dependability. Yet the price is so moderate that the rifle and a good scope cost less than many would expect to pay for a rifle alone.

**Barrel**—Tapered, medium weight, special alloy steel, proof-tested. Length: .222 Rem.—24"; .22 Hornet and .30-30—22". **Action**—Bolt cocks on opening stroke. Design of bolt, sear and trigger mechanism provides lightning fast ignition, positive operation and clean, crisp trigger pull. Exact head space control assures extreme accuracy. Thumb safety, conveniently located at right rear of receiver, locks sear and bolt. **Magazine**—Detachable clip magazine. Capacity: .222 Rem. and .22 Hornet—4 shots; .30-30—3 shots. Cartridge in chamber makes an additional shot available. **Stock**—One piece walnut stock and fore-end. Full pistol grip and corrugated butt plate. Length, 13½"; drop, 1½" at comb, 2½" at heel. **Sights**—Ramp front sight with gold bead; folding rear sight with step elevator. Tapped for aperture sights and side mount scopes. Weaver side mount telescope sights will be supplied and fitted at the factory on special order. **Weights**—.222 Rem. and .22 Hornet about 6½ pounds; .30-30 about 6½ pounds. Length over-all, 40" (.222 Rem. 42").

RETAIL \$59.99 SPECIAL \$50.95

# FOX double barrel shotguns

B-ST



ventilated rib  
gold plated single trigger  
beavertail fore-end

For sheer beauty of design, fine balance and fast handling, nothing equals a double—the traditional sporting gun. And there isn't anything like the Fox B-ST at anywhere near its price: ventilated rib is standard equipment . . . gold plated single trigger (non-selective) . . . selected walnut stock with fluted comb, beavertail fore-end, capped pistol grip and checkering . . . two white metal bead sights . . . etched decoration on frame.

**Barrels**—Special alloy steel, proof-tested. Raised ventilated rib, two white metal bead sights. Chambered for all 2¾" factory loaded shells (except .410 gauge, chambered for 3" shells). For gauges, barrel lengths and chokes, see table. **Action**—Hammerless, rugged lock-up. Coil springs; fast hammer fall; positive extraction. Automatic safety. Gold plated single trigger is non-selective, fires first right barrel (closer range) then left barrel (longer range). **Frame**—Box type, case-hardened finish, etched decoration. **Stock**—Selected walnut stock and beavertail fore-end. Pistol grip checkered and capped. Fluted comb; corrugated butt plate. Nicely shaped, checkered fore-end has special fastener which positively prevents it from shooting loose. Stock dimensions: length about 14", drop at comb 1½", at heel 2½". **Length**—over-all, 41¼"-45¼"; taken down, 26"-30".

RETAIL \$109.50  
SPECIAL \$92.95

B



MODEL B

The famous Fox Model B has two triggers, gives the shooter instant command of two shots—the split-second selection of two different chokes. Model B also has a raised, ventilated rib. And in every other respect it is identical to the Model B-ST.

RETAIL \$99.50  
SPECIAL \$84.50


## GAUGES, BARREL LENGTHS AND CHOKES OF FOX

Gauge	Barrel	Right	Left	Weight
12	26"	Improved Cylinder	Modified	7 lbs.
12	28"	Modified	Full	
12	30"	Modified	Full	
16	26"	Improved Cylinder	Modified	6¾ lbs.
16	28"	Modified	Full	
20	26"	Improved Cylinder	Modified	6½ lbs.
20	28"	Modified	Full	
.410	26"	Full	Full	6¼ lbs.



**STEVENS**

slide action repeating shotguns

**77-SC**Savage  
Super-Choke recoil pad  
lightweight
**RETAIL**  
83.50  
**SPECIAL**  
\$70.95

Top value in pump shotguns—the Stevens 77-SC is mighty smooth... sleek lines of the gracefully shaped stock and streamlined receiver... velvet-smooth, lightning fast action. This lightweight gun is beautifully balanced and fast pointing. And, for heaping good measure of value, the recoil pad and Savage Super-Choke make the 77-SC truly an all-purpose gun.

**Barrel**—Special alloy steel, proof-tested. Chambered for all 2¾" factory loaded shells. Fitted with Savage Super-Choke that reduces recoil; provides instant selection of any choke from full through cylinder. Length, 26". **Action**—Hammerless, solid frame, side ejection. Cross bolt safety at rear of trigger guard. Safety fire control—trigger must be released and pulled for each shot. **Magazine**—Holds 5 shells;

Magazine plug furnished to reduce maximum capacity of gun to three shots. **Stock**—Selected walnut, full pistol grip, fluted comb. Fitted with rubber recoil pad. Length, about 14"; drop at comb 1½", at heel 2½". Extension beaver-tail slide handle, grooved for firm grip. **Weight**—12 gauge, about 7 pounds; 16 and 20 gauge, about 6¾ pounds. Length over-all, 45½"

**77-M**

- 3" Magnum - 12 and 20 gauge.

Same as 77 except chambered for all 3" magnum and 2 3/4" factory loaded shells. Full choke boring only. 12 gauge barrel. 30" long. 20 Gauge BBL - 28" long.


**RETAIL**  
\$83.50  
**SPECIAL**  
\$70.95
**77**

Plain Barrel


Same as 77 SC but does not have Savage Super Choke


**RETAIL**  
\$71.50  
**SPECIAL**  
\$60.75

Gauge	Barrel	Choke	Weight
12	26"	Improved Cylinder	
12	28"	Modified	
12	28"	Full	7 lbs.
12	30"	Full	
16	26"	Improved Cylinder	
16	28"	Modified	6½ lbs.
16	28"	Full	
20	26"	Improved Cylinder	
20	28"	Modified.	6½ lbs.
20	28"	Full	


**Savage**

automatic shotguns

**775-SC**12 and  
16 gauge

Here's a time-tested automatic shotgun action on a modern, streamlined frame. Featherweight, too, for easy swinging, quick pointing. Now available with Savage Super-Choke that reduces recoil up to one-third, adjusts instantly to any choke from full to cylinder. Truly an all-purpose gun.

**Barrel**—Special alloy steel, proof-tested. Chambered for all 2¾" factory loaded shells. Fitted with Savage Super-Choke to reduce recoil, provide instant selection of any choke from full through cylinder. Length, 26". **Action**—Hammerless, auto-loading. Barrel locked to bolt during recoil. Friction ring adjustment for light or heavy loads. Cross bolt safety at rear of trigger guard. Trigger must be released and pulled for each shot. Receiver of light, tough aluminum alloy, matted in line of sight, sides attractively decorated. Solid breech. **Magazine**—Capacity, 4 shots; shell in chamber makes 5 quick shots available. Magazine plug furnished to reduce maximum capacity of gun to 3 shots. **Stock**—Selected walnut stock and grooved fore-end, checkered, oil finished. Full pistol grip, fluted comb. Length about 14"; drop at comb 1½", at heel 2½". Corrugated butt plate. **Weight**—12 gauge about 7¼ pounds; 16 gauge about 7 pounds. Length over-all, 46½"; taken down, 33¼".

**RETAIL** \$131.95 **SPECIAL** \$112.15
**775**12 and  
16 gauge

Same as Model 775-SC, except with plain barrel.

Gauge	Barrel	Choke	Weight
12	28"	Modified	
12	28"	Full	7¼ lbs.
12	30"	Full	
16	28"	Modified	
16	28"	Full	7 lbs.

The discount prices shown on Remington, Winchester, Savage, Ithaca, and Mossberg guns apply only to orders which originate from the following Non-Fair Trade states: Alaska, Arkansas, Colorado, Florida, Georgia, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Nebraska, New Mexico, Ohio, Oklahoma,\* Oregon, South Carolina, Texas, Utah, Vermont, Washington, Washington, D.C., West Virginia.

**RETAIL**  
\$121.95  
**SPECIAL**  
\$103.65

ALL MERCHANDISE BRAND NEW



# Savage slide action repeating shotguns

## 30-AC



RETAIL  
\$90.75


SPECIAL  
\$77.15

ventilated rib  
featherweight  
12 and 20 gauge

Here's a pump shotgun worthy to bear the name Savage. The streamlined, nicely decorated receiver houses an action that's fast and smooth. A ventilated rib is standard equipment. Trigger and safety are gold-plated. The Savage Adjustable Choke provides instant choice of any choke setting. The Savage 30-AC is a handsome, useful gun, a fine value that any sportsman would be proud to own.

**Barrel**—Special alloy steel, proof-tested, with ventilated rib. Chambered for all 2¾" factory loaded shells. Savage Adjustable Choke gives instant choke selection from full through cylinder. Length, 26". **Action**—Hammerless, solid frame, side ejection. Highly polished receiver and damascened bolt with attractive game scene on each side of receiver. Gold-plated trigger and cross bolt safety at rear of trigger guard. Safety fire control—trigger must be released and pulled for each shot. **Magazine**—Holds 4 shells; one in chamber makes 5 quick shots available. Magazine plug furnished to reduce maximum capacity of the gun to 3 shots. **Stock**—Selected walnut with full pistol grip and fluted comb. Corrugated butt plate. Length, about 14"; drop, 1½" at comb, 2½" at heel. Deluxe extension slide handle, grooved for firm grip. **Weight**—About 7 pounds. Length over-all, 45½".

## 30-ACL



left-hand action  
ventilated rib, featherweight  
12 gauge only

RETAIL \$90.75 SPECIAL \$77.15

The discount prices shown on Remington, Winchester, Savage, Ithaca, and Mossberg guns apply only to orders which originate from the following Non-Fair Trade states: Alaska, Arkansas, Colorado, Florida, Georgia, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Nebraska, New Mexico, Ohio, Oklahoma,\* Oregon, South Carolina, Texas, Utah, Vermont, Washington, Washington, D.C., West Virginia.

## 30



RETAIL  
\$85.75

SPECIAL  
\$72.85

ventilated rib  
featherweight  
12 and 20 gauge

Same fine shotgun as the 30-AC, but with selection of popular chokes and barrel lengths. This is a gracefully proportioned, dependable pump gun that's lightweight and fast handling. Expert design and patient field testing have produced a slide action that can rightly take its place with the other fine quality sporting arms by Savage.

**Barrel**—Special alloy steel, proof-tested, with ventilated rib. Chambered for all 2¾" factory loaded shells. 12 and 20 gauge: 26" imp. cyl., 28" mod. or full; 12 gauge only, 30" full. **Action**—Hammerless, solid frame, side ejection. Highly polished receiver and damascened bolt with attractive game scene on each side of receiver. Gold-plated trigger and cross bolt safety at rear of trigger guard. Safety fire control—trigger must be released and pulled for each shot. **Magazine**—Holds 4 shells; one in chamber makes 5 quick shots available. Magazine plug furnished to reduce maximum capacity of the gun to 3 shots. **Stock**—Selected walnut with full pistol grip and fluted comb. Corrugated butt plate. Length, about 14"; drop, 1½" at comb, 2½" at heel. Deluxe extension slide handle, grooved for firm grip. **Weight**—About 6¾ pounds. Length over-all, 45½" - 49½".

## 30-L



left-hand action  
ventilated rib, featherweight  
12 gauge only

RETAIL \$85.75 SPECIAL \$72.85

ALL GUNS SHIPPED RAILWAY EXPRESS COLLECT

\* ALL MERCHANDISE BRAND NEW \*

PARKER'S

3516 WHITE PLAINS ROAD  
N. Y. , 67, N. Y.




# REDFIELD



## BEST SCOPE VALUE ON THE MARKET

... offering a superb optical system combined with positive, precise adjustment mechanism, housed in the most revolutionary scope tube on the market. This combination provides every hunter "image brightness", rugged and sturdy internal adjustments, and triple-protection fog-proof per-

formance that guarantees the very finest shooting accuracy. Bear Cub scopes offer the ultimate in design, craftsmanship and performance—at prices only modestly above those of the lowest priced scopes.




### BEAR CUB 2<sup>3</sup>/<sub>4</sub> x

Retail 49.50 Special 33.75

With Cross Hair or Post and Cross Hair

The widest field of view and greatest image brightness for dawn and dusk shots. A "First Choice" of big game hunters the world over. A preferred power for brush shooting and wooded areas where quick shots at short range are necessary. Wide field makes quick sighting easy even at point-blank range.




### BEAR CUB 4 x

Retail 59.50 Special 40.50

With Cross Hair or Post and Cross Hair

The all-around scope most experienced hunters prefer. Ideal for longer open-range shots where hunters have more time to aim. Power enough for varmint hunting, yet offers a wide enough field for brush shooting and greater magnification to spot standing game.



### BEAR CUB 6 x

Retail 79.50 Special 54.00

With Cross Hair or Post and Cross Hair


A DeLuxe rifle scope for big game in open country, or varmint shooting. Ideal for western antelope hunting. For varminters six power avoids excessive mirage problems. Nothing in its magnification range can touch this scope for brilliance and clarity of image.

### Streamlined Turret Dial System

Exclusive turret dial system has streamlined design yet rugged construction. Windage and elevation dials are easily and accurately adjusted with small coin. Jar-proof dial caps keep scope in adjustment—prevents invasion of dirt or moisture. May be adapted to either right or left hand use.

\*Dots \$9.00 extra—Standard dots for 2 3/4X are 3", 5"; for 4X are 3", 4"; for 6X are 1", 2".

Special \$6.95



SEND FOR YOUR CREDIT APPLICATION.

\* GUARANTEED LOWEST PRICES \*

**PARKER'S**

3516 WHITE PLAINS ROAD  
N. Y. , 67, N. Y.

\* ADD POSTAGE TO ALL ITEMS \*



USE YOUR CREDIT AND SAVE AT PARKER'S.

# REDFIELD



## SPECIFICATIONS


BEAR CUB SCOPES	2¾X	4X	6X
Actual Magnification	2¾X	4X	6X
Clear aperture of objective lens	22mm.	34.8mm.	41mm.
Exit Pupil	8mm	8.7mm	6.8mm
Relative brightness	64	75.7	46.7
Field of view at 100 yards	42°5"	31'	20'
Light transmission	86%	86%	86%
Eye relief	3¼" to 4½"	3¼" to 4½"	3¼" to 4½"
Over-all length	10¾"	11½"	13½"
Diameter of tube	1.023" (26mm)	1.023" (26mm)	1.023" (26mm)
Length of tube between flared ends	.....	6¾"	6¾"
Outside diameter of front end	1.023"	1.562"	1.825"
Outside diameter of eyepiece	1.468"	1.468"	1.468"
Weight	8 oz.	9¾ oz.	11¼ oz.
Adjustment dial graduation in minutes (inches at 100 yd.)	1"	1"	½"

## CHOICE OF RETICULES


Crosshair



Post and Crosshair



Dot\*



	CH size	CH subtends at 100 yards	Top of post	Top of post subtends at 100 yards
2¾XD	.001"	1.341"	.002"	2.683"
4XD	.001"	0.918"	.002"	1.838"
6XD	.0005"	0.306"	.002"	1.225"

\*\$9.00 extra charge for Dot reticules. Standard dots for 2¾X are 3", 5"; for 4X are 3", 4"; for 6X are 1", 2". Special dots available, same price.

**Special \$6.95**

*When you own Bear Cub Scopes with Redfield Mounts, you own the very best.*

## GUARANTEED FOG-PROOF FOR LIFE

To insure fog-proof performance, Redfield goes several steps farther than unsurpassed mechanical design and construction. Redfield Bear Cub Scopes are assembled in a specially designed room where automatic equipment electronically controls dust, humidity and atmospheric conditions. In addition, Redfield Bear Cub scopes are nitrogen filled and hermetically sealed.

**Only Redfield Bear Cub Scopes Give You This Triple Anti-Fog Protection**—Hermetic sealing, nitrogen filling and assembly under ideal conditions.


## OPTICS MANUFACTURED BY KOLLMORGEN OPTICAL CORP.

The optical system of the Bear Cub is the ultimate in design and quality. The individual lenses are ground from fine optical blanks of the proper characteristics by the Kollmorgen Optical Co., a firm unsurpassed in optical excellence.

## GUARANTEE

We fully guarantee Redfield Bear Cub rifle scopes to be free from defects in material or workmanship, including freedom from internal fogging, during the life of the scope. We fulfill this warranty by repairing or replacing at our factory any Redfield Bear Cub scope returned to us which our examination shall disclose to be defective as to material or workmanship, and which (1) has not been subjected to abuse or damage, (2) has not been repaired or disassembled by other than the Redfield factory.

From the initial design through the final assembly, the Bear Cub is rigidly controlled and inspected to produce a truly superb optical instrument to give you a lifetime of shooting happiness. The Bear Cub is not a punch press, mass produced type of instrument, but contains the skill and craftsmanship of some of the finest optical and mechanical knowhow in the world.



You can always spot a Bear Cub by these three knurled rings on the eyepiece

THE BEST OF NATIONALLY ADVERTISED BRANDS

PARKER'S


3516 WHITE PLAINS ROAD  
N. Y., 67, N. Y.



## Here's the inside story of a Redfield Bear Cub Scope

Redfield invites comparison. We want you to know how Bear Cub scopes are made, because through comparison you'll learn first hand why this scope improves your accuracy. This cut-away drawing shows realistically and factually, the superior design of the Bear Cub — gives you an inside look at the features (many are exclusive)

that build accuracy, ruggedness, brighter image and fog-proof protection into every Bear Cub. You get so much more scope for so little more price — and you save the difference early on unwasted zeroing ammunition and faster game kills.



● The optical system of scope and eye consists of an objective lens which produces an image of the target at focal plane A, this image being upside down and backwards. The erector system "looks at" this image and produces another image at point B rightside up and corrected as to left and right (an actual image of the target). The eyepiece lenses are similar to a magnifying glass in your hand and "look at" and magnify the corrected image at B. Your eye itself is the final part of the system. We are proud that the optical design of the Bear Cub accomplishes this so perfectly.

● The Bear Cub's lenses are precision ground from the most ideal optical blanks. The reason why most lenses are doublets (and a third lens is in the eyepiece) is that single lenses separate the various colors comprising "light" which result in "flares" of color at the edges of your image. The extra lenses compensate for and eliminate this as well as balance out other imperfections (called aberrations in optics) to give you a clear, bright picture. Doublets are cemented together with the finest synthetic resins. Lenses are mounted against precision surfaced mount shoulders (no rubber cushions to deteriorate) and are hermetically sealed with special neoprene cements.

● The objective lens on the Bear Cub is full diameter for more light gathering (22mm on the 2½X, 34.8mm on the 4X, and 41mm on the 6X) which makes possible the larger exit pupil (see No. 9) and therefore a brighter picture.

4 All air to glass surfaces are coated with a hard film of magnesium fluoride for maximum light transmission. With uncoated lenses, about 5% of the light passing through each air-glass surface is lost in wasted reflections with a total loss of about 45% of the light entering the scope. The Bear Cub's coating increases the transmission to 86%—the maximum that's practical in a hunting scope.

● Field of view is the widest possible with the Bear Cub. (42 ft. 5 in. at 100 yards with the 2½X, 31 ft. with the 4X, 20 ft. with the 6X). Note the clear distinct edge. Many scopes are fuzzy near the edges.

6 The Bear Cub's eye relief of 3¼ to 4½" (distance of eye to eyepiece) permits perfect positioning of the scope on the rifle to allow field variation in your shooting position.

7 The exit pupil is the bright pencil of light seen when the scope is held up at arm's length to a light background. The relative brightness is simply the square of the exit pupil diameter. The Bear Cub exit pupils (8mm with the 2½X, 8.7mm in the 4X, and 6.8mm in the 6X) are larger than the 5mm opening of your eye in dull shooting light. This gives you a definite sight advantage in that your eye does not have to be perfectly centered on the axis of the scope. You see the target better even when shooting from awkward positions or on quick shots.

8 The reticule (crosshair, post, or dot) is located on the focal plane of the objective lens for maximum protection and clarity. Parallax exists in a scope when the crosshair is not exactly on this focal plane. Bear Cub scopes are parallax set at the factory (100 yards for the 2½X and 4X, 150 yards for the 6X). Free factory parallax setting is available at the company should the shooter want a different setting. The parallax tube No. PT loosens and is moved lengthwise within the main tube to change the location of the reticule. No scope can be parallax free for more than one target distance. The error at other distances is of negligible importance. For example, with the 4X scope set at 100 yards the maximum error at 300 yards is only about 1¼".

● The reticule is always centered in the field of view. It is never lopsided or off-center no matter what extreme adjustment may be used.

10 The erector tube, to which the reticule is attached, adjusts within the parallax tube when the windage or elevation adjusting screw (No. C) bears against it. A continuous firm opposite force is exerted by flat spring No. D.

● The accuracy of a scope depends on its mounting to the rifle and its internal ruggedness, the most important part of which lies in the adjustments. The Bear Cub windage and elevation adjustments are precision threaded, coined turned special steel screws. Absolute freedom from backlash is guaranteed. The dial E, with one minute graduations (½" for the 6X) turns with the screw. Accurate settings as low as ¼" are readily obtainable. In addition, the Bear Cub has the unique feature of the dials being able to be reset to zero without affecting the adjusting screw, simply by pushing down on opposite sides of the dial with thumb nails and turning it to the desired position. This permits changes from "zero" on your rifle to be measured on the dials.

12 Removable turret caps protect the windage and elevation adjustment. Tightens down against a rubber gasket to assure protection from moisture or dust.

13 The Bear Cub scope tube is one piece, with no thread to weaken it at the objective bell. Finest light alloys are durable yet are light weight.


● Exclusive Tub-Coat is an exclusive scratch proof, lustrous black finish which has chemically penetrated the alloy surfaces and which therefore keeps your scope looking new for a lifetime. Hard as case hardened steel, no other scope has such a durable exterior.

15 Entire eyepiece attaches to main tube by a tight fitting, water-proofed thread. This permits focusing of the reticule to perfection for your eye. Once focused, it does not need to be changed and is locked in place by the lock ring. Never remove this eyepiece as the nitrogen will escape.

16 Triple protection fog proof. Only the Bear Cub gives you all three anti-fog assurances: (1) hermetic sealing and anti-fog treating on lenses (in addition to anti-reflection coating), (2) assembly in a specially constructed room with electronic dust control, humidity control, and ideal atmosphere, and (3) nitrogen filling to further assure against any possibility of fogging.



# K MODEL WEAVER-SCOPES




**MODEL K1**  
1 power.

Retail \$34.50 Special \$23.95




**MODEL K2.5 and K3**  
K2.5 — 2½ power.  
K3 — 3 power.

Retail \$37.50 Special \$23.95




**MODEL K4**  
4 power.

Retail \$45.00 Special \$28.75



**MODEL K6**  
6 power.

Retail \$48.50 Special \$30.95



**MODEL K8 and K10**  
K8 - 8 power; K10 - 10 power.

Retail \$59.50 Special \$37.95

## SPECIFICATIONS MODEL K SCOPES

	K1	K2.5	K3	K4	KV	K6	K8	K10
Tube, blued steel—Diameter	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.
Eyepiece—Diameter	1.235 in.	1.445 in.	1.445 in.	1.445 in.	1.445 in.	1.445 in.	1.445 in.	1.445 in.
Length—Overall	9½ in.	10⅜ in.	10⅜ in.	11¼ in.	11½ in.	13 in.	15¼ in.	15⅞ in.
Weight	8 oz.	8½ oz.	8½ oz.	9½ oz.	11¼ oz.	10½ oz.	14 oz.	14 oz.
Objective End—Diameter	1 in.	1 in.	1 in.	1.550 in.	1.550 in.	1.550 in.	1.550 in.	1.550 in.
Eye Distance	3-6½ in.	3-6 in.	3-6 in.	3-5½ in.	3½-5 in.	3-5 in.	3-5 in.	3-5 in.
Magnification	1X	2.5X	3X	4X	3-5X	6X	8X	10X
Adjustments—Internal	1" click	½" click	½" click	¼" click	¼" click	¼" click	¼" click	¼" click
Field of View	96 ft.	43 ft.	37 ft.	31 ft.	25-35 ft.	20 ft.	15 ft.	12 ft.
Focus	Adjustable to User's Vision—All Models							
Reticules	See paragraph below.							


## FIXED RETICULES WITH INTERNAL ADJUSTMENTS\*

Crosshairs are always accurately centered. Only the image, not the reticle, moves when you turn the adjusting screws.

\*Except K1 and KV




No more off-center reticules! With the reticle rigidly positioned in the second erecting plane, off-center reticules like this are impossible.



**RETICULES**  
Range Finder  
Dot

Retail \$5.00  
Special \$4.00  
Range Finder \$7.50  
Dot \$6.00

Crosshair reticules are standard. Post reticules are optional. Range-finder reticules (with double horizontal crosshair to cover 6 in. at 100 yards) for estimating range, and Stein patented dot reticules are available at extra cost. These reticules are supplied in all K and J Model Scopes with the exception of the range-finder in the K1 and the post reticules with crosshair in the K8 and K10.




## PROTECTED ADJUSTMENTS ON MODEL K SCOPES

Click adjusting screws are protected by screw caps, keeping out dirt and moisture, and preventing accidental changes in adjustment.




## J MODEL WEAVER-SCOPES



MODEL J4  
4 power.

Retail \$27.50 Special \$19.50



MODEL J2.5  
2 1/2 power.


Retail \$22.50 Special \$16.75

### J MODEL SPECIFICATIONS

	J2.5	J4
Tube, blued steel—diameter	.750 in.	.750 in.
Eyepiece—Diameter	1.010 in.	1.010 in.
Length—overall	10 1/2 in.	12 in.
Weight	6 oz.	6 1/2 oz.
Front End Diameter	.750	1.010

	J2.5	J4
Eye Distance	3-5 1/2 in.	3-5 in.
Field of View	37 ft.	26 ft.
Adjustments—Internal	1/2" click	1/2" click
Reticules	See paragraph on reticules	
Focus	Adjustable to user's vision—all models.	

## B MODEL WEAVER-SCOPES




MODEL B4  
4 power.

### SPECIFICATIONS

	B4	B6
Tube, blued steel—diameter	.750 in.	.750 in.
Eyepiece—diameter	.955 in.	.955 in.
Length—overall	11 1/2 in.	13 1/2 in.
Weight	6 oz.	7 oz.

Retail \$9.75 Special \$7.95

Reticules:



MODEL B6  
6 power.


	B4	B6
Eye Distance	2 in.	2 in.
Field of View	30 ft.	20 ft.
Adjustments—Internal	Friction lock	Friction lock
Focus	Adjustable to user's vision—all models.	
Crosshair only	Retail \$12.50 Special \$9.70	

B Model Scopes are equipped with N or Tip-Off Mount at no extra charge when so ordered.

WHEN ORDERING "B" SCOPES, STATE TYPE MOUNTS DESIRED - "N" SIDE OR "TIP OFF".

PLEASE STATE MAKE AND MODEL OF RIFLE.

TYPE N  
MOUNT  
RETAIL PRICE  
\$2.00



N Mounts (side bracket design for 3/4" diameter scopes) are pressed from tough alloy steel. They are attractive, well-finished, and sturdy. A low mount is usually preferred, but some users like a high mount with metallic sights under the scope. N Mounts are made either way and in shapes to fit most all high power rifles as well as .22's.


BUY THE NEW CONVENIENT WAY -

NO MONEY DOWN

UP TO 10 MONTHS TO PAY.

USE YOUR CREDIT AND SAVE AT PARKER'S.

## TIP-OFF MOUNTS





RETAIL  
PRICE  
\$2.00 Ea.

One-piece Tip-Off Mount for Models B and J Weaver Scopes on .22 rifles having 3/8" dovetail receiver grooves including

Late Savage Models 4, 5, 6, 29  
Late Stevens Models 84, 85, 86, 87  
Late Winchester Models 61, 69, 72, 74, 75S, 77, 63  
Mossberg Models 142, 144, 146, 151, 152, 300 Series, 400  
Late Marlin Models 80, 81, 88, 89, 98, 56, 39A  
Late Remington 511, 512, 550, 513S, 552, 572, Nylon 66  
Late H & R Model 422, 800 Ithaca X5 Lighting  
Late Browning .22 Automatic Grade I  
Lee-Enfield 1, 4, 5 (See note below)

The Tip-Off Mounts, either the one piece 3/4 inch or the pair of 1 inch rings, are the most dependable ever developed for .22 rifles, yet clamp on instantly without use of tools. They tip into dovetail receiver grooves and are clamped to the rifle by tightening two coin slotted screws.



RETAIL  
PRICE  
\$8.00 Pair

Special \$6.40

The 1 inch Tip-Off Mount for K Models consists of a pair of mount rings. Rings are split for easy installation.

"Lee-Enfield requires adapter base TO-1, Price \$1.75. Gun must be drilled and tapped."

PARKER'S

3516 WHITE PLAINS ROAD  
N. Y., 67. N. Y.



# WEAVER-DETACHABLE MOUNTS

Either Top or Side Mounts are suitable with Weaver-Scopes. Usually Detachable Top Mounts are preferred for longer scopes, particularly K6, K8, and K10. Top and Side Detachable Mount Bases and N Mounts for each gun are shown in the list.

Make, Model of Rifle	Bases for Detachable Mounts		Type N Mounts	Scope Position	
	Top Mount	Side Mount		Low	High
BROWNING .22 Auto (1-pc. base attaches to bbl. & extends back over receiver)	60	---	---	---	---
ENFIELD receiver cut down like					
Remington 30	11	11	1	N1	N4
Winchester 70	47	46			
Remington 721	36	11			
H & R 65, 165, 150, 151 (Auto)	18	18	2	N2	N3
765, 852	17	21	2	N2	N3
865	17	21			
264, 265, 365, 250, 251, 450, 550	18	16	2	N2	N3
ITHACA X5 Lightning	39	39			
JAPANESE 6.5mm.* 7.7mm.*	25	57	1	N1	N4
KRAG (If central mounting interferes with ejection, offset to left.)	---	---	2	N2	N3
MARLIN 36, 336	28	24			
336—Some new guns drilled for 1-pc. Base #52 (KV not usable)	52		5	---	---
455 (drilled for Top Mount)	45	46			
56 (drilled for Top Mount)	58				
322	39	43			
39A round barrel	29	16	2	N2	N3
39 octagon barrel (attach N Mount to side of barrel)	28	31			
A1, 50	15	15			
88, 89, 98	18	18			
80, 81	12	21	2	N2	N3
F.N. HUSQVARNA, HIGGINS 50, 51, MAUSER with receiver ring about 1.410" dia.*	45	46	5	---	---
HVA HUSQVARNA MAUSER with receiver ring about 1.300" dia.*	55	46	1	N1	N4
ZB 8mm.* 7mm.* 6.5mm.* with round receiver					
MONTGOMERY-WARD 46, 41, 45, 36, 390A, 479. Also late models 47, 48, 495A, 491A, 496A, with 3/4" dia. barrels	12	13	2	N2	N3
Early models 47, 48, 495, 491A, 496A with 13/16" dia. barrels	12	16	2	N2	N3
488A, 489A (Auto)	15	15	2	N2	N3
80, 81 Slide action Detachable Side Mount not suitable for B Scopes on this rifle	11	22	2	N5	N5
MOSSBERG 25, 26, 42, 46M, 140, 142, 146. Also late models 45, 46 with 3/4" diameter barrels	12	13	2	N2	N3
43, 44, 144, 46BT, 35. Also early models 45, 46, 46A, 46B with 13/16" dia. barrels	12	16	2	N2	N3
320, 340, 342, 346	21	21	2	N2	N3
40	16	21	2	N2	N3
350, 352, 50, 51, 151, 152	12	12	2	N2	N3
REMINGTON 720	36	11	1	N1	N4
721, 725 (drilled for Top Mount)	36	35	1	N1	N4
722, 40X (drilled for Top Mount)	36	40A	1	N1	N4
740 (drilled for Top Mount)	56				
760 (drilled for Top Mount)	51				
30	11	11	1	N1	N4
14, 141	20A	27			
8, 81	---	---	4	---	---
12A, 121 with Detachable Side 3/4" dia. barrels	18	13	2	N5	N5
121 with 13/16" dia. barrels	18	17	2	N5	N5
12C octagon barrel	18	31			
24 } #60 1-pc. base attaches to bbl. & extends back over receiver.	60				
241 } Use for K & J Scopes only.	60				
25	18	21	2	N5	N5
510, 511, 512, 521T, 34*, 341*	43	42	2	N2	N3
513S, 513T	43	44	2	N2	N3
514	16	21	2	N2	N3
550	12	12	2	N2	N3
552, 572	19	13			
33*	17	13	2	N2	N3
41*	17	17	2	N2	N3
SAVAGE 99 (Those with front and rear holes in receiver top require no drilling for Top Mount)	14	19			
110	61	46	1	N1	N4
40, 45	11	11	2	N2	N3
20*	---	---	1	N1	N4
3 (for K and J Scopes)	16	21	2	N2	N3
3 (for B Scopes)	---	---	2	N2	N3
4, 5	12	13	2	N2	N3

NOTE—Model B Scopes (like other makes designed primarily for .22 rifles) have short eye relief and for this reason should not be used on high power rifles.

BUY THE NEW CONVENIENT WAY - NO MONEY DOWN

Make, Model of Rifle	Bases for Detachable Mounts		Type N Mounts	Scope Position	
	Top Mount	Side Mount		Low	High
6, 7	12	12	2	N2	N3
19, 23	15	16	2	N2	N3
219	12	30	2	N2	N3
29 round barrel (Detachable Side Mount not suitable for B Scopes on this rifle)	11	22	2	N5	N5
29, 25 octagon barrel	19	31			
340, 342, (Hornet, .222 drilled)	---	---	1	N1	N4
SEARS-ROEBUCK					
101.20	16	13	2	N2	N3
101.23, 101.13	12	13	2	N2	N3
101.16, 101.19, 101.22	12	12	2	N2	N3
36*, 103-2*, 103.13, 103.16	12	21	2	N2	N3
103.4	15	15	2	N2	N3
SCHULTZ & LARSEN	54	46	1	N1	N4
SPRINGFIELD '03*	54	55	1	N1	N4
'03-A3*	59	45			
STEVENS 26	22	22	2	N2	N3
27 octagon (attach N5 Mount to side of barrel)	31	31			
53 (for K and J Scopes)	16	21	2	N2	N3
53 (for B Scopes)	12	13	2	N2	N3
56, 66	12	12	2	N2	N3
57, 76, 762	18	17	2	N2	N3
416	15	15	2	N2	N3
417	12	12	2	N2	N3
417 1/2	16	16	2	N2	N3
418, 418 1/2	1	1			
325, 322	---	---			
STEVENS-SPRINGFIELD 15	16	13	2	N2	N3
83 (for K and J Scopes)	16	21	2	N2	N3
83 (for B Scopes)	12	13	2	N2	N3
84, 86	12	13	2	N2	N3
85, 87, 872	12	12	2	N2	N3
WINCHESTER 54*, early Model 70	48	46	1	N1	N4
70 new models (require no drilling)					
375, 300 Magnum calibers	49	46	1	N1	N4
Model 70 in other calibers	47	46	1	N1	N4
07, 05, 10	20A	17			
88, use one-piece base	53				
Lever action, except Model 88	---	---	3	---	---
43 Factory drilled holes in receiver give very close spacing of top mounts. Wider spacing is recommended with rear mount using factory drilled holes and front mount well forward on the barrel. In this case use bases	18	43			
If close spacing of top mounts is satisfactory front and rear factory drilled holes in receiver can be used. Then use bases	18	18			
03, 63 (for K and J Scopes)	19	22	2	N2	N3
03, 63 (for B Scopes)	19	22			
06, 62, 62A	32	32			
90 octagon barrel (attach N5 Mount to right side of barrel)	32	32			
61 round barrel (Detachable Side Mount not suitable for B Scopes on this rifle)	19	13	2	N5	N5
61 octagon barrel	25	32			
60*, 67*, 68*	21	21			
57, 69	12	13	2	N2	N3
69A, 72, 47	12	17	2	N2	N3
74	12	12	2	N2	N3
77	15	32	2		
75 Sporter	15	30	2	N2	N3
75 Target	15	16	2	N2	N3
52* all models. Late 52 Sporters with holes in receiver top require no drilling	25	57	2		
ZB 22	28	24	2	N2	N3
ZB Hornet, 218 Bee	39	24			
SHOTGUNS					
Pump shotguns except Win. 42	---	---	8	---	---
Winchester 42	---	---	2	---	---
Auto shotguns except Remington 11-48, Sportsman 48, 58, Winchester 50, Browning Double Auto	---	---	7	---	---
Remington Auto 11-48, Sportsman 48, 58, Winchester 50, Browning Double Auto with steel receiver	---	---	8	---	---

Top Mounts with No. 50 (long, one-piece) Base can be used on some doubles and singles with ribs of sufficient thickness for base screws.

Note: Attaching mounts on aluminum receivers is not recommended.

Rifles marked \* (and older guns in some other models) require altering of bolt handle except with K and J Scopes when the Scope is mounted forward or when N Mount is used in high position.

PARKER'S

3516 WHITE PLAINS ROAD


N. Y., 67, N. Y.

UP TO 10 MONTHS TO PAY.




# WEAVER-PIVOT MOUNT

Illustration shows scope pivoted to side for use of iron sights.



MADE FOR  
3/4", 1" and 1.023"  
SCOPES



Showing mounts  
open and closed.  
Made with Split  
Rings for easy in-  
stallation.

Retail \$12.50 Special \$9.70

The Weaver-Pivot Mount permits instant choice of scope or iron sights; top mounting gives wide spacing of the mount rings; rigidity, low scope position, easy installation. Scope can be quickly taken off rifle; replacement is accurate, alignment exact.

## MADE FOR RIFLES LISTED BELOW

	Rear Base	Front Base
ENFIELD with reshaped receiver. (See note below)		
Receiver shaped like Winchester 70.....	147	146
Receiver shaped like Remington 721.....	136	135
F. N., HUSQVARNA, HIGGINS 50, 51		
MAUSER with receiver ring about 1.410" diameter.* .....	145	146
HVA, MAUSER with receiver ring about 1.300" dia.* .....	155	146
MARLIN 455 .....	145	146
MARLIN 336 .....		163
REMINGTON 721, 725 .....	136	135
REMINGTON 722 .....	136	140
REMINGTON 760, one-piece base No.....		151
REMINGTON 740, one-piece base No.....		156
SAVAGE 99 .....	114	119
SAVAGE 110 .....	161	146
SCHULTZ & LARSEN .....	154	146
SPRINGFIELD '03* (See note below).....	154	155
WINCHESTER 54*, early Model 70.....	148	146
WINCHESTER 70 new models		
Model 70, .375, .300 Magnum calibers.....	149	146
Model 70 in other calibers.....	147	146
WINCHESTER 88, one-piece base No.....		153

(\*) Requires altering of bolt handle for any Scope.


Enfield and Springfield: Pivot Mount usable only on these guns which have been converted to Sporters with suitable front and middle sights.

No drilling or tapping required on current Models of the following rifles: F. N. Mauser, Husqvarna, HVA, J. C. Higgins 50, 51 Marlin 455, 336, Remington 721, 722, 725, 740, 760, Savage 99, 110, Schultz & Larsen, and Winchester 70, 88.

# WEAVER-DETACHABLE MOUNTS

WEAVER  
DETACHABLE  
SPLIT-RING  
TOP MOUNT


Retail \$9.75  
Special \$7.95



Weaver-Detachable Split-Ring Mounts, low, clean-lined and compact, have no protruding lugs for clamping screws. The scope and upper mount part can be removed in seconds leaving unobtrusive bases and standby iron sights, if wanted —on the gun. Replacement is accurate and dependable.

WEAVER  
DETACHABLE  
SPLIT-RING  
SIDE MOUNT

Retail \$9.75  
Special \$7.95




Weaver-Detachable Split-Ring Mounts, both top and side styles are made from 3/4", 1" and 1.023" (26mm) diameter Scopes. Detachable Mounts for 7/8" diameter Scopes are made with solid rings only.

## LENS CAPS

Made of metallic gray plastic, with transparent windows. Durable and snug fitting. In emergency, the scope can be used with caps in position. Made to fit Models K, J, and B Weaver-Scopes. Retail Price \$2.00.


Special \$1.50



## Sportsman

Pocket-size forest service type sighting compass. Accurate, versatile, simple to use. Outside diameter 2 1/2". Furnished complete with illustrated compass guide.

Retail \$9.95  
Special \$8.25



# LEUPOLD

Precision Engineered

COMPASSES  
FOR ALL


OUTDOORSMEN

- Hikers
- Hunters
- Fishermen
- Motorists
- Boat Owners
- Prospectors



# **REDFIELD JUNIOR** **SCOPE MOUNTS**

Detachable



## **JUNIOR BASE WITH SPLIT RINGS**

The world-wide choice of experienced hunters who demand ruggedness, simplicity of design, and durability for the toughest hunting conditions. Guaranteed to withstand recoil of *any* rifle fired from the shoulder. Made of steel. Recommended for all the regularly available American and imported scopes with internal elevation adjustments.


Jr. Base Only . . . . . Retail \$7.50 SPECIAL \$5.65

Jr. Split Rings 1"-26MM

or 26½MM diam. . . . . Retail \$14.00 SPECIAL \$10.50

Complete Mount . . . . . Retail \$21.50 SPECIAL \$16.15

STATE MAKE AND MODEL OF GUN AND SCOPE



## **JUNIOR BASE WITH SOLID RINGS**

Junior Mounts are available with split rings as shown at top (scope can be mounted without removing eyepieces or objective), or solid rings 1" diam. or smaller as shown below. All rings are removable from bases, by Rotary Dovetail.

Jr. Base Only . . . . . Retail \$7.50 SPECIAL \$5.65

Jr. Solid Rings ¾" diam. . . . . Retail \$6.25 SPECIAL \$4.70

Jr. Solid Rings 22MM diam. . . . . Retail \$8.50 SPECIAL \$6.40

Jr. Solid Rings 1" diam. . . . . Retail \$10.75 SPECIAL \$8.05

COMPLETE MOUNT CONSISTS OF BASE PLUS RINGS



STATE MAKE AND MODEL OF GUN AND SCOPE

# **PARKER'S**

## **REDFIELD GUNSIGHTS**

# **REDFIELD** **Quick-Switch**

## **SCOPE MOUNT**



- Provides low scope mounting.
- Combines beauty with durability.
- Scope is detachable by removing pin.

Here is the most rugged, accurate two-position mount ever made! Redfield's Quick-Switch Mount is an entirely new design, far advanced over all other similar type mounts. Hardened steel pin-and-bushing hinge positively will not loosen with repeated use. Now, in a split-second, you have instant choice between scope or open sights! Quick-Switch mounts for woods hunting mount scopes with objective diameters up to approximately 1.6". Varmint hunters and other users of 6x and higher powered scopes normally don't desire the Quick-Switch two position feature.

Quick Switch Bases Only . . . Retail \$6.50 SPECIAL \$4.85

Quick Switch Rings 1" or

26MM diam. . . . . Retail \$8.00 SPECIAL \$5.95


Complete Mount . . . . . Retail \$14.50 SPECIAL \$10.80

STATE MAKE AND MODEL OF GUN AND SCOPE

**Jr. and Dualite Rings Are Fully Interchangeable on JR or DL Bases**

# **REDFIELD Two-Piece**

Detachable



**Made of New, High Tensile Strength,  
 Light Alloys LIGHTER THAN TWO  
 .30-06 CARTRIDGES**

# **DUALITE Scope Mount**

For the hunter who likes to go light—Redfield Dualite two piece scope mounts are available for most commonly used rifles. Weighs less than two 180 Gr. .30-06 cartridges, yet is as tough and durable as much heavier mounts. Withstands all shoulder-fired recoil, has the same precision engineering as the famed Redfield Junior mounts, but made from light alloy with center section eliminated. RINGS are SPLIT-TYPE which in pairs are usable interchangeably with Junior or Dualite bases. Tough, lustrous black finish.

Dualite Bases Only . . . . . Retail \$6.25 SPECIAL \$4.70


Dualite Rings Only 1" or 26MM diam . . . . . Retail \$11.25 SPECIAL \$8.45

Complete Mount . . . . . Retail \$17.50 SPECIAL \$13.15

STATE MAKE AND MODEL OF GUN AND SCOPE



## HIGH and INTERMEDIATE SPLIT RINGS



Available in Junior Rings only, 1", 26mm, 26½mm. Usable (interchangeably) with Jr. or DL bases.

Redfield Standard Height rings mount scopes with objective diameters up to approximately 1.9", depending on the taper in the particular rifle barrel. For scopes with objectives from approximately 1.9 to 2.2", use Junior Intermediate Height Rings, with objectives from 2.2 to 2.5" use Junior High Rings. Top of base to bottom of scope tube on 1" split rings: standard height ring .142", intermediate .272", high .402". High or Intermediate Rings \$15.00 per pair.


High Intermediate Split Rings

1"-26MM or 26½MM diam. . . Retail \$15.00 SPECIAL \$11.25

## EXTENSION SPLIT RING

for Forward or Rearward Positioning of Scope

Available in Junior or Dualite, 1", 26mm, 26½mm.



Gives greater range of eye relief position by allowing scope to be .660" farther forward or rearward than with regular rings. Extension ring can be turned either way. Use with regular rear ring of comparable height. Jr. Ext. Front Ring \$10.75. Dualite \$9.00.


Jr. Extension Front Ring Only

1"-26MM or 26½MM diam. . . Retail \$10.75 SPECIAL \$8.05 (No Rear Ring)

Dualite Extension Front Ring Only

1"-26MM or 26½MM diam. . . Retail \$9.00 SPECIAL \$6.75 (No Rear Ring)

## Famous Redfield Rotary Dovetail



Tap and drill sets—6-48-31 \$1.50, 8-40-28 \$2.00

## REDFIELD ABSOLUTE SAFETY

(For Springfield, Mauser and Winchester 54)

The Redfield Safety is designed to function on a quarter-turn and is contoured on the top to fit snugly under the scope. The bolt handle is locked down when the safety is in the ON position.

Retail \$6.50 , SPECIAL \$4.85

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.

## SCOPE MOUNT CHART

### RIFLES

JUNIOR  
1-piece  
Bases

DUALITE  
2-piece  
Base Sets

QUICK-SWITCH  
2-piece  
Base Sets

### WINCHESTER

Win. 03 & 63	Jr.-63		
Win. 43	Jr.-43		
Win. 52 Sporter (& tgt. w/rd. receiver)	Jr.-52		
Win. 56, 57, 68, 69, 72	Jr.-69		
Win. 61, (Round barrel)	Jr.-61 R		
Win. 61 (Octagonal barrel)	Jr.-61 O		
Win. 70 (Above 66350 incl. 458 & 333)	Jr.-70 A	DL-70 A	QS-70 A
Win. 70 .300 & .375 (Above #66350)	Jr.-70 AM	DL-70 AM	QS-70 AM
Win. 70 & 54 (Serial No. below 66350)	Jr.-70	DL-70	
Win. 70 & 54 .300 .375 (Below #66350)	Jr.-70 MAG	DL-70	
Win. 70 National Match	Jr.-70 ANM	DL-70 AM	
Win. 74	Jr.-74		
Win. 75 Sporting & Target	Jr.-75		
Win. 88	Jr.-88	DL-88	QS-88

### REMINGTON

Rem. 12 & 121 w. octagonal barrel	Jr.-12 O		
Rem. 12, 25, 121 w. round barrel	Jr.-12 R		
Rem. 121 w. Serial No. above 45000	Jr.-121		
Rem. 14 & 141	Jr.-14		
Rem. 30, 30 Exp.	Jr.-30	DL-30	
Rem. 510, 511, 512, 513, 521	Jr.-513		
Rem. 550	Jr.-74		
Rem. 721, 725 (long action)	Jr.-721	DL-721	QS-721
Rem. 722, 725 (short action)	Jr.-722	DL-721	QS-721
Rem. 760, 740, 572***, 552	Jr.-760**	DL-760*	QS-760

### SAVAGE & STEVENS

Sav. 1919, 23, 33	Jr.-23		
Sav. 40, 45	Jr.-40		
Sav. 99 (Factory Drilled & Tapped)	Jr.-99 R**	DL-99 R	QS-99 R
Sav. 99 (Not Factory Drilled & Tapped)	Jr.-99		
Sav. 110 Long Action	Jr.-110	DL-110(a)	QS-110(1)
Sav. 110 Short Action		DL-110(a)	QS-110(1)
Sav. Model 6 Automatic	Jr.-X		
Stevens 76, 076	Jr.-X		
Stevens Springfield 87, 087	Jr.-X		

Also QS-110LH for left hand actions

### MARLIN

Marlin 37, 39, 93, 94 with Octagon bbl.	Jr.-39		
Marlin 39A — Round bbl.	Jr.-X		
Marlin 36, 336 (not factory drilled)	Jr.-336		
Marlin 36, 336† (factory drilled)	Jr.-336R		QS-336 R(1)
Marlin 56	Jr.-56		
Marlin 322	Jr.-SAKO	DL-SAKO	
Marlin 455	Jr.-FN	DL-FN	QS-FN

### OTHER RIFLES

BRNO Rifles 30-06, etc.	Jr.-BRNO		
BSA Model P14, P17 conversions	Jr.-P17		
BSA Short Medium & Long Action (Rex)		DL-REX	
Colt '57 30-06	Jr.-FN	DL-FN	QS-FN
Enfield† (US '17) Remodeled "flat"	Jr.-ENF		
Enfield† (US '17) Remodeled "round"	Jr.-30	DL-30	
Enfield, Brit. Smle, etc. see Note A			
JC Higgins Model 50 (Prior Jan. 55)	Jr.-50		
JC Higgins Model 50, 51 (Since Jan. 55)	Jr.-FN	DL-FN	QS-FN
JC Higgins 51L	Jr.-HC	DL-HC	QS-HC(1)
Husqvarna unmarked Std. Super Grade	Jr.-H	DL-H	
Husq. Crown Gr., HC, HVA, N900, Lt. Wt	Jr.-HC	DL-HC	QS-HC(1)
H&R Reising Model 65	Jr.-65		
Mausier 98	Jr.-M	DL-M	QS-M
Mausier Kar.	Jr.-MK	DL-MK	
Mausier (Small Ring)	Jr.-MK	DL-MK	
FN Mausier	Jr.-FN	DL-FN	QS-FN
Jap Mausier	Jr.-30	DL-30	
Mexican Mausier	Jr.-MM	DL-MK	
SAKO .222, .22 Hornet	Jr.-SAKO	DL-SAKO	
SAKO .270, 30-06, etc.	Jr.-H	DL-H	
Schultz & Larsen 54J action	Jr.-SL		
Schultz & Larsen M60 action	Jr.-SL60*		
Springfield '03	Jr.-S	DL-S	QS-S03
Springfield 1903, A3, A4	Jr.-S-SPEC		
Weatherby Mark V	Jr.-721	DL-721	QS-721
Weatherby all others	Jr.-FN	DL-FN	QS-FN
Western Field 30-06, etc.	Jr.-FN	DL-FN	QS-FN

†Remodeled Enfields: Jr. 30 fits where receiver bridge shaped to same radius and height as barrel ring; JR ENF where receiver bridge flat (Wall thickness 5/32" top, 1/16" right side).

\*\*DL760 are 1-piece mount bases. Jr.-SL60 are steel 2-piece base sets.

\*\*\*On Junior mounts the distance from center of front ring to center of rear ring is 4", except JR760 is 3.25", JR99 R is 4.40".

On Dualite and Quick-Switch mounts distance can vary according to shooters requested eye relief and receiver length.

\*\*\*On Rem. 572 locate rear edge of front ring opening in base at front shoulder of receiver.

†Jr. 336R uses factory holes, requires no drilling — Hammer spur recommended. Use Jr. 336 for rifles not factory drilled.

(1) Available Spring 1960.

(a) Will also fit Savage 110LH.



# REDFIELD "SHARPSHOOTER" SIGHTS for .22's

## "SHARPSHOOTER" SIGHT CHART for .22 Rifles

RIFLE	REAR SIGHT	FRONT SIGHT
Make and Model	Sharpshooter Rear Sight For Grooved Receivers (For Non-grooved Receivers see* below)	Sharpshooter Ramp #285 (Height .285" from top of barrel to bottom of dovetail) Sharpshooter Front Blade (Width .250" Overall height includes dovetail)

WINCHESTER			
Win. 61	22 RW	No. 285	No. 345"
Win. 63	22 RW	None	500"
Win. 67	22 RW or RN	285	313"
Win. 69	22 RW or RN	285	313"
Win. 72	22 RW or RN	285	313"
Win. 74	22 RW	285	375"
Win. 75	22 RW or RN	285	313"
Win. 77	22 RW	285	406"

REMINGTON			
Rem. 510	22 RW or RN	No. 285	No. 281"
Rem. 511	22 RW or RN	285	281"
Rem. 512	22 RW or RN	285	281"
Rem. 513	22 RW or RN	285	281"
Rem. 514	22 RW or RN	285	313"
Rem. 550	22 RW or RN	285	313"
Rem. 552	22 RW	285	375"
Rem. 572	22 RW	285	375"
Rem. Nylon 66	22 RW	N-66	345"

SAVAGE & STEVENS			
Savage 4	22 RW or RN	No. 285	No. 313"
Savage 5	22 RW or RN	285	313"
Savage 6	22 RW or RN	285	313"
Savage 296	22 RW or RN	285	313"
Stevens 84	22 RW or RN	285	313"
Stevens 85A	22 RW or RN	285	313"
Stevens 86C	22 RW or RN	285	313"
Stevens 87	22 RW or RN	285	313"

MARLIN			
Marlin 80-C	22 RW or RN	No. 285	No. 375"
Marlin 80-DL	22 RW or RN	285	375"
Marlin 81-C	22 RW or RN	285	375"
Marlin 81-DL	22 RW or RN	285	375"
Marlin 89-C	22 RW	285	406"
Marlin 98	22 RW	285	406"
Marlin 100	22 RW or RN	285	406"

OTHER RIFLES			
Colt 1-22	22 RW or RN	No. 285	No. 313"
Browning #1 Grade	22 RW	285	406"
Harrington 422	22 RW or RN	None	531"
and 750	22 RW or RN	285	313"
Richardson 800	22 RW or RN	285	437"
" 865	22 RW or RN	285	313"
J. C. Higgins 29	22 RW	285	437"
J. C. Higgins 31	22 RW	285	437"
J. C. Higgins 33	22 RW	285	437"
J. C. Higgins 103, 181	22 RW or RN	None	531"
J. C. Higgins 204	22 RW	285	468"
J. C. Higgins 228	22 RW	285	345"
J. C. Higgins 229	22 RW	285	345"
Ithaca X-5	22 RW	285	468"
Mossberg 140K	22 RW or RN	285	281"
Mossberg 144-LS	22 RW or RN	None	500"
Mossberg 146-B	22 RW or RN	285	281"
Mossberg 151-K	22 RW	285	313"
Mossberg 151-M	22 RW	285	313"
Mossberg 151-MB	22 RW	285	345"
Mossberg 152	22 RW	285	313"
Mossberg 320-K	22 RW	285	313"
Mossberg 340-K	22 RW	285	313"
Mossberg 342-K	22 RW	285	313"
Mossberg 346-K	22 RW or RN	285	313"
Mossberg 350-K	22 RW	285	313"
Mossberg 352-K	22 RW	285	313"
Western Field F.J.N. 807	22 RW or RN	285	345"
820A	22 RW or RN	285	281"

\*For older .22s lacking the dovetail groove on the receiver, Sharpshooter attaching bases are available (\$0.75 each), radius .875" or 1.2". Attachment is by drilling and tapping receiver or bolt. Where Sharpshooter attaching bases are used, the line of sight is raised approximately .100" as compared to the factory dovetail grooves, and hence the front sight blade height must be increased by approximately that shown above plus .100".

The information on this chart is compiled from rifle manufacturers' drawings and from inspection of field samples. However, some variation in rifle dimensions is possible, and thus occasionally individual variations from these figures would be needed to make a particular rifle zero. For non-standard .22s not shown on this chart, please write us. Where no front sight suggestion is made rifle has type of non-dovetail attachments. See your gunsmith.

The standard width dovetail grooves, as recommended by Sporting Arms and Ammunition Manufacturers Institute are now being used by all rifle manufacturers. However, in stock are some rifles with non-standard dovetails that require either a special length clasp block in the .22 Sharpshooter rear sight, or may require some removal of metal from the Sharpshooter sight with a file for fitting.

# PARKER'S


3516 WHITE PLAINS ROAD N. Y., 67, N. Y.

## "SHARPSHOOTER"

## RECEIVER

## SIGHT

## for .22's



- Same sighting disc and picture as expensive receiver sights
- Full Windage and elevation adjustment
- Rugged—but streamlined appearance

### From the start...a "BULLS EYE"

success with hunters everywhere! The first and only Receiver Sight for .22's that is made to attach (by simple coin tightening) to the dovetail groove on top of .22 receivers.

The Redfield .22 receiver sight is ideal for plinking and boys learning to shoot—perfect for teaching windage and elevation adjustment, and correct sight aiming picture. Retail \$4.95 SPECIAL \$3.70

## "SHARPSHOOTER" FRONT SIGHTS

### for .22's



Made in the following heights—.281", .313", .345", .375", .406", .437", .468", .500", .531". Only 1/4" wide for best looks on .22's. Fit directly into dovetail barrel where applicable, or fits into smooth Sharpshooter 285 ramp. Made in our three famous tip styles, Sourdough, Gold Tip, Ivory Bead. Retail \$2.95 SPECIAL \$2.20

gold tip or ivory bead Retail \$1.95 SPECIAL \$1.50

## "SHARPSHOOTER" No. 285

## RAMP for .22's



As when adding a receiver sight to any rifle, the Sharpshooter rear raises the line of sight. Hence most .22's need to have a higher front sight in the attractive Sharpshooter 285 ramp. Smooth and streamlined, easy to install. No drilling and tapping is required, a dovetail filler block slides into the original front sight dovetail on the .22 barrel. Ramp then screw attaches to this filler block, simple, easy, streamlined. Order N-66 ramp for Nylon 66 Retail \$3.25 SPECIAL \$2.45


## "SHARPSHOOTER" BASES for NON-GROOVED .22's



While most .22's currently made have grooved receivers, some older .22's do not. For these non-grooved .22's, the smooth little Sharpshooter attaching base is screw attached after drilling and tapping, and thus easily equips your .22 with the groove for attaching the Sharpshooter sight. Two radii .875" and 1.2" are available, the receiver diameter of most .22's being approximately one of these two radii. (Also see \* at left.) Only 75¢




# REDFIELD MICROMETER RECEIVER SIGHTS FOR RIFLES



## No. 80 SERIES

With quick detachable slide, removable by simple press of button and designed especially for use on rifles with scopes. Grasp-block eliminates wear of elevation stem due to removal or replacing of slide, insuring against loss of accuracy. Quarter-minute clicks. Entire sight is precision machined steel. Hunter type knobs will be supplied unless otherwise specified.

Retail \$8.50 SPECIAL \$6.50



## No. 70 SERIES

Very finest sporting micrometer receiver sight made. Combines simplicity, ruggedness, and accuracy of the highest degree. Fully guaranteed. Quarter-minute clicks. Hunter type knobs will be supplied unless otherwise specified. (Made also for Winchester model 70 and Springfield with special long elevation and windage slides for long range target shooting.)

Retail \$10.50 SPECIAL \$7.95

Adapter available (\$2.50) for mounting No. 70XT Sight on muzzle loaders.


## KNOB CHOICE

SERIES 70 or 80  
AT NO  
EXTRA  
CHARGE



### TARGET Adjusting Knobs

Designed for easy operation using fingers only, with direction of adjustment indicated on knob. Best where frequent changes desired.



### HUNTER Adjusting Knobs

require a coin or key for adjustment, are safe from knob-turning friends and other accidental adjustment. Best where infrequent sight changes are wanted after rifle is sighted in.


IF YOU DON'T  
SEE IT—WRITE!

USE YOUR CREDIT  
AND SAVE!

ALL MERCHANDISE  
BRAND NEW!

## SIGHTING DISCS

for all  
REDFIELD  
RECEIVER  
SIGHTS



Deep cut for extra shade. Non-glare finish that will not glisten or reflect in your eyes. Available as follows:

O.D.  $\frac{7}{8}$ " aperture .046 or .093" } ONLY  
O.D.  $\frac{1}{2}$ " aperture .046 or .093" } 75c  
O.D.  $\frac{3}{8}$ " aperture .046 or .093" }

Unless otherwise specified,  $\frac{1}{2}$ " x .046 is furnished.

Special order apertures .031" to .140" \$1.50



## No. 102-SG RECEIVER SIGHT FOR SHOTGUNS

*a Quickly Detachable receiver  
sight adapted to shotguns!*

- Streamlined base. • Adjustable for elevation and windage.
- Toughest most dependable receiver sight ever made.
- All adjustments stay secure — will not change accidentally.


Now the 102SG gives all-around shotgun versatility... combines the rugged, accurate Redfield 102 Receiver sight for hunting deer and other large game plus instant detachability for shooting birds, etc. When sight is detached, only a small flat base (less than  $\frac{3}{16}$ " thick) remains on side of receiver. Nothing protrudes or is in the way to hinder your shooting. For all flat sided shotguns (Winchester 12 and 50; Remington 11-48, 48 and 58; Ithaca, Stevens 77, Higgins pump, etc.).

With base..... Retail \$6.95 SPECIAL \$5.25  
Extra base \$ .75.



## No. 102 SERIES

HUNTING  
RECEIVER  
SIGHT



The toughest and most dependable receiver sight made. Adjustable for elevation and windage. Adjustments made for ruggedness to secure positioning—avoids accidental change.

Retail \$5.00 SPECIAL \$3.75

PARKER'S

3516 WHITE PLAINS ROAD N. Y. 67, N. Y.






# REDFIELD SPORTING SIGHTS

## SOURDOUGH®

### SPORTING REAR SIGHTS



Redfield Sourdough rear combines the best features of both the old fashioned flat tops and semi-buckhorns spring tempered steel. Adjustable sighting plate gives choice of U-Notch (recommended with Sourdough patridge fronts) or V-Notch (best with bead fronts). Step elevator for coarse elevation adjustment. Fits standard dovetail slot. Drive in from (or old sight out toward) the right. No. 49L (long) for rifles, No. 49S (short) for .22s and Carbines.

Each..... Retail \$2.95 **SPECIAL \$2.20**

### SOURDOUGH FOLDING LEAF MIDDLE SIGHTS




The new Sourdough Folding Leaf has the same style and notch plate as the Sourdough Sporting Rear above. Sturdy spring holds sight in upright position. Ideal for auxiliary sight on scoped rifles and Quick Switch Mounts. No. FLH is .400" - .530", FLL is .350 - .480. Fits standard dovetail, replaces factory rear.

Each..... Retail \$2.95 **SPECIAL \$2.20**

### DELUXE RAMP

#### FRONT SIGHT



Finest ramp on the market. Combines ruggedness with beauty. Graceful variable matted curve prevents reflection. Ramp milled from solid steel, reamed for perfect friction fit, and locked in place by a hardened screw under sight blade. Blade is fastened to ramp with fitted pin. Available in Sourdough, gold tip or ivory bead. Further details on sight chart.

With Hood..... Retail \$9.75 **SPECIAL \$7.30**

Without Hood..... Retail \$8.75 **SPECIAL \$6.55**

### UTILITY RAMP FRONT SIGHT

Same precision fitting as DeLuxe ramp. Upper section is sand-blasted to prevent reflection. Made without hood. Available in gold tip or ivory bead. For further details on Specs. see sight chart page.....



Retail \$5.00 **SPECIAL \$3.75**

## SPORTING FRONT SIGHTS

Please see Hunting Sight Chart for further details.

### TIP STYLES

**SOURDOUGH PATRIDGE** (Type S), most perfect all-around front sight ever developed. Gold face at 45° angle shows plainly in poor light yet holds on target in bright light. Width .070".



**GOLD TIP.** (Type D). Shows well in any light, ruggedly built, width 1/16" only.



**IVORY BEAD.** (Type C). Same as gold tip above, for those who wish white front bead.



**The above styles available in the following constructions:**

**STANDARD DOVETAIL** — 3/8 x .093 depth, widths. Sharpshooter Series .250" wide, 250 Series .340" wide, 210 Series .500" wide. Height varying according to rifle.

Sourdough Patridge

(Type S) ... Retail \$2.95 **SPECIAL \$2.20**

Gold Tip (Type D) ... Retail \$1.95 **SPECIAL \$1.50**

Ivory Bead (Type C)

1/16" or 1/8" width..... Retail \$1.95 **SPECIAL \$1.50**



MAUSER DOVETAIL (.210 x .062)	Retail	SPECIAL
Sourdough Patridge (Type S).....	\$2.95	\$2.20
1/16" Gold Tip (Type D).....	\$1.95	\$1.50
1/16" Ivory Bead (Type C).....	\$1.95	\$1.50

**CARBINE BLADES** — All sizes and shapes as required.

	Retail	SPECIAL
Sourdough Patridge (Type S).....	\$2.95	\$2.20
1/16" Gold Tip (Type D).....	\$1.95	\$1.50
1/16" Ivory Bead (Type C).....	\$1.95	\$1.50




**FULL BLOCK for SPRINGFIELD '03**

front sight band (not incl. 03A3)

Sourdough Patridge, 1/16" Gold

Tip, or 1/16" Ivory Bead... \$3.95 **\$2.95**



**DELUXE RAMP BLADES:** Sourdough, 1/16" Gold Tip,

1/16" Ivory Bead..... \$2.00 **\$1.50**



**UTILITY RAMP BLADES:**

1/16" Gold Tip,  
1/16" Ivory Bead only..... \$1.50 **\$1.15**



### STREAMLINED

#### Slot Blanks

Shaped for filling of dovetail groove on rifle when open rear sight not used.

Each..... **Only 60¢**





# REDFIELD HUNTING SIGHT CHART

SYMBOLS—Type of Rifle: SA—Slide Action SL—Self Loading BA—Bolt Action LA—Lever Action

RIFLE MAKE and MODEL  ● Most Popular	Type of Action	SCOPE MOUNTS			RECEIVER SIGHTS			Front Sights for use with Receiver Sights		Open Sights		
		JUNIOR	DUALITE	QUICK-SWITCH	70	80	102	DOVETAIL BASE Sourdough	GLOBE	Sour- dough® SPORT- ING REAR	Sour- dough® FOLD- ING LEAF	FRONT Sour- dough® Gold Tip Ivory Bead
		1-Piece Base only	2-Piece Base Sets	2-Piece Base Sets				Gold Tip Ivory Bead	7 inserts			

## WINCHESTER

Win. 05, 07, 10	SL							213	65	49L	FL-L	213
Win. 43	BA	Jr-43						254	65NB	49S	FL-L	254
Win. 52 Sporter	BA	Jr-52						255	65NB			255
Win. 52 Target	BA	Jr-52										
Win. 54	BA	Jr-70	DL-70					256	65NB	49L	FL-H	254
Win. 55, 53	LA											
Win. 56, 57	BA	Jr-69						211	65	49L	FL-L	211
Win. 61	SA	Jr-61-O/R						214	65	49S	FL-L	214
Win. 63, 03	SL	Jr-63						213	65	49S	FL-L	213
Win. 64, 20" Bbl.	LA							215	65NB	49L	FL-L	215
Win. 64, 24" Bbl.	LA							215	65NB	49L	FL-L	251
Win. 65	LA							252	65NB	49L	FL-L	252
Win. 67, 68, 60	BA	Jr-69						253	65NB	49L	FL-L	253
Win. 69 Round Rec. Only	BA	Jr-69						213	65	49S	FL-L	213
Win. 70 (above #66350 incl. 450 Mag.)	BA	Jr-70-A	DL-70A	QS-70-A				216	68	49S	FL-L	216
Win. 70 300, 375 Mag above #66350	BA	Jr-70-AM	DL-70-AM	QS-70-AM				256	65NB	49L	FL-L	254
Win. 70 (ser. below 68, 350)	BA	Jr-70	DL-70					256	65NB	49L	FL-L	254
Win. 70 300, 375 Mag below #66350	BA	Jr-70 Mag.	DL-70					254	65NB	49L	FL-L	252
Win. 71	LA							254	65NB	49L	FL-H	254
Win. 72 Round Rec. Only	BA	Jr-69						215	65	49S	FL-L	215
Win. 74	SL	Jr-74						213	65	49S	FL-L	213
Win. 75 Sporter	BA	Jr-75						252	65NB	49S	FL-L	252
Win. 75 Target	BA	Jr-75										
Win. 77	SL							255	65NB	49S	FL-L	255
Win. 88	LA	Jr-88	DL-88	QS-88				255	65NB	49L	FL-L	255
Win. 94 Rifle—See p. 10 Blade 11, 12	LA							213	65	49L	FL-L	213
Win. 94 Carbine for older models	LA							251	65NB	49S	FL-L	251
Win. 95	LA							214	65	49L	FL-L	214

## REMINGTON

Rem. 8, 81	SL							102-N	213	65		
Rem. 12, 25	SA	Jr-12-O/R							214	65	49S	FL-L
Rem. 121	SA	Jr-121							214	65		
Rem. 14, 141	SL	Jr-14							214	65	49L	FL-H
Rem. 24	SL								214	65	49S	FL-L
Rem. 241	SL								214	65		
Rem. 30-A	BA	Jr-30	DL-30						211	65	49L	FL-L
Rem. 30 Exp	BA	Jr-30	DL-30									
Rem. 30S	BA	Jr-30	DL-30									
Rem. 37	BA											
Rem. 40X	BA											
Rem. 41A	BA											
Rem. 510, 511, 512, 521	BA	Jr-513							212	65	49S	
Rem. 513S, T	BA	Jr-513							213	65		
Rem. 550	SL	Jr-74							216	65, 68	49S	
Rem. 572, 552	SA-SL	Jr-760	DL-760**	QS-760					256	65	49S	256
Rem. 721, 725 long action	BA	Jr-721	DL-721	QS-721					256	65NB	49L	FL-H
Rem. 722, 725 short action	BA	Jr-721	DL-721	QS-721					256	65NB	49L	FL-H
Rem. 740, 760	SL-SA	Jr-760	DL-760**	QS-760					256	65NB	49L	FL-L

## SAVAGE AND STEVENS

Sav. 3, 4, 5, 6, 7	BA-SL	Jr-X							214	65	49S	FL-L
Sav. 19, 33	BA	Jr-23							218	68		
Sav. 23, A, B, C	BA	Jr-23							216	68	49S	FL-L
Sav. 40, 45	BA	Jr-40							256	65NB	49L	FL-H
Sav. 99EG, R, RS, F	LA	Jr-99-R	DL-99-R	QS-99-R					256	65	49L	FL-H
Sav. 99 (not drilled)	LA	Jr-99							256	65	49L	FL-H
Sav. 110	BA	Jr-110	DL-110(a)	QS-110(1)					216	68	49L	FL-L
Stevens 076	BA	Jr-X							214	65	49S	FL-L
Stevens Spgl. 85, 87	SL	Jr-X							214	65	49S	FL-L

## MARLIN

Marlin 36, 336 Carbine	LA	Jr-336R†		QS-336-R(1)					218	68	49S	FL-H
Marlin 36A, 336 (Ramp)	LA	Jr-336R†		QS-336-R(1)					257	65	49L	FL-H
Marlin 39 Octagonal bbl.	LA	Jr-39							213	65	49S	FL-L
Marlin 39A Round bbl.	LA	Jr-X							253	65NB	49S	FL-L
Marlin 56	LA	Jr-56							252	65NB	49S	FL-L
Marlin 80, 81, A1	BA								214	65NB	49S	FL-L
Marlin 100	BA											
Marlin 322	BA	Jr-Sako	DL-Sako						68	49S	FL-L	213
Marlin 455	BA	Jr-FN	DL-FN	QS-FN					256	65NB		

\*On No. 70 or 80 receiver sights, specify knobs: Target or Hunter.

\*\*DL-760 is a one-piece mount.

\*\*\*Globes are fully described on Target (TAR) Sheet.

††Receiver sight drill jig \$3.50 available for Rem. 760, 740.

(1) Available spring 1960.

(a) Will also fit Sav. 110LH.

## MOST POPULAR RIFLES

†Specify O for octagonal barrel, R for round barrel.

†Jr-336R uses factory holes, requires no drilling. Hammer spur recommended.

Use Jr-336 for rifles not factory drilled.

▲A raised line of sight is used on 740's above approx. Serial 200,000, on 760's above 300,000, on 721 and 722's above 400,000, and on all 725's.



# REDFIELD HUNTING SIGHT CHART

SYMBOLS—Type of Rifle: SA—Slide Action SL—Self Loading BA—Bolt Action LA—Lever Action

RIFLE  MAKE and MODEL	Type of Action	SCOPE MOUNTS			RECEIVER SIGHTS			Front Sights		Open Sights			
		JUNIOR 1-Piece Base Only	DUALITE 2-Piece Base Sets	QUICK-SWITCH 2-Piece Base Sets	70	80	102	for use with Receiver Sights DOVETAIL BASE Sourough  Gold Tip  Ivory Bead	GLOBE 7 inserts	Sour- ough® SPORT- ING REAR	Sour- ough® FOLD- ING LEAF	FRONT Sour- ough®  Gold Tip  Ivory Bead	
OTHER RIFLES													
BSA P14, P17, Conv.	BA	Jr-P-17			70-R*	80-R*							
BSA Imperial	BA	Jr-Sako	DL-Sako			80-W*							
BSA Short Med. & Long Action, Rex	BA		DL-REX			80-W*							
BRNO 30-06, etc.	BA	Jr-BRNO						38					
BRNO .22 Cal. Model 1, 2	BA	Jr-Sako	DL-Sako		70-P*	80-P*		39					
Colt 57 30-06	BA	Jr-FN	DL-FN	QS-FN	70-M*	80-M*	102-M						
Enfield (US '17) (flat receiver)	BA	Jr-Enf.			70-RW*	80-RW*	102-RW					Ramp also avail.	
Enfield (US '17) (round receiver)	BA	Jr-30	DL-30		70-R*	80-R*	102-R					Ramp also available	
Enfield British, SMLE, No. 4, No. 5††	BA					80-OM††	102-BX††					Ramp for No. 4.	
Enfield, British SMLE Mk. I, III	BA						102MK.I						
H&R Reising 65 (Leatherneck 150)	BA	Jr-65			70-A*	80-A*		65					
J. C. Higgins 30, 31 (.22 Cal.) flat	BA				70-U*	80-Hig.*		214	65NB	49S	FL-L	214	
J. C. Higgins 228, 229	BA				70-U*	80-U*		214			49L	FL-L	
J. C. Higgins 50, 51	BA	Jr-FN	DL-FN	QS-FN	70-M*	80-M*	102-M	39				39	
J. C. Higgins 51L	BA	Jr-HC	DL-HC	QS-HC(1)	70-M*	80-M*	102-M						
J. C. Higgins 52	BA	Jr-Sako	DL-Sako		70-M*	80-M*	102-M	214				214	
Husq. HVA, Crown, Lt. Wt. N900	BA	Jr-HC	DL-HC	QS-HC(1)	70-M*	80-M*	102-M	256	65NB		49-L	FL-L	
Husqvarna Std. Super.	BA	Jr-H	DL-H		70-M*	80-M*	102-M	256	65NB				
Krag, US Carbine/Rifle	BA				70-K*		102-K	23/22					
Krag, Norweigen, Dane, Swedish	BA						102-NK					Ramp also available	
Mausers 98, 95	BA	Jr-M	DL-M	QS-M	70-M*	80-M*	102-M	39					
Mausers FN	BA	Jr-FN	DL-FN	QS-FN	70-M*	80-M*	102-M	39				Ramp also available	
Mausers KAR and Swedish after 1906	BA	Jr-MK	DL-MK		70-M*	80-M*	102-M	37					
Mausers Small Ring	BA	Jr-MK	DL-MK		70-M*	80-M*	102-M	39					
Mausers, Jap.	BA	Jr-30	DL-30		70-S*	80-S*	102-S	39					
Mausers, Mexican	BA	Jr-MM	DL-MK		70-M*	80-M*	102-M	39				Ramp also available	
Mossberg 140, 142, 144, 146	BA				70-Y*	80-Y*		214	65				
Muzzle Loaders: Special adapter (\$2.50) uses					70XT								
Sako, .222, .218, Hornet	BA	Jr-Sako	DL-Sako										
Sako, .270, .30-06, etc.	BA	Jr-H	DL-H		70-M*	80-M*	102-M	39					
Schultz & Larsen 54J Action	BA	Jr-SL											
Schultz & Larsen M-60 Action	BA	Jr-SL60 (steel	2-piece base set)										
Springfield '03/.22 M1, M2	BA	Jr-S	DL-S	QS-S03	70-S*	80-S*	102-S	51/52	66			Ramp also available	
Springfield 03A3†, A4†	BA	Jr-S Spec.			70-SS*	80-S*	102-SS	blad 2A3†				Ramp also available	
Weatherby Mark V	BA	Jr-721	DL-721	QS-721	70-W*	80-W*	102-W						
Weatherby all others	BA	Jr-FN	DL-FN	QS-FN	70-M*	80-M*	102-M						
Western Field 30-06, etc.	BA	Jr-FN	DL-FN	QS-FN	70-M*	80-M*	102-M						

\* On No. 70 or 80 receiver sights, specify knobs: Target or Hunter.  
†† SMLE adaptor plate for No. 4, No. 5, \$1.95, eliminates drilling and tapping.  
‡ 2A3 blade is .530" high, same as military blade on most 03A3's. ‡ Don't remove dovetail on rear of receiver.

\*On No. 70 or 80 receiver sights, specify knobs: Target or Hunter. †2A3 blade is .530" high, same as military blade on most 03A3's. ‡Don't remove dovetail on rear of receiver.

††SMLE adaptor plate for No. 4, No. 5, \$1.95, eliminates drilling and tapping.


(1) Available spring 1960.

## REDFIELD FRONT SIGHT CHART

to the sight number add a letter (S for Sourdough Patridge D for Gold Tip or C for Ivory Bead) to indicate TIP STYLE desired  
Type C and D available  $\frac{1}{8}$ " or  $\frac{3}{16}$ " beads.  $\frac{1}{8}$ " shipped as standard.

### DOVETAIL BASE

See page 14 for  
Front Sight Elevation  
Correction Chart




Sight Number	1 Overall Height	2 Overall Length	3 Dovetail Width	4 Dovetail Depth	5 Overall Width
<b>Wide "No. 210 Series"</b> —For dovetail slots cut into rifle barrel.					
211	.281	.560	$\frac{3}{8}$ "	.093	.500
212	.313	.560	$\frac{3}{8}$ "	.093	.500
213	.345	.560	$\frac{3}{8}$ "	.093	.500
214	.375	.560	$\frac{3}{8}$ "	.093	.500
215	.406	.560	$\frac{3}{8}$ "	.093	.500
216	.437	.560	$\frac{3}{8}$ "	.093	.500
217	.468	.560	$\frac{3}{8}$ "	.093	.500
218	.500	.560	$\frac{3}{8}$ "	.093	.500
219	.531	.560	$\frac{3}{8}$ "	.093	.500
<b>Medium "No. 250 Series"</b> —For ramp bases built into rifle barrel.					
251	.260	.750	$\frac{3}{8}$ "	.093	.290
252	.260	.750	$\frac{3}{8}$ "	.093	.340
253	.290	.750	$\frac{3}{8}$ "	.093	.340
254	.310	.750	$\frac{3}{8}$ "	.093	.340
255	.360	.750	$\frac{3}{8}$ "	.093	.340
256	.375	.750	$\frac{3}{8}$ "	.093	.340
257	.437	.750	$\frac{3}{8}$ "	.093	.340
258	.500	.750	$\frac{3}{8}$ "	.093	.340
<b>Narrow "Sharpshooter Series"</b> — $\frac{1}{4}$ " width for narrow ramps.					
281	.281	.560	$\frac{3}{8}$ "	.093	.250
313	.313	.560	$\frac{3}{8}$ "	.093	.250
345	.345	.560	$\frac{3}{8}$ "	.093	.250
375	.375	.560	$\frac{3}{8}$ "	.093	.250
406	.406	.560	$\frac{3}{8}$ "	.093	.250
437	.437	.560	$\frac{3}{8}$ "	.093	.250
468	.468	.560	$\frac{3}{8}$ "	.093	.250
500	.500	.560	$\frac{3}{8}$ "	.093	.250
531	.531	.560	$\frac{3}{8}$ "	.093	.250

#### OTHERS

Full block '03 Spgr. (not incl. '03A3)	50	.725	.885		
	51	.675	.885		
	52	.625	.885		
	37	.375	.435	.210	.062
Mausers Dovetail	38	.345	.435	.210	.062
	39	.315	.435	.210	.062

### CARBINE OR BLADE TYPE



Sight No.	For Rifle: WINchester. SAVage. SPRInfield. REMington	1 Overall Height	2 Overall Length	3 Thick- ness
10	WIN. '94 Carb. 25-35, 30-30, .32 S&W	.440	.625	.063
11	Same as #10 except 1/32 higher	.410	.625	.063
12	WIN. '92 Carb.. '94 using old powders	.375	.625	.063
14	WIN. '95 Carb. 30-03, .30-06	.400	.663	.063
16	SAV. '99 22 Hi Pr. 250-3000; Featherweight 25-35, 30-30, 303 Serial under 260,000	.300	.340	.063
21	Springfield '03 with receiver sights	.430	.775	.050/.070
2A3	03A3 Springfield (Mil. or rec. sight)	.530	.775	.050/.070
3A3	03A3 Springfield (rec. sight, some rifles)	.500	.775	.050/.070
22	Krag rifles with 30" bbl.	.456	.450	.050
23	Krag Carb. (orig. military)	.432	.450	.050

### FRONT RAMP SPECS.➔

Specify rifle and barrel  
length when ordering.

RIFLE	DELUXE			UTILITY	
	Barrel Length	Ramp Diam. (in.)	Height*	Ramp Diam. (in.)	Height*
Enfield Brit., SMLE No. 4...	22"	.630	.660		
Enfield US '17	22"	.630	.618		
Enfield US '17	24"	.615	.643	.615	.645
Enfield US '17	26"	.600	.643	.600	.645
Springfield Military	22"	.650	.742		
Springfield Military	24"	.645 Str.	.773	.645 Str.	.770
Spgrld. Military Polished	22"	.640	.742		
Spgrld. Military Polished	24"	.635	.773	.635	.770
Krag	22"	.645	.742		
Krag	24"	.635	.742	.635	.770
Krag	26"	.620	.773	.620	.770
Mausers Military	24"	.605 Str.	.612	.605 Str.	.645
Jap Arisaki (31)	24"	.635 Str.	.643	.635 Str.	.710
Jap 25	24"	.615	.643	.615	.645

Special ramps available at \$5.00 extra charge.

\* Height from top of barrel to top of standard blade. Ramp blade heights available (top of ramp to top of blade): Deluxe: .187", .218", .250", .281", .312", .300"; Utility: .218", .270".

† Heights shown are for '03. For 03A3 order .390" blade for .882" height.

PARKER'S



# REDFIELD INTERNATIONAL MATCH METALLIC TARGET SIGHTS


## 1st Choice of Master Grade Riflemen

New extra large adjusting knobs with very clear markings.

Adjusting knob tension spring, in both windage and elevation knobs, maintains constant tension between adjusting knob, adjusting screw shoulder and sight slide.

Adjusting knob tension bearing absorbs thrust of knob tension spring to prevent drag and eliminate wear.

Elevation screw load spring bearing nut.



New large size 7-40 precision adjusting screws in both windage and elevation.

Elevation screw loading springs maintain tension between sight base and load spring bearing nut. This guarantees uniformity of adjustment and compensates automatically any possible wear. Absolutely no slack or lost motion when direction of adjustment is reversed.

Windage screw load spring enclosed inside disc carriage

Tool steel clicker plates provide sharpest clicks and positive positioning. No ride-over possible. Quarter-minute clicks that you can feel and hear.

The Redfield International, the result of years of experimenting, gives top grade riflemen the ultimate in precision, accuracy of adjustment, and dependability. **UNIFORM QUARTER-MINUTE ADJUSTMENT IS ASSURED. DIRECTION OF ADJUSTMENT CAN BE REVERSED WITHOUT SLACK OR LOST MOTION.** Fits same base as Redfield Olympic sights.


International Receiver Sight with any standard base and 7/8" Disc..... Retail \$32.55  
**SPECIAL \$24.50**

International Receiver Sight with standard base and Sure-X Disc..... Retail \$39.75  
**SPECIAL \$29.75**



### Locates Eye in Exact Position for Consistent Target Accuracy

Combines the advantages of Redfield International or Redfield Olympic micrometer receiver sights and tube sights. Master Grade shooters say the X-Tube gives the best sight picture they have ever had with iron sights. Stray light is baffled out to make the sight picture stay sharp. It eliminates eye strain to a great degree.



### X-TUBE IMPROVES ACCURACY


because the X-Tube eliminates unconscious misalignment of your eye with relation to the center of the rear aperture. You are able to set the baffle to produce a light ring around your front sight flange of any desired thickness and then by maintaining even thickness of this light ring, you know that your eye has returned to exactly the same position each time with respect to the center of the rear sight aperture. This is an overwhelming improvement over conventional type tubes.

Length approx. 12", Weight 8 oz. (with Standard Baffle).....

Retail \$19.50  
**SPECIAL \$14.75**



## The Ultimate in Fine Rifle Sights




## INTERNATIONAL MARK 8 With 1/8 Minute Adjustments

The new International Mark 8 with super-accurate 1/8 minute adjustments is the perfect answer to many shooters, particularly the big bore longer range shooters wanting finer than the customary 1/4 minute adjustment. The Mark 8, a modification of our regular International, has the same inner knob tension springs, the same precise construction and ruggedness for absolute freedom from loosening or backlash. The Mark 8, although new, is already being used by several top military teams.

Retail \$39.25

**INTERNATIONAL MARK 8** with Standard Base and 7/8" Disc **SPECIAL \$30.45**

**INTERNATIONAL MARK 8** with Standard Base and Sure-X Disc **SPECIAL \$34.50**



### Fits Any Redfield Target Sight

Selective aperture sizes in increments of .004" from .030" to .058", each size clearly stamped on aperture wheel—  
Round apertures—You can return to a given aperture size


Retail \$7.90  
**SPECIAL \$5.90**



# REDFIELD INTERNATIONAL MATCH FRONT SIGHTS

## **SMALLBORE** (100 Yds.)

SMALLBORE (50 Yds.)



Precisioneered of lightweight alloy, and obtains ultimate in sharp definition. Tube diameter .900, eyepiece 1.300, overall length 3 1/2", weight 2 oz. Fifty yard front is identical except it is .054 higher, saving approximately 26 quarter-minute clicks when shooter changes from 100 to 50 yards.

Retail \$13.95

International "Small-Bore" Front with base and insert set..... **SPECIAL \$10.50**

## **INTERNATIONAL MILITARY**

For .30 caliber shooting, same as small bore except tube shortened to 1.9", eyepiece same size as tube to provide greatest possible rapid fire visibility.



Retail \$13.95

International "Military" Front with base and insert set..... **SPECIAL \$10.50**  
Deduct \$.95 from above if no front base desired.

**INSERTS**  
Set of 12



Precision molded of durable plastic, optically clear, green, amber or transparent, with or without crosslines.

**O.D. Set:** Outdoor Smallbore containing transparent aperture sizes .090, .095, .100, .105, .110, .115, .120; skeleton aperture sizes .090, .100, .110, .120, and post .070

**I.D. Set:** Indoor Smallbore contains transparent aperture sizes .105, .110, .115, .120, .125, .130, .140; skeleton apertures .110, .120, .130, and .140 and post .070.


**MIL. Set:** .30 caliber contains transparent apertures .065, .075, .085, .095, .105, .115, .125; skeleton .075, .085, .095, .115, and Post .070. Unless otherwise specified set O.D. will be furnished with Smallbore, MIL. set with Military, transparent clear inserts, not crosslined.

Extra set of any combination of any twelve sizes above, \$3.60. Single inserts \$ .50.

# REDFIELD OLYMPIC MICROMETER RECEIVER SIGHTS

This sight is truly an instrument of precision, equal in accuracy to the finest match rifles. It is a national standard of refinement, practical design and accuracy of adjustment.

This sight is recommended, without reservation, to the most critical and discriminating match rifleman for the finest target work. Many thousands are used in the world's leading Matches. Streamlined design, sixty minutes elevation adjustment, eighteen minutes windage adjustment in each direction (longer windage adjustments can be supplied on special order), four position attaching base with two holes in sight tang gives eight positions. Scales easy to read, one side of scale blank for shooter's own range markings. Adjusting knobs are large size, deeply knurled, and clearly marked. Quarter-minute clicks.




Olympic Receiver Sight with any standard base and 7/8" Disc.....	Retail \$21.95	<b>SPECIAL \$16.50</b>
Olympic Receiver Sight with standard base and Sure-X Disc.....	Retail \$29.15	<b>SPECIAL \$21.85</b>


Deduct \$2.75 if no base desired.

## **NEW OFFSET BASES FOR INTERNATIONAL AND OLYMPIC-**


Removes line of sight from barrel heat mirage—means less eye cant for better vision.



The new International 1/2" offsets (also applicable to Olympics) places the sights 1/2" to the left of bore center. The front offset is permanently attached to a modified International Military front sight and this offset front assembly then attaches to the standard front sight base with a regular thumb screw. The rear 1/2" offset is permanently attached to the tang of the International or Olympic rear sight which then attaches to the regular rear base on the rifle. The line-of-sight height is unchanged by the rear offset, but the front offset raises the line of sight .100" which is compensated for by a .100" lower front base (or in the rear sight's elevation adjustment). Offset base sets \$20, plus regular cost of the rear and front sight involved. (Present owners of International or Olympic rear or front sights may send their sights directly to us for attachment of offset bases, \$25 per set. The extra \$5 charge is for hand milling and conversion of the existing finished sight.)



## **REDFIELD OLYMPIC DETACHABLE TARGET FRONT SIGHTS**



Admits a greater volume of light, perfectly controlled by shading flanges.

Corrugated face of the enlarged eye-piece obscures underparts of the sight and concentrates the vision on the bull itself. The result is a perfect target picture.

Inserts are quickly and easily changed without dismantling the sight and without any possibility of reversing the inserts or placing them in upside down.

Tube length 3", diameter .810", eyepiece diameter 1.375".

**INSERTS**  
Set of 10



Insert set includes five steel aperture inserts .090, .110, .120, .140, .150, one post size .100, four transparent apertures .090, .110, .120, .140. Transparent furnished in clear, green, or amber, with or without crosslines. Amber with crosslines will be furnished unless otherwise specified. Extra set any 10 inserts \$1.50, single inserts \$.25.

Olympic Front with base..... Retail \$11.95 **SPECIAL \$8.95**



## REDFIELD No. 75

DETACHABLE EXTENSION



MICROMETER

RECEIVER SIGHT

The No. 75 is designed with the same micrometer adjustment principles and carries the same guarantee as our famous Olympic Target sights. The same quarter-minute clicks for windage and elevation are provided with the famous Redfield steel ball clicker system. This system is dustproof and guaranteed against backlash and lost motion. All graduation markings are in clear, black figures, on highly polished surfaces. One side of the elevation staff is left blank for the shooter's range markings. Adjusting knobs are marked for direction of adjustment which is the same as target scope mounts.

No. 75 Sight..... Retail \$11.75

**SPECIAL \$8.75**



View of the No. 75 mounting block showing two extension positions available when sight is attached. Changing the position of the sight, or removing and replacing it in either position will not change the zero setting of the rifle. Mounting block is unnoticeable when sight is removed. Does not interfere with scope mounting.

## GLOBE Front Sights

1" long, 3/4" diam. Inserts held firmly by simple locking sleeve, which loosens but does not have to be removed when changing inserts.



**GLOBE**

63, 64

(Detachable)

Retail \$5.95

**SPECIAL \$4.50**

Globe No. Height "A"

63	.483"
64	.733"
65	.321"
65NB	.321"
66	.595"
68	.446"



**GLOBE**

65, 65NB,

66, 68

Retail \$3.75

**SPECIAL \$2.75**

Base

63	.483"	Separate Bases (.175S, .275S, .375S or .175D, .275D, .375D)
64	.733"	
65	.321"	Male dovetail base a part of globe. Drives into dovetail on barrel. 66 for Springfield dovetail, 65, 68 for std. 3/8" dovetail.
65NB	.321"	
66	.595"	
68	.446"	

### INSERTS

Set of seven sturdy inserts included in above prices, being four steel aperture sizes .095, .110, .125, and .145, one transparent, aperture .095, two post .063 and .100. Extra inserts .15c each, set \$1.00.

## REDFIELD TARGET SIGHT CHART

### RIFLE

### International or Olympic Target Sights

### No. 75 Receiver Sight See Note (2)

#### Make and Model

	Bases for International or Olympic Receiver Sights	Bases for all International or Olympic Front Sights See Note (1)	Bases for #63 Globe Front Used w. Int'l. or Olympic Receiver Sight	Bases for #64 Globe Front Used w. Int'l. or Olympic Receiver Sight	High Combination Receiver Sight and Base	Low Combination Receiver Sight and Base
<b>WINCHESTER:</b>						
M/52 Std. Bbl.—Med. Height.....	W-490	.325S - .175D	.425S - .275D	.225S		
M/52 Std. Bbl.—Scope Height.....	W-670	.425S - .275D		.375S - .275D		
M/52 Hvy. Bbl. & Bull Gun—Med. Ht.....	W-490	.275S - .275D	None			
M/52 Hvy. Bbl. & Bull Gun—Scope Ht.....	W-670	.375S - .375D	None	None		
M/70 Std. Bbl. with Ramp—Std. Ht.....	WB-370	None	.175D	None		
M/70 Std. Bbl. with Ramp—Med. Ht.....	WB-490	.175D	.275D	None		
M/70 Target**.....	WB-490	.275S - .275D		.175S - .175D		
M/70 Bull Gun.....	WB-490	.225S - .225D	.375S - .375D			
M/75 Target*.....	W-75	.275S - .275D	.375S - .375D			
SS High Wall Action Only.....					.75HW 63+ .375S or D* .75HR 63+ .175D	.75SR 65
<b>REMINGTON:</b>						
M/40-XH Heavy Barrel.....	R-40-X	.325S (425S with X-Tube)				
M/40-XS Standard Barrel.....	R-40-X	.390S (.515S with X-Tube)				
M/37 Standard Height.....	R-37	.175SR	.325SR			
M/37 Scope Height.....	R-37-H	.325SR	.425SR			
513T* (see notes below).....	R-513	.175D	.375D		.75RT* 68	.75RS 65
513S.....						
521.....					.75RX 68	
721, 722—Med. Height.....	WB-370	.175S - .175D	.175S - .175D			
721, 722—Scope Height.....	WB-490	.175S - .175D	.275S - .275D			
<b>OTHER RIFLES:</b>						
Springfield O3 and 1922 M1, M2**.....	Spg. Spl.†	If barrel diameter is .750" or above, use .175S base; if .650" - .750" use .225S base; if .650" or below, use .275S.††				
Springfield O3A3, A4.....	O3A3 Spl.†					
Mausers 98.....	98 Spl.†					
Mausers FN & Husqvarna.....	F.N. Spl.†					
Enfield U.S. '17.....	Enf. Spl.†					
Finnish Lion.....	Lion Spl.†	.175S				
BSA Martini International, BSA 5, 8.....	BSA	.375S				
19 Savage.....					.75HG 63+ .175D	.75SG 68
416 Stevens, Sears Ranger M/50.....					.75HV 63+ .175D	.75SV 68
Mossberg, on master actions.....					.75HM 63+ .175D	.75SM 68
Stevens Walnut Hill.....					.75HY 63+ .175D	.75SY 68

Muzzle Loaders: Adapter (\$2.50) permits mounting of No. 70X Receiver Sight.

Note: (1) If barrels are drilled and tapped for front sights, use type S (screw attached) base. If dovetail slotted, use type D. .325 means .325" from top of barrel to top of base, etc.

†(SPL, Special) Bases are priced, \$5.95.

††Other suggested Springfield front: with Nos. 70 or 80 rear sights use Springfield .03 barrel band (\$1.00) plus No. 66 Globe front, or Springfield .03 barrel band plus Redfield "A" base (\$1.00) and International Military Front. With International or Olympic rear, use Springfield .03 barrel band plus Redfield "A3" base (\$1.00) and International Military Front. Height top of barrel to top of band with "A" base .392, with "A3" base .577.

Front Sight Bases (for Int'l. Olympic, Globe): Height from top of barrel to top of base with "screw attached" "S" bases: .175", .225", .275", .325", .375", .390", .425", .477", .515". Dovetail "D" bases: .175", .225", .275", .325", .375", .425", price \$9.5. Special bases .477S, .515S, each \$1.95.

\*\*Model M/70 and Springfield: also available for these two rifles is No. 70 series micrometer sight (fully described on our Hunting Sight Sheets) with special long elevation and windage slides for long range shooting, at no extra charge.

Note: (2) Concerning the Series 75 alternate combinations, the LOW globe front Nos. 65 and 68 fit directly into dovetail slot on barrel, while the HIGH Nos. 63 and 64 can be removed from its separate attaching base (which can be either screw attached or use dovetail slot).

**FOR REMINGTON 513T**  
".175S-513" and ".375S-513" front bases with 1.150" factory hole spacing are available for Rem. 513, \$1.95 each.

\* Winchester Model M/75 can also use No. 75 receiver sight with HW Base and International or Olympic fronts using .175S or .175D base.  
Remington 513T can also use No. 75 receiver sight with RTH Base and International or Olympic fronts using .175S or .175D base.

**USE YOUR CREDIT AND SAVE!**

**PARKER'S**


3516 WHITE PLAINS ROAD

N. Y., 67, N. Y.



# PARKER'S

## NEW MICRO DIAL




The ultimate in scope mounts — has both windage and elevation built in for fast, easy, accurate adjustment. A twist of the fingers dials the elevation desired on a dial clearly marked in minutes (one inch at 100 yards). With 1/4 minute clicks. Another twist on the lock wheel directly below the dial securely locks the Micro Dial into a strong, rigid, accurate unit — no tools required. The windage screws also are calibrated in minutes on both sides. The Micro Dial has a new smooth, sleek, graceful design and will appeal to the most discriminating rifleman. The Micro Dial is designed primarily for all scopes without internal adjustments, such as the Balvar 2 1/2 to 8 (use Code 7 Rings for Balvar), but can be used to advantage with many other scopes — the reticule can always be perfectly centered. The Micro Dial also makes it possible to switch scopes between rifles. The ring spacing is 4 inches.

Base Only (Rings Extra) . . . . . Retail \$15.75 SPECIAL \$11.95

## TWO-PIECE BASES


Buehler Engraved Mount



Two-piece bases locate the front ring over the receiver ring in the same place as the short one-piece base. The rear ring, however, is over the bridge on bolt action rifles, not ahead of it as is the case with the one-piece bases. The ring spacing averages 4 1/2 inches. The two-piece bases have no connection or projection over the magazine. They weigh one to two ounces less than the one-piece bases and will handle the scopes described under the *short* one-piece bases. The eye relief is shorter than either one-piece base but adequate for the average installation.

Base Only (Rings Extra) . . . . . Retail \$9.10 SPECIAL \$6.50


## LONG ONE-PIECE BASES



This base is made to fit most of the rifles in common use. In most models it has the rings spaced about 5 inches apart with the front ring located ahead of the receiver on all bolt action rifles. The long base gives the greatest possible support to the scope and the longest amount of eye relief. It is recommended for long scopes, scopes with adjustment turrets located ahead of center and for "stock crawlers".

Base Only (Rings Extra) . . . . . Retail \$9.10 SPECIAL \$6.50

## SHORT ONE-PIECE BASES



The short one-piece base locates the front ring over the top of the receiver ring about 1 inch aft of the long one-piece base. The rear ring is in about the same location. Thus, ring spacing averages 4 inches. The short base is recommended for shorter scopes, scopes with large and long objective bells, scopes with turrets near the center of the tube and for "non-stock crawlers".

Base Only (Rings Extra) . . . . . Retail \$9.10 SPECIAL \$6.50

## PISTOL BASE SMITH & WESSON



Introducing a new model mount base for all models of Smith & Wesson with the "K" frame including the 44 Magnum. This mount base will fit the rear sight slot and can be installed without drilling and tapping on all but the 44 Magnum. We recommend drilling and tapping one 6/48 hole in the 44 Magnum. Delivery in April, 1960.

Base Only (Rings Extra) . . . . . Retail \$10.50 SPECIAL \$7.95

## NEW ENGRAVED MOUNTS

Deep, rich, full engraving now available on all BUEHLER mounts. Now you can really complete that fancy rifle in first class style — and at a very nominal price, too — just \$25.00 plus the cost of the mount. Most popular models in stock.

See illustration of two-piece mount (left column).

Buehler Engraved Mount code 6 rings, model R two-piece base on the new Mark V Weatherby rifle.



## STREAMLINED SOLID RINGS

All Low — .040 High

Holds scope tube just .040" above the base. (All bases are from 1/8" to 1/4" high — locates the scope from about 3/32" to 1/8" above the rifle receiver.)

Code 1: 1 inch Code 2: 7/8 inch (.872 22 mm) Code 3: 3/4 inch

Rings Only (Base Extra) . . . . . Retail \$9.10 SPECIAL \$6.50

## DOUBLE SPLIT RINGS For All BUEHLER Bases



Make it unnecessary to take any scope apart.

A double split type ring with the added beauty of a smoothly rounded "ball turret top". The steel spacer at the top of each ring not only fills up an unsightly gap, but is made of 16 laminations .002 thick which may be peeled off one or more at a time, thus accurately fitting all scopes up to .010 smaller in size than the normal dimension of the ring.

This is the only mount with this great advantage.

Generally the rings marked "standard" (from .075 to .125 high) will handle all scopes of 2X, 3X, 4X and small 6X. Rings from .136 to .180 high are for 6X to 10X scopes with objective bells from 1.8 diameter to 1 1/8. Rings from .180 to .212 high are for very large bells up to 2 1/4" diameter.

CODE	HEIGHT	CODE	HEIGHT
6 1" Standard (1.004 to .995)	.075	13 26 1/2 mm (1.050 to 1.040)	.110
7 1" High (1.004 to .995)	.136	14 26 1/2 mm (1.050 to 1.040)	.188
8 1" Ex. High (1.004 to .995)	.212	15 27 mm (1.063 to 1.053)	.181
9L 26 mm Low (1.023 to 1.013)	.064	16 28 mm (1.103 to 1.093)	.181
10 26 mm Standard	.125		
11 26 mm High	.200	5 7/8" 22 mm (.875 to .865)	.075

Rings Only (Base Extra) . . . . . Retail \$13.75 SPECIAL \$9.75

**FINEST BLUED STEEL • SLEEK • SMOOTH • STREAMLINED**





By using one of the four basic styles of mount bases we manufacture, you may position the scope of your choice in the best possible location. The best location is the one that positions the scope in such a way as to give a full field of view when the shooter's face is nestled in a comfortable, natural position against the stock. Scopes vary in eye relief from 3 to 5 inches. Sight adjustment turrets are in different locations. The amount of space available on the scope for the mount varies. Most important of all is the difference in shooters and in the way each one holds a rifle. One of our four styles of mounts will locate *your* scope in the best position for *you*.

**All Buehler Mount Rings Fit and are Interchangeable with all Buehler Bases.**

Buehler Mounts are as low as construction of the rifle will permit . . . and very light, average 4½ oz.

They are machined throughout from high quality steel, beautifully finished and blued to match the finest rifle. They are readily attached to your rifle by any gunsmith . . . only three holes to drill and tap, and standard screws are used in the military type actions. Most commercial actions are drilled and tapped, so require only a screwdriver for installation. The Buehler mount is made to match all factory drillings.

All mount rings are micro-lined (less than .001") with oil-resistant synthetic rubber to protect scope, give positive grip

without excessive pressure. *No other mount has this advantage.* Oversize heat-treated chrome-nickel steel windage screws . . . will not break. Long rigid mounting . . . positive zero . . . easy detachability . . . complete freedom from projections to catch in scabbard or underbrush . . . the Buehler Mount has them all, plus many other features you have hoped to enjoy.

Both rings of the Buehler Mount are locking rings; your scope is securely held and zero is maintained no matter how often you remove and replace scope. There is a windage adjustment for all rear rings.

## RIFLE ACTION CHART - MOUNT BASES

(Mount bases listed by our Code. Use this code in ordering.)

	Micro Dial	1-Piece Std. 5" Base	1-Piece Std. 4" Base	2-Piece Base		Micro Dial	1-Piece Std. 5" Base	1-Piece Std. 4" Base	2-Piece Base
<b>MAUSER</b>					<b>REMINGTON</b>				
M98 Military, Com. (1.4-1.42 dia.)	FI-U④	M	FI-S	98	721, 725 long actions	21-U	21		R
Small Ring (1.3 dia.) Kar. Mex. 95,	HV-U④	SR		95	722, 725 short actions		22		R
93, 91, 96, etc.					14-141			14	
F.N. F.I. Rifles, M300 and new	FI-U	FI	FI-S	F	760, 740, 742			60	
barrelled actions					37				T2
					510, 511, 512, 513, 514				S2
					521, 550, 560				S2
					12, 121, 552, 572, 24, 241			60③	
<b>BRNO Mauser</b>					<b>SAKO⑤</b>				
Flat Top	BLU-WCC②	5/16BBWCC②		H2①	222				SK②
Round Rec. Ring	HV-U	SR			MAGNUM F.N. Action	FI-U	FI	FI-S	F
					L57"	BLU-WCC④	5/16BBWCC④	F	B-2④
<b>BROWNING .22</b>				60③	<b>SAVAGE</b>				
<b>B. S.A.⑥</b>					99		99		V2
Regent — Short Action			SK		110 R.H., L.H. short or long				V2
Viscount — Med. Action				B2	110 R.H. long action only	10-U		60③	
Imperial — Long Action		5/16BBWCC		B2⑥	29				S2
<b>COLT 57</b>	FI-U	FI	FI-S	F	4, 5, 6				
<b>ENFIELD</b>					<b>SPRINGFIELD</b>				
Remington 30 Conversion	E-U	E	E-S		1906 - 03, A1	S-U	S	S-S	
Bridge flat up to .075 low		E7			A3	A-U		A3-S	
Bridge shaped like M70	70-U	MG		W③	M22's		S (Undrilled)		
Bridge shaped like R721	21-U	21③		R③	<b>SCHULTZ &amp; LARSEN 54, 60</b>				L2
<b>HARRINGTON &amp; RICHARDSON, 22s</b>				S2	<b>WEATHERBY F.N. ACTIONS</b>	FI-U	FI	FI-S	F
<b>HIGGINS</b>					Mark V	21-U	21		R
50 & 51 New Drilling ½" spacing					<b>WINCHESTER</b>				
in bridge	FI-U	FI	FI-S	F	M70 Std.⑦	70-U	70	70-S	W
50 Old Drilling ⅞" spacing					M70 Prewar, M54	54-U	54		W⑦
in bridge		50			M70 Magnum & N. M.	70-U	MG		W
322, 52			SK②		M43			43	
29, 31, 33			60		M88 M100			88	
<b>HUSQVARNA</b>					69, 72, 75, 74				S2
Large Ring 1.4 dia. de lux grade		HQ		F	M52				T2
rifles					07, 61, 63, 77			60③	
HVA Small Ring 1.3 dia.					<b>SPECIALS</b>	BL-U	5/16 & 3/8⑧		B-2⑧
Crown grade rifles	HV-U	HV		H2		BL-UWCC	Full Blank Bases		
<b>JAPANESE ARISAKA</b>		E④	E-S④						
<b>MARLIN</b>									
336			36						
455	FI-U	FI	FI-S	F					
39A, 56			36⑥						
80, 81, 88, 89, 98				S2					
<b>MOSSBERGS — Most Models</b>				S2					
<b>MATHIEU, Left Hand</b>				M-2					

**FOOTNOTES**  
 ① If clip lips and hump are removed.  
 ② Mounted with screws.  
 ③ 336 Base may be adapted with minor changes.  
 ④ Will fit but will not fill up channel in bridge.  
 ⑤ 5/16 BB and BL-U also available with cartridge-cut out. (Code WCC)  
 ⑥ 2 Piece available flat on the bottom ⅜" thick.  
 ⑦ B-2 front with V-2 rear will give correct hole spacing in bridge and rec. ring for target scope blocks.  
 ⑧ All bases attached to B.S.A. and SAKO actions with screws.  
 ⑨ Rear screw hole matches hole in bridge.  
 ⑩ File small flat at top of clip lips.  
 ⑪ Serial numbers above 66,350.



# PARKER Distributors






# PARKER'S MOUNTS

## LITTLE BLUE PEEP MARK III

Have you ever...

- DAMAGED your Scope?
- Got CAUGHT in the Rain?



An Auxiliary Iron Sight with both open sight and peep sight can save the hunt!


Each Mark III has its own independent windage and elevation adjustments. Does not change the mount adjustments made for your scope. The new Mark III Little Blue Peep is an improvement over its predecessor. The Mark III will fit all Buehler or Redfield bases, including the Micro-Dial. (Used in the illustration.)

Now you can carry your sighted in Little Blue Peep Mark III in your watch pocket (weighs 1/4 oz., yet is all hardened steel with a blued glare-resistant finish) and be ready for snow, rain or the tough luck of a damaged scope. Made in two models only.

Model B — will fit all models of Buehler Bases.

Model R — will fit all models of Redfield Bases.

Retail \$4.25  
SPECIAL \$3.25



Retail \$7.25

SPECIAL \$5.75

## LOW SAFETY on - off

The Buehler Safety operates on the same mechanical principles as the manufacturer's original safety. In the "ON" position, pressure of the striker spring locks it securely. It will not cam over into firing position. It holds both Bolt and Striker in locked position. This safety operates on the right side of the action, rotating through an arc of 70 degrees with definite stops in the OFF and ON positions. It can be used equally well with or without a scope, and will be found to be faster and more convenient than the original safety.

Each Buehler Safety is precision-machined from high quality steel, polished all over, hardened on all wearing parts, and blued. It is an ornament to the finest rifle.

The Buehler Safety is easily installed, no machining required. Simple step-by-step instructions furnished with each safety.

Six Models in Stock:

MAUSER (M98, F.N.), Krag, Springfield

Winchester M54, 1891 Argentine Mauser

M93 (Fits most small ring Mauser actions which cock on closing such as M93, M95 and M96 Spanish, Mexican, Swedish)

\* THE BEST OF NATIONALLY ADVERTISED BRANDS \*

## 'Storm Queen' MOULDED NEOPRENE LENS COVERS

QUICK DETACHABLE


COMPLETE PROTECTION FROM DUST AND WEATHER

Retain the flawless luminosity and full power magnification of your fine scope by shooting through the original lenses.

Detached instantly for emergency shots.

May be fastened to stock with small elastic band.

All popular sizes.



Available for the following scopes:

Bausch & Lomb	Texan
Bear Cub	Unertl
Kollmorgen	Weatherby
Redfield	Weaver 60 Series
Stith	A or B
Bushnell	First issue of 60 series
Leupold	Old model Weaver
Lyman	scopes

SPECIAL

\$1.50

## STORM KING HINGED TO YOUR SCOPE

Shoot through them for fast emergency shots or hinge them off for target work.

Preserves the fine optical excellence of your lenses.

Protects from dirt, scratches or bumps. Keeps them dry.

Always on your scope.

Watch crystal type unbreakable lenses.

CLOSED



OPEN



Available for the following scopes

Bausch & Lomb	Lyman
Bushnell	Stith
Kollmorgen	Texan
Bear Cub	Unertl
Leupold	Weatherby
	Weaver

SPECIAL

\$2.50


STATE MAKE AND MODEL OF SCOPE WHEN ORDERING LENS CAPS.



# WILLIAMS

## "On the Range"

### THE FOOLPROOF — THE FINEST RECEIVER SIGHT MADE



Patent No.  
2578386

One of the reasons the Foolproof is so popular is that it is free from knobs and other obstructions that impair and blot-out much of the shooter's field of vision.

Internal micrometer adjustments have positive internal locks—there is nothing—no exterior knobs or posts—that could be accidentally jarred or moved to throw the sight out of adjustment.

The Foolproof is strong, rugged, dependable. The alloy used to manufacture this sight has a tensile strength of 85,000 lbs. Yet the Foolproof is light and compact, weighing only 1 1/2 ounces.

For big game hunting, the Foolproof will outsell all other makes and models of receiver sights put together.

Most rifles are now being drilled and tapped at the factory for installation of the Foolproof.

Retail \$9.00  
SPECIAL  
**\$6.60**

#### For Those Models Requiring Drilling and Tapping

6-48 Carbon Drill & Tap Set . . . . \$1.06  
6-48 High Speed Drill & Tap Set . . . 1.81

- The Strongest
- The Lightest
- The Best Looking
- The Most Positive
- The Most Practical
- The Best Quality Material

### WILLIAMS RECEIVER SIGHTS



NO KNOBS  
NO POSTS  
NO SIDE  
PLATES  
NOTHING TO  
'BLOT OUT'  
SHOOTER'S  
FIELD  
OF VIEW


**OUTSELLS ALL OTHER MAKES  
AND MODELS OF HUNTING  
SIGHTS PUT TOGETHER**

## 39 Models For More Than 100 Guns


- FP 03 for the 03 Springfield
- FP 12, 25 for M12 Winchester and most flat receiver pump guns.\*
- FP 14 for the 14 and 141 Remingtons.
- FP 17 for the Enfield, Remington Express and British Pattern 14.
- FP 30 M1 for Government 30 M1 Carbine.
- FP 36 for the 36,336 and 93 Marlin.
- FP 37 for Ithaca M37 shotgun.\*
- FP 39 for 39A Marlin lever action.
- FP 48 for Remington Spt's '48, '58, '11-'48 and 870 models.\*
- FP 52 for 52 Sporter Winchester or other round receiver 52 models.
- FP 66 for the Remington Nylon.
- FP 70 for 70 and 54 Winchesters and 721, 722 and 725 Remingtons.
- FP 71 for 71-86-05-07 & 10 Winchesters.
- FP 81 for the 8-81 auto-loading.
- FP 88 for the Winchester 88 lever action, Win. 100 Auto, and Marlin 56 lever action.
- FP 94 for 94-55 64-65-63 Winchesters and the 241.
- FP 95 for the 95 Winchester lever action.
- FP 98 for military Mauser, Husqvarna and BRNO without dovetailed receiver.
- FP 99 for the 99 Savage lever action.
- FP 99S for the late Savage 99DL with top tang safety.
- FP 110 for the Savage 110 bolt action.

- FP 121 for Remington M12 and 121.
- FP 340 for 322-325-340-342 Stevens-Savage.
- FP 740E for early 740 Remington rifles with ejector in receiver (below ser. number 64,046).
- FP 760E for early 760 Remingtons with serial numbers less than 154,965 and Remington 552 and 572.
- FP 740AP for late 760-740 Remingtons with high comb (all purpose stock) and high iron sights. Also for the 742 Remingtons.
- FP 760N— for 760 Remington rifles with serial numbers above 154,965 and all later 740 rifles after serial number 65,046 or having ejector in the bolt head not having A.P. stocks. Also for the 572, 552 Remingtons.
- FP A3 for the 03-A3 Springfield.
- FP BSA for the BSA Majestic high power rifles.
- FP BR for the .22 Browning Auto and 24-241 Remingtons.
- FP CGH for Crown Grade Husqvarna.
- FP FN for factory drilled and tapped FN.
- FP GA for the Garand auto rifles.
- FP JAP for the 25 and 31 caliber Jap rifles.
- FP Krag for American Krag.
- FP N. Krag for Norwegian Krag.
- FP Newton for the Newton bolt actions.
- FP SMLE for British Short Magazine Lee Enfields.
- FP SSM for square sterned auto shotguns.\*

### HERE ARE SOME OF THE REASONS WHY THE FOOLPROOF IS THE MOST POPULAR HUNTING SIGHT



1. Internal micrometer adjustments for elevation and windage.
2. Positive lock for elevation and windage.
3. Rigidly supported at outer end by steel set screw.
4. Upper bracket is one solid milled piece.
5. Manufacturers' mounting screw holes used wherever possible.
6. Windage and elevation markings are calibrated.
7. Dovetailed base for maximum rigidity and neat appearance.
8. Dovetailed angular locking bushing eliminates unsightly side plates.
9. Standard 3/8" Williams sighting disc furnished, 1/2" or 5/8" disc optional. Extra standard discs, 75c each. New Twilight Series, \$1.25 each.
10. It's clean on top; nothing to obscure shooter's vision.



\* Supplied with special large shotgun aperture unless otherwise indicated.

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



# WILLIAMS

*"On the Range"*


**Receiver Sight**

**RETAIL \$5.00**

**SPECIAL \$3.75**

## 5D SIGHTS FOR BIG GAME RIFLES – SHOTGUNS – .22s

**5D-JEMS**  
for the Jap, Enfield, Mauser,  
Springfield



5D JEMS ON THE JAP

### AN INEXPENSIVE QUALITY SIGHT

Wherever possible, the manufacturers' mounting screw holes in the receivers of the guns have been utilized for easy installation. The upper staff of the Williams 5-dollar sight is readily detachable. It is only necessary to loosen one screw so that the upper staff slides easily in the close-fitting dovetail. The angular bushing locks this upper staff in a positive manner.

A set screw is provided as a stop screw so that the sight will return to absolute zero upon detaching and reattaching.

The material used in the manufacture of the Williams 5-dollar sight is one of the highest grade alloys obtainable. There has been no sacrifice of quality as we are using one of the most expensive, highest tensile strength alloys that money can buy. Laboratory tests show that the material used has a tensile strength approximately twenty-five per cent greater than mild steels.

This high-grade alloy is finished with an anodize in a deep blue-black that adds even further to the strength of the sight by creating an extra hard surface.


### THE COMPANION SIGHTS TO THE FOOLPROOF

Now available for some of the more popular big game rifles — the inexpensive, quality made 5D sight. These sights are patterned after the Foolproof. They have the same strength, light weight, and neat appearance; but without the micrometer adjustments. Designed for rugged hunting use, the 5D sights are dependable and accurate. Positive locks. Clear unobstructed vision. No knobs or side plates to blot out shooter's field of vision.

**5D-94/36**  
ON THE  
MARLIN 336



**5D - 94/36**  
for the 94, 64, etc.,  
Winchesters and  
36-336 Marlin  
lever actions



*Note two positions for aperture holder to give double the amount of windage.*

Standard thread sizes, the same as used on the Foolproof, permit the use of a wide range of apertures for all sighting conditions.

### THE FINEST INEXPENSIVE RECEIVER SIGHTS MADE

- 5D-12\*** Winchester 12-25, Remington 11-48, Spt's-48, 870 and 31 models, Stevens 620.
- 5D-22-410** For the .22-410 over and under Savage or Stevens:
- 5D-37\*** Ithaca 37.
- 5D-39A** Marlin 39A lever action. No drilling or tapping necessary. Non-extension model.
- 5D-43** For the 43 Winchester bolt action varmint rifle.
- 5D-46M** Mossberg 46, 26, 42, 44, 50, 51, 151 (factory drilled and tapped).
- 5D-55** For the 55 Winchester single shot.
- 5D-56** For Marlin Levermatic and 88 Winchester.
- 5D-61** Winchester 61 slide action .22.
- 5D-63** Winchester 63 and 03 auto.
- 5D-66** For the Remington Nylon 66.
- 5D-70** For 70 and 54 Winchesters and 721 and 722 Remingtons.
- 5D-74** Winchester Model 74 .22 auto.
- 5D-75** Winchester 75, 72 and 69 (some factory drilled and tapped).
- 5D-77** For the Winchester 77, .22 auto.
- 5D-81** Marlin 80, 81, and A1 rifles (factory drilled and tapped).
- 5D-87** For the Stevens-Savage .22 autos models 87 and 6 and other Stevens-Savage bolt action and autoloading rifles having 10-32 mounting screws.
- 5D-94/36** For 94, 64, etc., Winchesters and 36-336 Marlin lever actions.

- 5D-97\*** Winchester 97 (not extension models)
- 5D-121** For the 121 and Model 12 Remington slide action .22s.
- 5D-241** Remington 241-24 Autos Browning 22 Autos.
- 5D-510** Remington 510, 511, 512 and 513 (some factory drilled and tapped).
- 5D-550** Remington 550 auto (it will also fit some of the Stevens-Savage .22s that are not drilled and tapped).
- 5D-572** For Remington 572 .22 slide action.
- 5D-620** For the Mossberg, 620Ks, 640Ks, 340s, 342s, 346s, 350s, 351s, 352s (check the 300 series).
- 5D-760N—740** For the Remington 760 with serial numbers above 154,965 and 740s above serial number 64,046.
- 5D-BDA\*** For Browning Double Auto Shotgun.
- 5D-CR** For the Crosman air rifles.
- 5D-JEMS** For Jap, Enfield, Mauser and Springfield.
- 5D-Krag** For American Krag.
- 5D-MBA** Fits Mossberg bolt action shotguns — 185DC, 185K, 190 85B, 85D, 185D.
- 5D-N. Krag** For Norwegian Krag.
- 5D-03-A3** For the 1903-A3 Springfield.
- 5D-SH** For Sheridan Model "C."
- 5D-SMLE** For British Short Magazine Lee Enfield.
- 5D-SSM\*** Square stern models of Remington, Browning & Savage auto shotguns.
- 5D-X5** For the Ithaca Lightning 22 auto.

\* Special shotgun aperture supplied unless otherwise indicated.

$\frac{3}{8}$ " OD Aperture with .093 inner hole furnished unless otherwise specified.

Some of the Higgins guns are made by Marlin. Usually if the model number 103 is on a Higgins gun—then it's made by Marlin. Consequently, some of the sights we have designed for Marlin will fit a few models of the Higgins.

# PARKER'S

3516 WHITE PLAINS ROAD


N. Y. , 67, N. Y.



# WILLIAMS

## "On the Range"

**WILLIAMS  
MOUNT RINGS**  
PROVIDE THESE SIGHTING  
COMBINATIONS





### NEW RINGS ACCOMMODATE SCOPES WITH LARGE OCULAR AND OBJECTIVE FLANGES

These rings have a special long threaded stud in the base, and a sub-ring base of approx. .200 thick. Any of the Williams scope mount rings can be factory fitted to accommodate the large scopes that heretofore could not be mounted low central overbore or on rifles having an especially heavy barrel.


**Special High Rings - \$2.00 per pair**  
(Above cost of standard rings)

### QUICK-CONVERTIBLE TOP MOUNT—LOW CENTRAL OVERBORE


with Famous  
"Ace-in-the-hole" Peepsight



This mount places scope in the very lowest position possible. To use iron sights, shooter can change from scope to "Ace-in-the-hole" peepsight in just 10 seconds. Positive locks may be used optionally as desired.




Micrometer Windage and Split Ring




Split and Extension Ring


### QC SIDE MOUNT — OFFSET — OR OVERBORE



From the same base, your choice of having scope in the offset or the central overbore position. In either case, you have simultaneous use of scope and iron or receiver sight. These sighting combinations are becoming more popular every day.




Split and Extension Ring




Central Overbore Rings


### MICROMETER MOUNT—LOW CENTRAL OVERBORE



Scope is positioned low directly over the bore. Full micrometer adjustments. Elevation and windage adjustments are independent of each other—and torque free. Each has about a 10 to 12 foot adjustment at 100 yards. Windage ring has definite clicks. Positive locks.




Micrometer Windage and Extension Ring




Micrometer Windage and Split Ring

### WILLIAMS ECCENTRIC BUSHING


All Williams QC Mounts now have an eccentric bushing with a collar that can be turned with a screw driver or similar object, to obtain preliminary adjustment AND INSURE A GOOD MOUNTING JOB. It is not necessary to remove bushing to turn it, and it is not necessary to remove mount to obtain windage adjustment.




**SIZES — RINGS — PRICE**




**HCO\***  
Central Overbore Ring. Sizes 1" and 26MM.  
(For Side Bases Only)




**SPLIT\***  
Split Ring. Sizes 1" and 26 MM.



**MICROMETER WINDAGE\***  
Micrometer Windage Ring. Sizes 1" to 26 MM.



**EXTENSION\***  
Extension Ring. Sizes 1" and 26 MM. (Unless otherwise indicated, only one extension furnished in set)



**SOLID**  
Size 3/4" and 7/8"  
Pair \$6.50  
Special \$5.20

\*Split sleeves to reduce 1" ring size to 7/8" and accommodate 7/8" scope tube

(Because of the many ring combinations available, mount and rings are packaged separately.) **Set \$1.00**

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.




# WILLIAMS

*"On the Range"*

**Quick-Convertible**


**Top Mounts**

## THE QUICK CONVERTIBLE TOP MOUNT



ON THE 99 SAVAGE

ACE-IN-THE-HOLE PEEP ➔



### ACE-IN-THE-HOLE PEEP NOT AVAILABLE

#### FOR THE FOLLOWING MOUNTS

<b>TM-07</b>	For 05-07-10 Winchester self-loadings.
<b>TM-22 Auto</b>	Fits numerous .22 Autos including Remington 550, Savage, Stevens, Springfield, Winchester 74, and Mossbergs.
<b>TM-23D</b>	For Savage Model 23 and 19.
<b>TM-30</b>	For J. C. Higgins Model 30.
<b>TM-36E</b>	Fits the 36 and earlier versions of the 336 where mount fastens fully on barrel and extends back over the receiver.
<b>TM-336N</b>	Fits late 336 Marlins that are factory drilled and tapped. Mounting screw holes are 8-40.
<b>TM-39</b>	For regular 39A and Mounties not factory drilled and tapped.
<b>TM-39N</b>	For late 39A Marlins factory drilled and tapped. Mounting screw holes are 8-40.
<b>TM-43E</b>	For early Winchester 43 in undrilled models.
<b>TM-43N</b>	For new Model 43 factory drilled and tapped.
<b>TM-52</b>	Fits late Winchester drilled and tapped 52 Sporter and Target, also undrilled, tapped 52's.
<b>TM-56</b>	For 56 Marlin using factory drilled and tapped 8-40 mounting screw holes.
<b>TM-61</b>	For 61 Winchester.
<b>TM-63/121</b>	For 63 Winchester Auto and Remington 121 slide action.
<b>TM-69</b>	For 69 & 72 Winchester bolt actions.
<b>TM-75</b>	For Winchester 75.
<b>TM-77</b>	For Winchester 77 .22 Auto.
<b>TM-B22-241</b>	For Browning .22 Auto and Rem 241 with mount fastening on the barrel and extending back over receiver.
<b>TM-B22 Engraved</b>	Same as TM-B22 except it is engraved to match the No. 2 and No. 3 grade Browning engraving.
<b>TM-513</b>	For Remington 510, 511, 512, 513, 521T bolt actions. Will not fit Remington 514.
<b>TM-Brno 22</b>	For Brno 22. Mount fits over dovetail but requires drilling and tapping.
<b>TM-Sako</b>	For 222 Sako. It is necessary to drill and tap.
<b>TM-X5</b>	For Ithaca Lightning 22 auto.

### ACE-IN-THE-HOLE PEEP AVAILABLE FOR THE FOLLOWING MOUNTS

<b>TM-03</b>	For 03 Springfield.
<b>TM/03/A3</b>	For 03-A3 Springfield.
<b>TM-7x61 (54)</b>	For Sharpe & Hart 7 x 61, 54 bolt action.
<b>TM-7x61 (60)</b>	For Sharpe & Hart 7 x 61, 60 bolt action.
<b>TM-14</b>	For Remington Model 14 slide action.
<b>TM-17</b>	For 1917 Enfield and 30 Express and 720 Remingtons. On the Enfield grind the receiver to the same height and radius in the rear as in the front.
<b>TM-17 Special</b>	For 1917 Enfield. There is enough stock left at the rear of mount base so that the Model 17's not cut to standard specifications may be custom fitted.
<b>TM/33/40</b>	For the small receiver Mausers with a radius of approximately 1.290. It is necessary to flatten the top of receiver where the five shot clip enters receiver if the gun is not going to be reblued. If it is going to be reblued, however, grind this lobe off entirely.
<b>TM-45</b>	For Savage 40-45 Super Sporters.
<b>TM-50</b>	For early versions of the 50, Sears Roebuck, J. C. Higgins
<b>TM-70</b>	For all postwar Model 70's except 300 and 375 Magnums. Use this mount on the 264, 338 and 458. Factory drilled and tapped.
<b>TM-70M</b>	For postwar Model 70, 300, 375 Magnums. Factory drilled and tapped.
<b>TM-70E</b>	For prewar standard Model 70's. Necessary to drill and tap rear hole.
<b>TM-88</b>	For Winchester 88 lever action, and 100 Winchester Auto Loading, fitting factory drilling and tapping.
<b>TM-93/95</b>	For Mexican or Spanish Mausers (Short action). It is necessary to flatten the top of receiver where the five shot clip enters receiver if the gun is not going to be reblued. If it is to be reblued, grind this lobe off entirely. Also for 91 Argentine Mauser, 94 Swedish Mauser.
<b>TM-98</b>	For 98 Mauser and standard Husqvarna. It is necessary to flatten the top of receiver where the five shot clip enters receiver if the gun is not going to be reblued. If it is to be reblued, grind this lobe off entirely.
<b>TM-99</b>	For all the 99 Savages including the 99DL and F models with tang type safety.
<b>TM-110S</b>	For the Savage 110, 243 and 308 shorter actions.
<b>TM-110L</b>	For the Savage 110 models, 30-06 and .270 with longer actions.
<b>TM-110LS</b>	For the Savage left hand, short actions, 243, 308.
<b>TM-110LL</b>	For the Savage left hand, long action, .270, 30-06.
<b>TM-141</b>	For Remington 141 slide action.
<b>TM-721</b>	Fits the factory drilled and tapped 721 Remington.
<b>TM-722</b>	Fits the factory drilled and tapped 722 Remington.
<b>TM-760</b>	Fits 760, 740, 742 Remington slide actions. Most of these rifles are drilled and tapped on top for this mount.
<b>TM-572</b>	For Remington 572 and 552 slide action. It can also be used on the 760 and 740, 742 Remingtons where the shooter would like to have a great deal of latitude in positioning the scope either forward or back. A shorter mount.
<b>TM-CGH</b>	For Crown Grade Husqvarna. Fits factory drilling and tapping.
<b>TM-FNA</b>	For F. N. actions. Fits F. N. actions, Weatherby, and late J. C. Higgins 50's and J. C. Higgins 51's.
<b>TM-Jap</b>	For 6.5 Jap and 7.7. Jap. Bolt alteration is necessary.

	Retail	SPECIAL
QC TOP MOUNT, BASES ONLY .....	\$6.00	\$4.80
QC TOP MOUNT COMPLETE WITH PEEPSIGHT .....	\$15.00	\$11.55
TM-B22 ENGRAVED, FOR BROWNING .22 .....	\$45.00	\$35.95

	Retail	SPECIAL
QC TOP MOUNT FOR ALL 22's AND SOME BIG GAME RIFLES ARE FURNISHED LESS PEEPSIGHT .....	\$12.50	\$9.60
ACE-IN-THE-HOLE PEEPSIGHT .....	\$2.50	\$1.95

# PARKER'S

3516 WHITE PLAINS ROAD

N. Y. , 67, N. Y.



# WILLIAMS


*"On the Range"*

Streamlined Ramps  
"Brilliant" Bead  
Ivory Bead  
Front Sights

## WILLIAMS Streamlined RAMPS


*Finest, Nicest Looking Ramps Made -- Regardless Of Price*

### SCREW-ON MODEL



For those not equipped  
to install sweat-on model.

### SWEAT-ON MODEL



The Williams Streamlined Ramps have a  $\frac{3}{4}$  dovetail and pleasing lines not found in any other ramp. The ramp is beautifully blued. 6-48 screws furnished. Available in heights of: 9/16", 7/16", 3/8", 5/16", 3/16".

Less Hood—\$3.95

With Hood—\$4.70

Extra Hoods—75c

### THE QUICK CONVERTIBLE SIDE MOUNT —



WITH EITHER REGULAR OR HCO RINGS  
(Regular rings will position scope offset.  
HCO rings (High central overbore) will  
position scope above iron sights.)

	RETAIL	SPECIAL
QC SIDE MOUNT, BASES ONLY	\$6.00	\$4.80
QC SIDE MOUNT, COMPLETE WITH SOLID, SPLIT, OR EXTENSION RINGS	\$12.50	\$9.60
QC SIDE MOUNT, COMPLETE WITH HCO (HIGH CENTRAL OVERBORE) RINGS	\$15.00	\$11.55
Mounting plate for .05, .07, .10 Winchester self-loading autos (Attach with 8-40 fillister head screws). Use the Williams SM-740 (4 hole) mount. This mounting plate should be installed low on the re- ceiver so that you will be below the ejector plate when drilling the receiver.	\$5.00	\$3.95
Mounting plate for the 30-MI carbine (Attach with 8-40 fillister screws). Use the Williams SM-71 side mount base with this mounting plate. Scope will be offset to allow proper ejection.	\$5.00	\$3.95
Mounting plate for SMLE round receiver models (Attach with 8-40 fillister head mounting screws). This mounting plate is supplied with long 8-40 fillister head screws to replace SM-70 short screws. Use the QC SM-70 base. Mount can be installed offset or central over-bore.	\$2.50	\$1.95
Mounting plate for the Norwegian Krag (Attach with 8-40 fillister head screws). Use the Williams QC SM-88 side mount base with the above mounting plate. Scope should not be installed central over-bore because of top ejection of cartridge.	\$5.00	\$3.95
Mounting plate for M1 Garand rifle The mounting screws for this mounting plate are 10-32 and taper pins are 2/0 size. Use the Williams QC SM-740 (4 hole) side mount with this mounting plate.	\$5.00	\$3.95

### WITH REGULAR OR HCO RINGS

SM 70	Fits 70, 54 Winchester, 721, 722 Remington, Mauser, Enfield, Springfield, Jap and 40-45 322-325 340-342 Savage-Stevens, Husqvarna, 7 x 61 S & H. Round Receiver S.M.L.E.s, Savage 110 right hand model.
SM 71-36	Fits 36, 336, 93, and 95 Marlin, 71* and 86* Winchesters and Remington 14 and 141. .05, .07, 10 Winchester autos, 7.62 Russians, flat receiver S.M.L.E.s, M1-carbine.
SM 81	Fits 8-81 Remington*.
SM 88	Fits 88 Winchester, N. Krag and S.M.L.E. with mounting plate.
SM 94	Fits 53*, 55*, 64*, 65*, 92*, 94* & 95* Winchesters.
SM 99	Fits 99 Savage.
SM 110 LH	For the Savage 110, left hand model (fastens on right side of receiver), fits both short or long action.
SM 760-740	For Remington 760-740. Regular mount base with four mounting holes. 30 M1 Garand with mounting plate.

SM 760-740S	Reduces ring span approx. $\frac{3}{4}$ " and has three mounting holes—otherwise, the same as the above 760-740 model. (This mount can be used on many .22s, including the 121 Rem., the 61 and 77 Winchesters and the 56 Marlin with regular rings. The H.C.O. rings could be used; however, these rings were made for rifles with larger diameter receivers and would offset approx. $\frac{1}{4}$ ".
SM MS 50	For Mannlicher Schoenauer 1950 models as imported by Stoeger and other Mannlicher Schoenauer.
SM MS 52-56	For Mannlicher Schoenauer of the modified version imported by Stoeger in 1952 and altered in 1956.
SM Krag	For Krag*.

\*Will not accommodate central overbore rings.

### Guns TRANSPARENT POWDER FUNNEL



No inserts —  
No adjustments —  
One funnel loads  
full range  
Only \$1.00 each

Range  
From  
22 Hornet  
Through  
45 — 70

### INERTIA BULLET PULLER



EXTRACTS  
BULLETS WITHOUT  
MARRING! NO GRAB,  
NO CLAMP, NO MALFORMING  
OF BULLET OR CASE!

only  
\$7.70

Handles full range, .22 thru .45 —  
LEAD BULLETS, WAD CUTTERS and  
some Magnums.

# PARKER'S

3516 WHITE PLAINS ROAD

N. Y., 67, N. Y.



# WILLIAMS

*"On the Range"*

## Williams Micrometer Scope Mount

### WILLIAMS *torque-free* MICROMETER SCOPE MOUNT

- ✓ LOW CENTRAL OVERBORE
- ✓ ABSOLUTELY NO TORQUE OR TWIST ON SCOPE TUBE
- ✓ POSITIVE LOCKS
- ✓ RETICULE CAN ALWAYS BE KEPT CENTER
- ✓ STRONG, RUGGED DEPENDABLE
- ✓ LIGHT, COMPACT
- ✓ NEAT STREAMLINED APPEARANCE



Windage Ring—see insert—can be used for the Williams QC mount. Tube diameter of 1" and 26 MM.

While the new Williams Micrometer mount is designed specifically for scopes not having built-in internal adjustments, it can be used for all types of scopes.

The reticule can always be kept in the center of your scope. This feature makes it possible for the average shooter to have a really fine scope at less actual cost. Elevation and windage adjustments are independent of each other. No torque or twist at any time on scope tube.

Windage is in the rear ring. To adjust, use small screwdriver on the micrometer threaded screw. This screw has definite clicks, and sighting in can be as precise as desired. Adjustments are made without creating torque on the scope tube. Windage screw has a positive lock.

Elevation adjustment is made by a micrometer threaded screw in the upper base. This adjustment, up or down, is also made without creating torque. When properly sighted in, the elevation screw is locked and the upper base supported.

The "Mike" mount weighs approx. 4½ oz. and has the strength, rigidity and neat appearance of the Foolproof receiver sight. Proper eye relief provides full field of vision. Blue anodized finish matches rifle perfectly. Available for scope tube diameters of 1 inch and 26 mm.

**MIKE 70** .....for 70-54 Winchesters, the 721-722 Remingtons, 03 Springfield, 98 Mauser, Enfield, Express Remingtons, F. N. Mauser and other F. N. actions, the Crown Grade Husqvarna, and the 6.5 and 7.7 Jap rifles. 322-325, 342, 345 Savage Stevens and the 40-45 Savage Super Sporters. With those rifles having a larger front receiver ring than the balance of the receiver, shim stock is supplied for the rear so that the mount can be used on all of the above bolt actions as well as all models that fit the SM-70.

**MIKE 99** .....for 99 Savage lever action

**MIKE 336** .....for 36 and 336 Marlins

**MIKE 141-14** ..for Remington 14 and 141 slide actions

**MIKE 760** .....for 760 and 740 Remingtons

		Special
MIKE mount complete .....	\$20.00	14.95
Base complete (includes upper base and sub base assemblies) .....	12.00	9.60
Sub base .....	6.00	4.80
Front ring .....	3.25	2.60
Rear ring (windage) 1" or 26MM ..	4.75	3.80
Pair of rings (1" or 26MM) .....	8.00	6.40
Split sleeve to reduce 1" ring size to 7/8" and accommodate 7/8" scope tube .....	\$1.00 set.	

3516 WHITE PLAINS ROAD  
N. Y., 67, N. Y.

PARKER'S



# SMITH & WESSON REVOLVERS and PISTOLS

22/32 KIT GUN MODEL 1953



## RETAIL SPECIAL

22 long rifle, 2", 4". Checkered walnut stocks. 1/10" serrated ramp front sight, S. & W. adjustable micrometer click rear sight.  
Blue ..... \$75.00 \$67.50  
Nickel ..... \$80.00 \$72.00

22/32 TARGET MODEL 1953

22 long rifle, 6". Checkered walnut stocks. 1/10" Patridge front sight, 1/10" S. & W. adjustable micrometer click rear sight.  
Blue ..... \$80.00 \$72.00

22/32 KIT GUN, AIRWEIGHT

22 long rifle, 3 1/2". Checkered walnut stocks. 1/10" serrated ramp front sight, 1/10" S. & W. adjustable micrometer click rear sight.  
Blue only ..... \$80.00 \$72.00

## BODYGUARD



38 S. & W. Special, 2" barrel. 1/10" serrated fixed ramp sight. Checkered walnut stocks, round butt. Blued finish ..... \$70.00 \$63.00

**TRIGGER:** 3/8" width, with S&W grooving and an adjustable trigger stop.  
**MUZZLE BRAKE:** Detachable  
**AMMUNITION:** .22 R.F. Long Rifle Cartridge

38/44 OUTDOORSMAN



## RETAIL SPECIAL

38 S. & W. Special, 6 1/2". Checkered walnut stocks. 1/4" plain Patridge front sight, S. & W. adjustable micrometer click rear sight.  
Blue ..... \$95.00 \$85.50

## HIGHWAY PATROLMAN



357 S. & W. Magnum, 4", 6". Checkered walnut stocks. 1/8" Baughman quick draw front sight on plain ramp, S. & W. adjustable micrometer click rear sight.  
Blue only ..... \$85.00 \$76.50  
As above with target stocks ..... \$90.00 \$81.00

## 44 MAGNUM



Caliber 44 Magnum, 4", 6 1/2" barrels. 1/8" S. & W. red ramp front sight, adjustable S. & W. micrometer click rear sight. Oversize target type checkered stocks of Goncalo Alves.  
Bright blue or nickel finish  
\$140.00 \$126.00

HAND EJECTOR



## RETAIL SPECIAL

32 S. & W. Long, 2", 3", 4". Checkered Walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue ..... \$65.00 \$58.50  
Nickel ..... \$70.00 \$63.00

## TERRIER



38 S. & W. 2". Checkered walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue ..... \$65.00 \$58.50  
Nickel ..... \$70.00 \$63.00

## REGULATION POLICE



32 S. & W. Long, 2", 3", 4". 38 S. & W. 4". Checkered walnut stocks, serrated ramp fixed front sight, square notch rear sight.  
Blue ..... \$65.00 \$58.50  
Nickel ..... \$70.00 \$63.00

## CHIEFS SPECIAL



Round or square butt. 38 S. & W. Special 2", 3". Checkered walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue ..... \$65.00 \$58.50  
Nickel ..... \$70.00 \$63.00

## CHIEFS SPECIAL AIRWEIGHT

38 S. & W. Special, 2", 3". Checkered walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue only ..... \$70.00 \$63.00



38/44 HEAVY DUTY



## RETAIL SPECIAL

38 S. & W. Special, 4", 5", 6 1/2". Checkered walnut stocks. 1/10" fixed service type front sight, square notch rear sight.  
Blue ..... \$80.00 \$72.00  
Nickel ..... \$85.00 \$76.50

## 44 MILITARY MODEL 1950

44 S. & W. Special, 4", 5", 6 1/2". Checkered walnut stocks. 1/10" fixed service type front sight, square notch rear sight.  
Blue ..... \$80.00 \$72.00  
Nickel ..... \$85.00 \$76.50

## 45 ARMY MODEL 1950

45 A. C. P. 3 1/2". Checkered walnut stocks. 1/10" fixed service type front sight, square notch rear sight.  
Blue only ..... \$75.00 \$67.50

## MILITARY AND POLICE ROUND OR SQUARE BUTT



38 S. & W. Special, 2", 4", 5", 6". Checkered walnut stocks. 1/10" fixed service type front sight, square notch rear sight.  
Blue ..... \$65.00 \$58.50  
Nickel ..... \$70.00 \$63.00

## MILITARY AND POLICE AIRWEIGHT



38 S. & W. Special, 2". Checkered walnut stocks, serrated ramp fixed front sight, square notch rear sight.  
Blue only ..... \$68.00 \$61.25

CENTENNIAL



## RETAIL SPECIAL

38 S. & W. Special, 2". Smooth walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue ..... \$70.00 \$63.00  
Nickel ..... \$75.00 \$67.50

## CENTENNIAL AIRWEIGHT

38 S. & W. Special 2". Smooth walnut stocks. 1/10" serrated ramp fixed front sight, square notch rear sight.  
Blue only ..... \$75.00 \$67.50

## K22 MASTERPIECE



Available in New 22 Magnum Same Price

22 long rifle, 6" 1/4" plain Patridge front sight, S. & W. Micrometer click adjustable rear sight. Blue ..... \$81.00 \$73.00

## K32 HEAVY MASTERPIECE



32 S. & W. Long, 6". Checkered walnut stock. 1/4" plain Patridge front sight, S. & W. Micrometer click adjustable rear sight.  
Blue ..... \$81.00 \$73.00


## K38 HEAVY MASTERPIECE

38 S. & W. Special, 6". Checkered walnut stock. 1/4" plain Patridge front sight, S. & W. Micrometer click adjustable rear sight.  
Blue ..... \$81.00 \$73.00

## COMBAT MASTERPIECE



38 S. & W. Special, 4". 22 long rifle, 4" Checkered walnut stocks. 1/4" Baughman quick draw on plain ramp front sight, S. & W. adjustable micrometer click rear sight.  
Blue ..... \$74.00 \$66.50



MODEL No. 41

**CALIBER:** 22 Long Rifle  
**MAGAZINE CAPACITY:** 10 Rounds  
**BARREL:** 7 1/2"  
**LENGTH OVER ALL:** 12" With muzzle brake attached  
**SIGHT RADIUS:** 9 5/16"  
**WEIGHT:** 43 1/2 oz. with muzzle brake attached, and an empty magazine. This includes also a 3/4 oz. aluminum weight in the weight recess under the barrel  
**SIGHTS:** Front sight—Patridge with an appropriate undercut  
Rear sight—S&W Micrometer Click sight with sight slide tipped to the rear at approximately the same angle that the front sight is undercut  
**STOCKS:** Checkered walnut with modified thumb rest, equally adaptable to right- or left-handed shooters  
**FINISH:** S&W blue with sandblasting, matting and serrations around sighting areas to break up light reflection

Retail \$100.00  
Special \$90.00

44 TARGET MODEL 1950



## RETAIL SPECIAL

44 S. & W. Special, 6 1/2". Checkered walnut stocks. 1/4" plain Patridge front sight, S. & W. adjustable micrometer click rear sight.  
Blue ..... \$95.00 \$85.50

45 TARGET MODEL 1950

45 A. C. P. 6 1/2". Checkered walnut stocks. 3/4" plain Patridge front sight, S. & W. adjustable micrometer click rear sight.  
Blue ..... \$95.00 \$85.50

45 TARGET MODEL 1955



Same as above except heavy target type barrel. Checkered target type hammer, grooved target type grooved trigger.  
\$105.00 \$94.50

357 MAGNUM



357 S. & W. Magnum, 3 1/2", 5", 6", 6 1/2", 8 3/4". Checkered walnut stocks. Choice of any S. & W. target sights.  
Bright blue ..... \$120.00 \$108.00  
Nickel ..... \$120.00 \$108.00

357 COMBAT MAGNUM



Caliber 357, 4" barrel, 1/4" Baughman quick drawfront sight on plain ramp, S. & W. Micrometer click rear sight. Square butt, checkered walnut target stocks. Grooved tangs and trigger.  
Bright blue or nickel finish  
\$110.00 \$99.00

**ALL GUNS SHIPPED RAILWAY EXPRESS COLLECT**

Retail \$85.00  
Special \$76.50

## MODEL 46 SPECIFICATIONS

**CALIBER:** 22 Long Rifle  
**MAGAZINE CAPACITY:** 10 rounds  
**BARREL:** 7 inches  
**LENGTH OVERALL:** 10 1/8 inches  
**SIGHT RADIUS:** 9 5/16 inches  
**WEIGHT:** 44 ounces. Detachable 2 ounce counterweight furnished (Barrel grooved for accessory Olympic weights)

**SIGHTS:** Front — Patridge undercut  
Rear — S&W micrometer click with blade slightly canted to rear

**STOCKS:** Molded nylon

**FINISH:** S&W satin blue with sandblasting around sighting areas to break up light reflection

**TRIGGER:** 3/8 inch width, with S&W grooving and an adjustable trigger stop



**PARKER'S**

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.





# HI STANDARD REVOLVERS and PISTOLS



**ALL-STEEL  
SPORT-KING**  
10-Shot  
(.22 Long Rifle-Light Barrel)

	Retail	Special
4½" BARREL 9200	\$ 49.95	45.00
6¾" BARREL 9201	49.95	45.00



**ALL-STEEL  
FLITE-KING**  
10-Shot  
(.22 Short-Light Barrel)

	Retail	Special
4½" BARREL 9220	\$ 49.95	45.00
6¾" BARREL 9221	49.95	45.00



**DURA-MATIC**  
10-Shot  
(.22 Long Rifle-Light Barrel)

	Retail	Special
4½" BARREL 9124	\$ 39.50	35.50
6¾" BARREL 9125	39.50	35.50



**LIGHT WEIGHT  
SPORT-KING**  
10-Shot  
(.22 Long Rifle-Light Barrel)

	Retail	Special
4½" BARREL 9156	\$ 49.95	45.00
6¾" BARREL 9157	49.95	45.00



**LIGHT WEIGHT DELUXE NICKEL  
SPORT-KING**  
10-Shot  
(.22 Long Rifle-Light Barrel)

	Retail	Special
4½" BARREL 9166	\$ 57.50	51.75
6¾" BARREL 9167	57.50	51.75



**LIGHT WEIGHT  
FLITE-KING**  
10-Shot  
(.22 Short-Light Barrel)

	Retail	Special
4½" BARREL 9103	\$ 49.95	45.00
6¾" BARREL 9104	49.95	45.00

## REVOLVERS



**SENTINEL**  
Six Inch  
In Blue Finish  
6" BARREL 9128 \$ 39.50 35.50  
In Deluxe Nickel Finish  
6" BARREL 9137 44.95 40.45



**"SENTINEL"**  
-SNUB  
**NEW-SENTINELS IN COLOR**  
(Including Richly-Lined Mahogany-Finish Case  
Complete with Lock and Key)

2 3/8" BARREL-GOLD 9161	\$ 52.50	47.25
2 3/8" BARREL-TURO. 9162	52.50	47.25
2 3/8" BARREL-PINK 9163	52.50	47.25

**TARGET MODELS**



**"SUPERMATIC"**  
TROPHY  
10-Shot  
(.22 Long Rifle-Tapered Barrel)

	Stock #	Retail	Special
6¾" BARREL 9250	\$112.00	100.75	
8" BARREL 9251	112.00	100.75	
10" BARREL 9252	112.00	100.75	



**"SUPERMATIC"**  
CITATION  
10-Shot  
(.22 Long Rifle-Tapered Barrel)

6¾" BARREL 9260	\$ 87.50	78.75
8" BARREL 9261	87.50	78.75
10" BARREL 9262	87.50	78.75



**"OLYMPIC"**  
CITATION  
10-Shot  
(.22 Short-Tapered Barrel)

6¾" BARREL 9280	\$ 87.50	78.75
8" BARREL 9281	87.50	78.75
10" BARREL 9282	87.50	78.75



**"SUPERMATIC"**  
TOURNAMENT  
10-Shot  
(.22 Long Rifle-Straight Barrel)

4½" BARREL 9270	\$ 67.50	60.75
6¾" BARREL 9271	67.50	60.75

## REVOLVERS



**"SENTINEL"**  
-SNUB  
In Blue Finish  
2 3/8" BARREL 9144 \$ 39.50 35.50  
In Deluxe Nickel Finish  
2 3/8" BARREL 9145 44.95 40.45



**"SENTINEL"**  
Three Inch  
In Blue Finish  
3" BARREL 9127 \$ 39.50 35.50  
In Deluxe Nickel Finish  
3" BARREL 9136 44.95 40.45



**"SENTINEL"**  
Four Inch  
In Blue Finish  
4" BARREL 9159 \$ 39.50 35.50  
In Deluxe Nickel Finish  
4" BARREL 9160 44.95 40.45



**"DOUBLE NINE"**  
Blue Finish  
5" BARREL 9169 44.95 40.45  
Nickel Finish  
5" BARREL 9170 49.95 45.00

## RUGER

PISTOLS AND REVOLVERS



**RUGER  
STANDARD**

.22 cal. long rifle either regular or hi speed.  
4 3/4", 6" barrel. Fixed blade front sight,  
square notch rear sight. 9-shot detachable  
magazine. Hard rubber black grips.  
Retail \$37.50 Spec. \$33.75



**RUGER MARK I**

.22 cal. long rifle either regular or hi speed.  
6 7/8" barrel. Patridge style front sight,  
micro rear sight with click adjustments for  
windage and elevation. 9-shot detachable  
magazine. Hard rubber black grips.  
Retail \$57.50 Special \$51.25



**RUGER BLACKHAWK**

357 Magnum caliber. Heavy flat top target  
style steel frame. Patridge style ramp blade  
front sight, adjustable rear sight. Hard rub-  
ber grips. Blue finish. Retail Special  
4 5/8" or 6 1/2" barrel \$ 87.50 \$ 78.75  
10" barrel 97.50 87.75

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



# RUGER®

PISTOLS AND REVOLVERS



**RUGER**  
**"BEARCAT"**

a pocket sized single-action revolver. Barrel length 4". Overall length 8 3/4"; Weight 17 oz; for all .22R.F. ammunition.  
Retail \$49.50 Special \$44.55



**RUGER "SINGLE-SIX"**

Cal.22 short, long or long rifle. High velocity or regular. Six shots. Fixed wide blade patridge type front sight. Square notch rear sight. Hard rubber grips. Retail Special  
4 5/8" or 5 1/2" barrel \$63.25 \$57.00  
9 1/2" barrel 69.25 62.35  
Single Six .22 Magnum  
6 1/2" barrel 63.25 57.00

Walnut Grips \$1.00 Extra



**RUGER BLACKHAWK**

44 Magnum caliber. Heavy flat top target style steel frame. Same sights as 357 magnum. Walnut grips. Blued finish.

	Retail	Special
6 1/2" or 7 1/2" barrel	\$95.95	\$86.40
10" barrel	106.00	95.50

## ALL GUNS SHIPPED

## RAILWAY EXPRESS COLLECT

SIGN DECLARATION AND RETURN WITH ORDER OF ALL HAND GUNS

I hereby certify that I am a citizen of the United States of America and that I have never been convicted in any court of the United States, the several states, territories, possessions (including the Philippine Islands) or the District of Columbia for commission of a crime of violence as defined in the Federal Firearms Act; nor am I now under indictment in any such court for such a crime; nor am I a fugitive from justice as defined in said act.

NAME \_\_\_\_\_

AGE \_\_\_\_\_

OCCUPATION \_\_\_\_\_


NOTE: All hand guns shipped Railway Express Collect.

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.

# Kinfolks PRESENTS

**THE FIRST KNIFE OF ITS KIND IN 2,000 YEARS!**




**No. 330TC -**  
**4-1/2" KINFOLKS**  
**"FLAME EDGE"**  
**HUNTER**

This hunter has a thin blade with a long, clip style. Concave ground with the Tungsten Carbide edge. Tungsten Carbide is the hardest metal known to man - the amazing Tungsten is detonated on the steel blade at ten times the speed of sound, at a temperature of 6000°. The knife in use has a self-sharpening action. (It can be whetted, if felt necessary, on the steel side only.

Blade is highly polished carbon steel. Handle made with leather grip, extra heavy duty aluminum guard and drop knob. Sheathed in a brown tooled leather sheath, secured by handle snap strap.

Each knife individually gift packaged in a set up box with acetate cover, and shipped in a chip-board carton.

Retail	\$8.00
Special	\$6.50



**No. 568TC -**  
**HUNTING**  
**KNIFE**

Kinfolks exclusive FLAME EDGE OF TUNGSTEN CARBIDE. Hardest metal known to man. The most important advance in cutlery manufacturing in over 2,000 years. Tungsten Carbide edge on one side of the blade actually sharpens in use.

5 1/2" rugged blade. Genuine India Stag Horn Handle. Black Cowhide Sheath.

Kinfolks uses the finest cutlery steel available in the world.

Retail	\$10.00
Special	7.95







**PACIFIC GUN SIGHT**

- Precision Engineering and Design
- Manufacturers of Reloading Tools and Accessories for Over 30 Years

# NOW two fine products by one manufacturer

## Reloading Tools and Accessories

### Metallic Reloaders-Pacific

The original "C" type tool all steel construction




Pacific Super Tool  
Retail \$18.50  
Special \$14.75



Retail \$7.00  
Special \$5.60  
The original Auto Primer Feed

Available with up or down stroke action

Primer Arm — \$3.00  
Shell Holder — \$4.50




2 die rifle set  
Retail \$11.50  
Special \$9.25




Case Trimmer  
(hand or power)  
Retail \$11.50  
Special \$9.25



The New Primer Catcher \$1.75  
(for Super Tool)



3 die pistol set  
Retail \$13.50  
Special \$10.80



Powder Scale  
Retail \$10.90  
Special \$8.75



\$1.00  
All caliber Funnel



The Finest Pistol Powder Measure  
complete with fixed charge rotor


Pacific Rotor Type Powder  
Measure —

Retail \$10.90  
Special \$8.75

**PARKER'S**

3516 WHITE PLAINS ROAD  
N. Y. , 67, N. Y.

### Shotshell Reloaders Deitemeyer



#### Hunter's Special

The only low priced reloader  
with Auto Primer Feed


**Fast-** 15 sec. reload

**Safe-** even for beginners

**Easy-** 5 simple steps

Available in 12, 12 Mag, 16, 20,  
20 Mag, 28 and 410 gauges

With exclusive built in wad guide  
Retail \$59.50  
Special \$47.60



#### Deluxe

Finest Shotshell Reloader  
and Reconditioner

Perfect reload every time  
Exclusive built in wad guide  
and taper-loc die

4 simple steps

Available 12, 12 Mag, 16, 20  
& 20 Mag gauges

Retail \$109.50  
Special \$87.60

### Professional Model

Fastest Hand Operated Loader


1 man can load over 500  
per hour

Favorite of clubs and  
custom loaders

3 simple steps—all operations  
end on complete stop

Available 12 gauge only


Retail \$174.50  
Special \$139.60



### Wad Dispenser

Convenient—Efficient  
Keeps wads clean  
Measures 6x6x12"

ea. \$2.95







# SIERRA



makes a specific bullet  
for every shooter

Price Per 100








## .22 CALIBER .223 Diameter Hornet

	40 gr. Hornet.....	\$2.80
	45 gr. Hornet.....	2.80


## .22 CALIBER .224 Hornet

	40 gr. Hornet.....	2.80
	45 gr. Hornet.....	2.80






## .22 CALIBER .224 Diameter High Velocity

	45 gr. Semi-pointed....	3.05
	45 gr. Spitzer.....	3.05
	50 gr. Semi-pointed....	3.05
	50 gr. Spitzer.....	3.05
	55 gr. Semi-pointed....	3.05
	55 gr. Spitzer.....	3.05
	63 gr. Semi-pointed....	3.05






## .22 CALIBER .224 Diameter Bench Rest


	53 gr. Hollow Point....	3.75
-------------------------------------------------------------------------------------	-------------------------	------

## 6 MM .243 Diameter

	60 gr. Hollow Point....	3.65
	75 gr. Hollow Point....	4.00
	85 gr. Spitzer.....	4.15
	100 gr. Spitzer.....	4.40
	100 gr. Semi-pointed...	4.40



## .25 CALIBER .257 Diameter

	75 gr. Hollow Point....	4.00
	87 gr. Spitzer.....	4.15
	100 gr. Spitzer.....	4.40
	117 gr. Spitzer Boat Tail	4.65
	117 gr. Spitzer Flat Base	4.65








## 6.5 MM .264 Diameter




Price Per 100

	120 gr. Spitzer.....	4.65
	140 gr. Spitzer Boat Tail	5.00

## .270 CALIBER .277 Diameter

	90 gr. Hollow Point....	4.45
	110 gr. Spitzer.....	4.65
	130 gr. Spitzer Boat Tail	5.00
	130 gr. Spitzer Flat Base	5.00
	150 gr. Spitzer Boat Tail	5.25






## 7 MM .284 Diameter

	120 gr. Spitzer.....	4.65
	140 gr. Spitzer.....	5.00
	160 gr. Spitzer Boat Tail	5.25



## 30 - 30

	150 gr. Flat Nose.....	5.00
	170 gr. Flat Nose.....	5.25



## .30 CALIBER .308 Diameter

	110 gr. Hollow Point...	4.55
	125 gr. Spitzer.....	4.65
	150 gr. Spitzer.....	5.00
	180 gr. Spitzer Boat Tail	5.25
	180 gr. Spitzer Flat Base	5.25



## .30 CALIBER Competition

	180 gr. Matchking.....	5.50
	200 gr. International...	5.75

## .303 CALIBER .311 Diameter

	150 gr. Spitzer.....	5.10
	180 gr. Spitzer.....	5.35

## 8 MM .323 Diameter

	150 gr. Spitzer.....	5.10
	175 gr. Spitzer.....	5.35

BUY THE NEW CONVENIENT WAY - NO MONEY DOWN

UP TO 10 MONTHS TO PAY.

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.

\* THE HOUSE OF FAST SERVICE \*





# OLT'S CALLERS

## FOX-COYOTE PREDATOR CALL



**Model No. T-20.** This predator call lets the hunter enjoy year around hunting. Makes high-pitched "distress cry" of rabbit or other small animals in distress. For fox, coyote, bobcat and bobcat. Brown hard rubber barrel, black hard rubber tone plug. Length 4 1/4" — Weight 1 oz.  
List \$2.75 ..... **Special \$2.10**

**NEW**  
**IMPROVED**

## REGULAR DUCK CALL



**Model No. D-2** A new tonal plug design means greater volume and a more natural duck sound. The most popular duck call among duck hunters. Free from metallic or muffled wood sounds. Made of Black Hard Rubber. Length 4 1/4" — Weight 1 oz.  
List \$2.75 ..... **Special \$2.10**

## TWO-TONE TURKEY CALL



**Model No. F-6.** Box type. Used with chalk on any hard piece of wood. Thin edge produces lower pitched "yelp" — thicker edge produces higher pitched "yelp". Black Hard Rubber box with nicely finished red cedar lid. Length 1 1/8" — Weight 1 1/2 oz.  
List \$2.95 ..... **Special \$2.20**

## REGULAR GOOSE CALL OLT'S



**Model No. L-22.** Made especially to call small geese, but is also effective on Canadas. Easy to blow. Easy to keep in tone — no double reed to adjust. Hard rubber. Length 4 1/4" — Weight 1 oz.  
List \$2.75 ..... **Special \$2.10**

## PERFECT CROW CALL NEW IMPROVED DESIGN



**Model No. M-9.** Custom-style crow call for quality minded sportsmen. Toned to the low "moaning" grieving "caw" of a crippled crow. Black Hard Rubber. Length 4 1/8" — Weight 1 1/2 oz.  
List \$3.95 ..... **Special \$2.95**

## PERFECT DEER CALL



**Model No. R-25.** This reed type call brings deer to you, gets them into the open. A positive aid to halt moving deer, it helps you get a standing shot. Built for perfection — not for a price. Black hard rubber barrel, red hard rubber tone plug. Length 4 1/8" — Wt. 1 oz.  
List \$3.75 ..... **Special \$2.80**

## REGULAR CROW CALL



**Model No. E-1.** The grand favorite of crow hunters. Lightweight — easy blowing. Tone raucous and far carrying. Made of Black Hard Rubber. Length 3 1/2" — Weight 1/2 oz.  
List \$2.75 ..... **Special \$2.10**

## PERFECT SQUIRREL CALL



**Model No. S-8.** Famed for its perfect tone which squirrels can't resist. Hand operated — so easy to use. No metallic or woody sounds to mar the "true-life" tone. Black Hard Rubber. Length 5 1/4" — Weight 2 1/2 oz.  
List \$3.95 ..... **Special \$2.95**

## CUTTER SNAKE BITE KIT



Compact, 3" long, 1" wide. Contains 3 suction cups, knife blade, antiseptic, lymph constrictor and easy-to-follow instructions. Everything for suction treatment. Approved by medical authorities.

**Special \$ 2.49**



# PARKER'S

3516 WHITE PLAINS ROAD  
N. Y. , 67, N. Y.

# JON-E



LIGHTS  
CIGARETTES,  
TOO!

No. R-395

No. R-495

**No. R-395—STANDARD SIZE.** Gives 24 hours of heat on one filling (1 oz.) of fluid. Chrome-plated. Special new wick at side of burner gives fast easy starting. Serves as cigarette lighter, too. Carrying bag included. Each,

**Retail \$3.95 Special \$2.95**

**No. R-495—GIANT SIZE.** 2 full days of heat on one filling. Designed for servicemen, ice fishermen, hunters and anyone exposed to cold for long periods. Chrome finish. New wick. Lights cigarettes, too. Carrying case. Each,

**Retail \$4.95 Special \$3.75**  
**JON-e MUFF**

**No. JM-350—JON-e MUFF.** Zipper pocket to hold a Standard or Giant size Warmer. Outer material is water-repellent, wind-proof poplin. 100% wool lining. For sportspeople, spectators, children, outdoor workers, etc. Has adjustable belt with buckle. Each,

**Retail \$3.50 Special \$2.65**  
**JON-e BELT**

**No. BB-195—JON-e ADJUSTABLE BELT.** With tapering pockets to hold 2 Jon-e Warmers over the kidneys. Adjustable heavy 1" web belt, nickel-plated buckle and tip. Each,

**Retail \$1.95 Special \$1.50**  
**EXTRA BURNERS**



No. RB-75

No. RB-75—For Standard.

Each,

No. RB-100—For Giant.


Each,

**Special \$0.75**

**Special 1.00**

## WATERPROOF MATCH BOX

No. 181



One of most famous items in the Marble line—many times a real life saver. Rubber gasket in cover makes it absolutely waterproof, even if submerged in water. Keeps matches dry—always ready to strike up a friendly flame—Non-breakable seamless drawn brass, heavily nickel-plated, 3/4-inch inside diameter. Scored surface for striking matches. Handy ring for easy fastening to chain or belt snap.

**Special \$ .95**



# BAUSCH & LOMB OPTICAL EQUIPMENT



**7x,50**

Navy model, for navigation and use where image brightness is more important than light weight and compactness. Highest relative brightness of any binocular—a true "night glass." The only water-proof, fog-proof, dirt-proof binocular on the market. Not Zephyr-Light.

61-21-58-15 Individual focusing.

Case and straps .....

Retail  
\$ 301.95

Your Price  
\$ 219.95\*



**8x,30**

Easy to use, easy to handle, A "wide field" glass, yet light and compact.


61-21-31 Central focusing

61-21-32 Individual focusing

In leather case, with straps .....

Retail  
\$ 246.95

Your Price  
\$ 179.95\*



**7x,35**

Most popular Bausch & Lomb model for all-around use. With it you can see an apple on a tree over a mile away. Compact, light and perfectly balanced.

61-21-21 Central focusing

61-21-22 Individual focusing

Case and straps .....

Retail  
\$ 219.45

Your Price  
\$ 159.50\*



**9x,35**

A favorite of advanced bird students and those who hunt in mountain country. Highest power recommended for hand-held use. Most satisfactory where distances are great and the atmosphere clear.

61-21-41 Central focusing

61-21-42 Individual focusing

Case and straps .....

Retail  
\$ 246.95

Your Price  
\$ 179.95\*



**6x,30**

Fine for viewing fast action, all spectator sports, hunting, nature study, private flying. Extremely light, compact, wide field, bright image.

61-21-11 Central focusing

61-21-12 Individual focusing

Case and straps .....

Retail  
\$219.45


Your Price  
\$159.50\*

MODEL	6X,30 Zephyr Light	7X,35 Zephyr Light	7X,50	8X,30 Zephyr Light	9X,35 Zephyr Light
Magnification	6X	7X	7X	8X	9X
Objective Diameter	30mm	35mm	50mm	30mm	35mm
Angular Field	8°30'	7°17'	7°16'	8°30'	7°17'
Linear Field (ft. at M yds.)	445	382	381	445	382
Exit pupil diameter	5mm	5mm	7.1mm	3.8mm	3.8mm
Relative Brightness	25	25	50.4	14.4	14.4
Length closed	4 3/4"	5 1/4"	7 1/4"	4 9/16"	5 1/16"
Length open	5 1/4"	6"	7 1/16"	4 1/16"	5 1/16"
Weight	17 oz.	19 oz.	48 oz.	18 oz.	20 oz.

Add 10% Federal Tax to your discount price

## FREELAND SHOOTING TRIPODS

Adjustable for Right or  
Left Hand Shooters



All Angle Tripod  
Special \$13.50



Olympic Bipod  
Special \$13.75

Tripods available in  
gray and forest green



**BALSscope Sr.**

**Stay on Target**—Following a bird in flight or varmint movement in the underbrush through the BALSscope is simplified by "Adjusta-Prism Focusing." Finger-tip action of the external focusing knob controls the internal prism movement. You can change focus while viewing, eliminating awkward adjustment of a moving eyepiece.

**Showers Tight Construction**—No need to "baby" your BALSscope in bad weather. Moisture will not enter it even in a driving rain. Dust is sealed out, too, to give years of sparkling clear performance.

**Comfortable Viewing**—Annoying flare is shut out by the adjustable 2" sliding collar which shades the objective lens. You will always have eye-ease comfort when sighting with the BALSscope.

**Increased Light Transmission**—All air-to-glass surfaces are treated with the Bausch & Lomb anti-reflection Balcote hard surfacing. This coating is about as durable and abrasion-resistant as the surface of the glass itself. This treat-

ment makes for a sizable increase in light transmission, as well as contributing to an appreciable improvement in image clarity, crispness, contrast and color rendition.

**Interchangeable Eyepieces**—Every BALSscope is standardly supplied with one eyepiece—your choice of 15X, 20X, 30X or 60X. All eyepieces are interchangeable—merely insert one for another—no special adapter required.

The BALSscope is ruggedly made for a lifetime of enjoyment—handsomely finished in forest-green wrinkle, chip-proof, baked enamel.

## SPECIFICATIONS

Overall Length with caps .....	16 1/2 in.
Overall Width .....	2 1/4 in.
Overall height .....	3 1/4 in.
Weight .....	48 ozs.
Minimum Focus .....	30 ft.

Catalog Number	Eyepiece Power	Real Field Feet at 1000 yds.	Eye Distance	Exit Pupil	Relative Brightness
61-41-33-55	15X	140.0	23.0mm	4.0mm	16.0
61-41-33-56	20X	111.8	19.0mm	3.05mm	9.0
61-41-33-57	30X	78.4	10.5mm	2.0mm	4.0
61-41-33-58	*60X	28.6	3.5mm	1.0mm	1.0

\*Celestial Eyepiece

NOTE: Each Cat. outfit includes one (1) eyepiece—Additional interchangeable eyepieces—\$25.00 each.

ADAPTER FOR CAMERA TRIPOD 61-47-30 .....

Retail  
\$115.00

Special  
\$84.50

Special \$19.50

Special \$6.85

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.


\* THE BEST OF NATIONALLY ADVERTISED BRANDS \*



# BAUSCH & LOMB



RAY BAN OUTDOORSMAN




Retail Your Cost

<b>Ray-Ban Green Lenses</b>			
10mm DBL.....	6A9316*	15.75	12.50
14mm DBL.....	6A9318*		
<b>Single Gradient Density Lenses</b>			
10mm DBL.....	6A7316*	18.25	14.50
14mm DBL.....	6A7318*		
<b>Double Gradient Density Lenses</b>			
10mm DBL.....	6A8316*	18.25	14.50
14mm DBL.....	6A8318*		
<b>G-15 Neutral Gray Lenses</b>			
10mm DBL.....	6A5716	16.75	12.95
14mm DBL.....	6A5718		
<b>Kalichrome C Lenses</b>			
10mm DBL.....	6A6316	18.25	14.50
14mm DBL.....	6A6318		

A Sportsman's frame with plastic browbar and flexible riding bow temples. Lens size, 58 x 50.5mm, with .10 or 14mm bridge. Ray-Ban Green, Top and Double Gradient Density, G-15 or Kalichrome lenses.

## "RAY BAN" SHOOTING GLASSES



<b>Ray-Ban Green Lenses</b>			
3mm DBL.....	6A9305H*	18.75	14.95
8mm DBL.....	6A9315H*		
<b>Kalichrome C Lenses</b>			
3mm DBL.....	6A6305H	21.50	17.25
8mm DBL.....	6A6315H		

Specially designed glass for hunters and all types of shooters. Extra large lens size, 62 x 54.5mm; 3 or 8mm bridge. Ray-Ban Green or Kalichrome lenses, heat treated for protection against impact.




## Proved in the Antarctic Deep Freeze Expeditions by the U. S. Navy

Excruciating glare conditions posed a real problem for the U. S. Navy in its Antarctic "Deep Freeze" operations. During the first Deep Freeze expedition in 1955, all types of sun glasses and absorptive lenses were tested. The Navy decided on the use of Ray-Ban Sun Glasses exclusively. Subsequent Deep Freeze task forces have adopted Ray-Ban Sun Glasses as standard equipment for all Antarctic personnel—an outstanding testimonial of superiority.

## Precision control of light for comfort and protection

The absorptive qualities and transmission curves of Ray-Ban lenses are based on mathematical formulae, predetermined to give the very best in eye comfort and glare protection. Transmission of visible and invisible light rays is precisely controlled—the result of years of intensive research and development by B&L scientists. Ray-Ban lenses transmit only cool, comfortable light to the eyes and screen out potentially harmful infrared and ultraviolet rays.



A coating of nickel-chrome alloy is applied to the top and bottom (or top only) of Ray-Ban Green lenses.


## Transmission Properties of Ray-Ban Green, Neutral Gray Ray-Ban G-15 and Yellow Kalichrome Lenses

**RAY-BAN GREEN** • Highest transmission is in the yellow-green portion of the visible spectrum, corresponding with the visibility curve of the human eye. No ultraviolet and low infrared transmission. Average transmission in visible spectrum is 54% for shade Number 2 and 31% for shade Number 3.

**RAY-BAN G-15** • Uniform light transmission in the visible spectrum (average, 19%) provides true color vision. Infrared and ultraviolet transmission is insignificant.

**KALICHROME** • Blue and violet light, as well as the ultraviolet, is absorbed. Transmission is fairly constant over the rest of the visible spectrum, high in the infrared.


## RAY BAN CARAVAN



<b>Ray-Ban Green Lenses</b>			
14mm DBL—58 x 48mm.....	6A9342H	15.95	12.75
14mm DBL—52 x 42mm.....	6A9341H		
<b>Double Gradient Density Lenses</b>			
14mm DBL—58 x 48mm.....	6A8342H	18.50	14.75
14mm DBL—52 x 42mm.....	6A8341H		
<b>G-15 Neutral Gray Lenses</b>			
14mm DBL—58 x 48mm.....	6A5742H	16.95	13.50
14mm DBL—52 x 42mm.....	6A5741H		

A new sun glass design for men, with a modern lens shape. Impact-resistant lenses in large size, 58 x 48mm, and medium size, 52 x 42mm, both with 14mm bridge. Toughened Ray-Ban Green, Double Gradient or G-15 lenses.

## RAY-BAN SHAPED CLIP ON



Special

Ray-Ban Green Lenses.....	6F9304†	4.75
G-15 Neutral Gray Lenses.....	6F5704†	5.75
11 BC, G-15 (46, 48mm only).....	6F5705	7.75

Smartly-shaped, gold plated sun glass for wear over all types of modern prescription glasses. Lens sizes: 44 x 38, 46 x 40, 48 x 42 or 50 x 44mm. With Ray-Ban Green, regular G-15 or 11 base curve G-15 lenses.

**SEND FOR CREDIT APPLICATION  
NO MONEY DOWN - TAKE UP TO 10 MONTHS TO PAY!**

**PARKER'S**

3516 WHITE PLAINS ROAD  
N. Y., 67, N. Y.

\* ALL YOUR MONEY BACK IF NOT SATISFIED \*  
\* ADD POSTAGE TO ALL ITEMS \*



# Cold Weather Hunting Sport Coat

## 10-X®

### Now At a New Low Price



If you've ever been cold in a duck blind, or in the field, in a stadium, ice fishing, or just plain outdoors in winter, this is the jacket for you. Or, if you've ever bundled up in the morning only to find you're much too warm at noon . . . if you don't like wearing layer after layer of clothing that binds, interferes with your movement . . . if you don't like having to get completely undressed when you come into a warm place . . . then you'll want this all weather, all purpose jacket.

This is the jacket that keeps you warm when the temperatures drop to 15° below zero . . . keeps you comfortable when it soars to 50° above. The secret? Air cell insulation that absorbs body moisture, the two things you need most in cold weather wear. Air cells trap and hold your body heat to keep you warm while perspiration is absorbed and dissipated to keep your body dry. You never freeze in your own sweat as you do with many non-absorbent insulations. You enjoy healthful warmth, comfort.

And, talk about features. You get everything you've ever wanted in a coat. Hunter-proved design you'll appreciate in the field. Handsome styling that looks good anywhere. A complete jacket wardrobe in one fine utility coat. Sizes 36 to 50.

#### Matching Cold Weather Pants

517 Dead Grass	27.50	21.95
518 Brilliant Red	27.50	21.95
519 Hunter Yellow	27.50	21.95

	Retail	Special
807 Dead Grass	30.00	23.95
808 Brilliant Red	30.00	23.95
809 Hunter Yellow	30.00	23.95


Chest sizes 52 and larger and coats cut to special measurements are 25 % extra.

#### Matching Detachable Game Bag Dry-Seat

New larger size plus expanding bellows design holds more game. Three zippered openings give you new convenience. Buttons on under coat belt. Rubberized blood-proof lining easily washes clean.



**Real Versatility.** You will use this bag to carry your lunch, your small game, the heart and liver of your big game, or your fish when you use it for fishing, and as a dry seat when opened up . . . And in shirt sleeve weather you can attach it to your belt . . . Also fits other 10-X coats.



#### 3 SIZES

Small—Fits 36, 38 coats.  
Medium—Fits 40, 42, 44 coats.  
Large—Fits 46, 48, 50 coats.

**NOTE:** All 10-X Game Bags are interchangeable. 807-B, 808-B or 809-B Game Bags may be attached to 411 or 451 coats and 411-B to 807 and 808 coats etc.

	Retail	Special
807B To match 807	5.00	3.95
808B To match 808	5.00	3.95
809B To match 809	5.00	3.95

#### Compare These Features

- RUGGED APPALACHIAN CLOTH OUTER FABRIC
- AIR CELL, MOISTURE ABSORBENT VIRGIN WOOL INSULATION
- ZELAN TREATED FOR WATER REPELLENCY
- CORDUROY COLLAR FACING
- QUILTED BUTT PAD ON BOTH SHOULDERS
- TWO-WAY ZIPPER OPENS TOP AND BOTTOM
- WEATHERSTRIP BEHIND ZIPPER
- BIG BELLOWS POCKETS
- OUTSIDE HANDWARMER POCKETS
- TWO LARGE BREAST POCKETS
- KNITTED WRISTLETS INSIDE SLEEVES
- DRAWSTRING AT WAIST
- LEATHER TRIM SLEEVE CUFFS
- SNAPS UNDER COLLAR FOR STORM HOOD
- CONCEALED BUTTONS UNDER BELT FOR GAME BAG-DRY SEAT
- HUNTING LICENSE LOOP ON BACK
- ACTION-EASE BACK, PIVOT SLEEVES
- TOP QUALITY MATERIALS
- FINEST WORKMANSHIP

## 10-X®



#### Matching, Detachable Insulated STORM HOOD

Snaps on under coat collar in a jiffy to keep your head, ears, neck warm. Matching Appalachian Cloth with—wool, air cell insulation. Fits over hunting cap. Adjustable draw-string around face opening to keep out wind, rain, snow. Two-position chin snaps for snug fit. A real life saver in a cold duck blind or on deer stand.

	Retail	Special
807H To match 807 coat	5.00	3.95
808H To match 808 coat	5.00	3.95
809H To match 809 coat	5.00	3.95

\* IF YOU DON'T SEE IT - WRITE! \*


# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



# Cold Weather Pants

**10-X**



The perfect pants to keep you warm from ankle to waist on the coldest days. Nothing like them for duck and deer hunting, ice fishing, football games, Winter sports. Fully lined with moisture-absorbent, air cell insulation for healthful warmth at 15° below zero, comfort at 50° above. You can tell these great pants were designed by outdoor men. They're made so you can get in and out of them in nothing flat . . . even while you're wearing heavy hunting boots. No need to wear them in the car or indoors. They're tough, too. Made to take it in heavy going with no knitted anklets to catch burs. Colors match 10-X Cold Weather Hunting & Sport Coats.

517 Dead Grass to match	Retail	Special
No. 807	27.50	21.95
518 Brilliant Red to match		
Nos. 808 & 1068	27.50	21.95
519 Hunter Yellow to match		
No. 809	27.50	21.95

#### SIZES:

SMALL to 32" waist

MEDIUM, 33 to 37" waist

LARGE, 38 to 42" waist

EXTRA LARGE, 43 to 48" waist

Choice of 29 or 32" lengths

- OUTSIDE SUSPENDER BUTTONS
- ADJUSTABLE WAIST
- AIR CELL, MOISTURE ABSORBENT VIRGIN WOOL INSULATION
- RUGGED APPALACHIAN CLOTH OUTER FABRIC
- BIG REAR PATCH POCKETS WITH FLAPS
- LARGE SIDE SLASH POCKETS
- TOP QUALITY MATERIALS
- FINEST WORKMANSHIP

ALL AT A NEW LOWER PRICE

#### OUTSTANDING ADVANTAGES . . .

- OPEN-WIDE LEGS WITH ZIPPER
- ZIPPER FLY
- BELT LOOPS

# Hunting Coat



Here's proof that a hunting coat can be rugged, practical and handsome at the same time. Highly styled to be at home just about anywhere you want to wear it . . . Super tough to take the hardest kind of going in the field. Made of Klondike Cloth with highest resistance to tears and snags of any comparable fabric. Durable corduroy collar and cuffs combine style with comfort and durability. Top grain, matching, cowhide leather on butt pads and hand warmer pocket edges. Pockets inside of coat and shell loops inside of the large, bellows type pockets. Inside belt at waist to help support the weight of the detachable game bag.

Dead grass shade with tan cowhide leather and brown corduroy trim. Sizes 36 to 50.

451 10X Hunting Coat	\$20.00	Special \$15.95
----------------------	---------	-----------------

#### EVERYTHING YOU WANT IN A HUNTING COAT

- Style Comfort Durability
- COMFORTABLE CORDUROY COLLAR AND CUFFS
- LEATHER TRIMMED HAND WARMER POCKET
- BIG BELLWS POCKETS WITH CONCEALED SHELL LOOPS
- TAILORED SHIRT TYPE FRONT
- CONCEALED BUTTONS UNDER BELT FOR DETACHABLE GAME BAG-DRY SEAT
- ACTION, BI-SWING BACK
- WEB STRAP AT WAIST TO SUPPORT WEIGHT
- QUILTED TOP GRAIN LEATHER BUTT PADS

451B Detachable game bag dry seat to match	Retail \$5.00	Special \$3.95
--------------------------------------------	---------------	----------------

Small for 36 and 38, Medium for 40, 42, 44, Large for 46, 48, 50

ALL MERCHANDISE PERSONALLY

SELECTED FOR GREATEST VALUES

## Rifleman's Mitt

### New for shooting true



Here's the brand new 10-X shooting mitt designed especially for the small bore shooter, but to the liking of all caliber shooters. The hi-power shooter wants a light, less bulky glove, but the small bore shooter who must spend 20 minutes in the "harness" needs lots of extra padding.

One and a quarter inches of foam rubber between two layers of top grain cow hide with the seams and padding where you want them, assure you the comfort and support you need for better shooting.

Small, medium and large

302 10-X Rifleman's mitt	\$6.00	\$4.75
--------------------------	--------	--------

For left hand shooters at no extra cost.


Prices subject to change without notice.

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.



# Brush Pants



Follow the game through the thickest thicket or heaviest underbrush. Briars, brambles and burs can't cut and scratch your legs when you're wearing these great new 10-X pants. Two top materials join with hunter proved design to give you the protection you want. Klondike Cloth, the fabric described officially by the Quartermaster Corps as "probably the toughest, most versatile cloth on record" resists snags and tears the best of any similar cloth. Top grain cowhide facings on front of legs protect your legs from all kinds of brush and briars. Add the kind of tailoring you find in the finest slacks and you'll agree that these are the pants for you. Even the pocket linings are the same Klondike Cloth—for longer wear. Dead grass shade with tan cowhide leather.

These handsome hunting slacks were designed to compliment the 10-X hunting coat and are also an attractive match for the No. 807 10-X cold weather hunting coat.

551 10-X Hunting Pants 22.00 17.50

Sizes: Waist 28 to 44, Length 26-28-31"

Larger waist sizes or different lengths—25% Extra.

# 10-X Cold Weather Vest



Wear it under a coat or jacket when it's cold. Wear it alone when there's a chill in the air. Lightweight warmth for sport, work or play. Rugged Appalachian Cloth outer fabric, air cell, moisture absorbent, virgin wool insulation. Cut extra long in back to come down well over the kidneys. Knitted side insets assure snug fit for added warmth. Knitted collar keeps neck warm. Four convenient pockets with flaps. Full length zipper. A big value at a small price.

		Retail	Special
817	Dead Grass	\$11.95	\$9.50
818	Brilliant Red	\$11.95	\$9.50
819	Hunter Yellow	\$11.95	\$9.50

Sizes 36 to 50



## THE FOX RIVER VALLEY KNITTING CO.

**FOX RIVER**— Since 1900 — Quality leader in field. The socks shown here were specially designed for utmost comfort and fit for the hardwalking sportsman. Each model is a different blend of wool and "Miracle" yarns scientifically finished to create a finer and softer feel.



### 763 "LEADER"—

Medium Length sock designed to be worn with boots up to 10" high. Made of a soft comfortable blend containing 50% wool, 35% nylon, 15% rayon. Medium heavyweight gray legs. white foot-red top. ONE SIZE FITS 10-13 "S-T-R-E-T-C-H FOR COMFORT"

**ONLY 1.00 per pair**

### 266 "ADVENTURER"—

Made in a longer length suitable for boots up to 12" high. Extra heavy, double thermal foot.— Grey leg and foot, w/red top. Most highly desirable blend of 85% wool. 15% nylon makes these socks a real value. 2 sizes. Medium (10½-11½) Large (12-13).

**ONLY 1.25 per pair**



### 267 "EXPLORER"—

Same as 266 "Adventurer" Only this sock has sanitary white foot. The choice of the "PRO" Sizes: Medium (10½-11½) Large (12-13)

**ONLY 1.95**



### 741 "UTILITY ATHLETIC SOCK"

Perfect for that change at camp or when you want to loaf and walk on air. Wear it fishing, shooting or walking. The perfect blend for comfort 50% wool, 50% nylon. S-T-R-E-T-C-H SOCK. One size fits 10-13 **ONLY 89¢ per pair**

\* ADD POSTAGE TO ALL ITEMS \*

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.





# RefriqillWear...perfect comfort in sub-zero weather... leaves you free for active sport and work



No. 39



No. 80



No. 88



No. 75



No. 50

- **COMFORT STYLING** — For the all-important fit and tailoring essential for warmth and long wear.
- **WEATHER-PROOFED FABRICS** — tight-woven nylon with bonded Fiber-Fill insulation.
- **GUARANTEED 100% WASHABLE** — washings never affect perfect fit.
- **SPECIAL FEATURES** — action-backs, weather seal zippers, roomy pockets, open quilt pattern for extra warmth, and many other extras.

## SIZING GUIDE

MALL: 115-135 lbs. LARGE: 170-190 lbs.  
MED: 140-165 lb. EXTRA LGE: 200-230 lb.



### No. 39—WINTER SEAL UNDER & OUTER SUIT

Deluxe protection down to 40 below! Outer fabric and lining are windtight, water-repellent 2-ply 70/70 denier Nylon taffeta with 100% Nylon knit collar and cuffs. 6-ounce bonded Dacron Fiber-Fill insulation. Action Back. Dura-Therm Quilting. Roomy, snap-down pockets. Weather seal zipper on jacket and pants. High back trouser for extra kidney protection. Beige with red lining. See sizing guide.

Suit (2 Pc.) Retail \$39.95

**Special \$31.95**

### No. 80—QUILTOG UNDER & OUTER SUIT

Luxury-styled comfort down to 30 below! Outer fabric is windtight, water-repellent 70/70 denier Nylon taffeta. Soft, absorbent cotton jersey lining. 5-ounce bonded Dacron Fiber-Fill insulation. Thermal knit collar. Nylon cuffs. Action back. Dura-Therm Quilting. Hi-back trouser. Snap-down pockets. Storm seal zipper. Forester brown. See sizing guide.

Suit, (2 Pc.) Retail \$27.95

**Special \$22.25**

### No. 88—STORM QUEEN

In Powder Blue—a smartly styled, figure-flattering suit—ideal for lounge wear, sleep wear and underwear. Figure-hugging Nylon tricot stretch fabric with 3-ounce bonded Dacron Fiber-Fill. Contrasting thermal knit Italian collar. Small (10-12). Medium (14-16). Large (18-20).

Suit (2 Pc.) Retail \$19.95

**Special \$15.95**

### No. 75—STORM KING UNDER & OUTER SUIT

A quality garment for comfortable all-weather protection. Outer fabric is premium water repellent 70/70 Denier Nylon taffeta, with Nylon & cotton blended lining. 4-ounce bonded Dacron Fiber-Fill insulation. Thermal knit collar and stretch crotch. Action back. Snap-down flap pockets. Weather seal zipper. Medium grey. See sizing guide.

Suit (2 Pc.) Retail \$22.95

**Special \$18.25**

**No. 50—FRIGIDWEAR UNDERSUIT**—The perfect insulated underwear for every outdoor chore or pleasure. 70 denier Nylon and cotton blend outer fabric and lining. 100% DuPont Nylon insulation. Thermal knit collar and stretch crotch. Jacket flap extends over kidneys for extra protection. See sizing guide.

Suit (2 Pc.) Retail \$15.95

**Special \$12.75**



No. 30—QUILT SOX

Fireside warm inside roomy hunting or fishing boots, or worn as lounging slippers. Fully shaped. Soft cotton jersey lining. Small (shoe size) 7-8. Medium, 9-10. Large, 11-12. Extra Large, 13-14.

**ONLY \$2.95**

No. 35—STORM QUEEN QUILT SOX

Powder blue Nylon tricot matches #88 Storm Queen Undersuit. Nylon tricot stretch knit fabric. 2-sizes fit all: Small and Regular.

**ONLY \$2.75**



No. 25—WINTER SEAL MITTS

Dura-Therm quilted, insulated Mitts for sub-zero hand and fingertip warmth. One size fits all.

**ONLY \$2.75**

### No. 12—VEST

Extra warmth for vital chest, back and kidney areas all winter long! Windtight 70/70 denier Nylon shell and lining. 5-ounce Dacron Fiber-Fill insulation. Thermal knit collar and stretch side gussets. Forest Green. See sizing guide.

Retail \$9.95

**Special \$7.95**



**PARKER'S**

3516 WHITE PLAINS ROAD

N. Y., 67, N. Y.

SIZING GUIDE  
SMALL: 115-135 lbs. LARGE: 170-190 lbs.  
MED: 140-165 lb. EXTRA LGE: 200-230 lb.





# RED HEAD



## hunting coats

### ARMY DUCK "Bone-Dry" America's Best Known Hunting Coat



\* "BONE-DRY" COATS SIZES:  
Even chest sizes 36-48 inclusive.  
Sizes 50-52, 25% additional.

#### Model GQDX "BONE DRY" COAT

Truly the World's most honored and widely used hunting garment. The ultimate in quality and manufacturing skill is incorporated into this coat. Scientifically placed linings of rubber are built between the outer and inner fabrics offering the ultimate in "Bone Dry" principle. Full bi-swing back, seamless blood proof game pocket with convenient zipper drop seat. All gauge protected shell loops, flannel lined handwarmer pockets, ventilated pilot sleeves, corduroy collar and adjustable cuffs. This is the leader of all leaders in hunting clothing and carrying RED HEAD's 100 % guarantee of quality. (Even chest sizes 36-48 Incl.)

Retail \$20.95 **Special \$17.50**  
Sizes 50 and 52 **\$21.95**

#### MODEL 900



#### Model 900 "BLUE BILL" COAT

Heavy weight, RED HEAD Army Duck, water repellent. Retains the fine quality, workmanship and well-known features of all Red Head garments but fills the need where price is the prime consideration. Smartly styled, cross-stitched suede cloth shoulder reinforcement breast pocket with storm flap - inside full shoulder yoke of plaid flannel - two side shell pockets with universal elastic shell loops Forest Brown. Sm. (36-38) Med. (40-42) Large (44-46) X-Large (48-50)

Retail \$10.00 **Special \$ 7.50**

## Hunting Caps


### YELLOW DEER CAP



#### YC CAP

Combines popular styling with brilliant yellow nylon-cotton fabric. Water and wind repellent with contrasting chocolate brown knit ear flaps. Full warm flannel lining. Ideal for the deer and woods hunter. Sizes 6 3/4 through 7 3/4 incl.

**Special \$ 3.50**



#### "HAVELOCK" STYLE CAP

Model 270 - Extra-length ear flaps wrap around neck and checks - fold up around cap when not in use. Six piece crown construction with full flannel lining.

Army Duck, Forest Brown

**Special \$ 2.25**

Sizes 6 3/4 through 7 3/4

## Pants Zouaves



#### Model GPX PANTS

Red Head's famous "Bone Dry" construction matching with the GQDX "Bone Dry" coat. Rubberized reinforcements throughout weather areas. Extra heavyweight and finely woven for the most rugged briar and ramble conditions. Two deep side pockets, zipper fly with storm flap, double stitched, bar tacked, water repellent. 31" and 34" inseams - - - - - Even waist sizes 30 - 44


Retail \$13.75 **Special \$11.95**



#### Model GPKX "ZOUAVES"

Same description as the GPX pants except knit bottoms for use with hunting or insulated boots. 32" and 34" inseam

Retail \$13.75 **Special \$11.95**  
Sizes 46 through 50 **\$14.95**



#### Model 901 "BLUE BILL" PANTS

Matching the heavy weight popular priced #900 "BLUE BILL" coat. Red Head Army Duck construction with rubberized seat and knee reinforcements. Deep front slash pockets, two rear pockets, zipper fly with storm flap. 32" inseam only. Even waist sizes. 30" to 44"

Retail \$ 8.75 **Special \$ 6.95**

#### ORDERING DATA—Pants and Zouaves

Waist Measure: Even waist sizes 30-44  
25% additional for 46, 48, 50.  
Inseam Measure: As indicated for each model.  
Packaging: Individual polyethylene display package.

" ADD POSTAGE TO ALL ITEMS

# PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y





# RED HEAD



## HUNTING VESTS

### GAME BAG



#### Model # 3 GAME BAG

A real natural for the warm weather field hunter. Adjustable shoulder and waist straps for comfortable fit over jacket or shirt. Large fully rubberized rear game pouch and two fully rubberized front game pouches. Constructed of lightweight and durable brown drill fabric.

Sizes - Sm. (36-38) Med. (40-42) Large (44-46)  
X-Lg. (48-50)      Retail      Special  
\$ 5.75      \$ 4.95

### QUAILER VEST



#### Model 218 - QUAILER VEST

Combination shell vest and game bag in Forest Brown high count rugged poplin. Entire back is large rubberized game pocket. Deep shell pockets with storm flaps. 12 loops for all gauge shells. Breast pocket, zipper front.

Sizes: Sm. (36-38) Med. (40-42) Large (44-46)  
X-Large (48-50)      Retail      Special  
\$ 7.35      \$ 5.95

### MODEL 905 SHELL AND GAME VEST




#### Model 905 SHELL AND GAME VEST

Heavyweight, RED HEAD water repellent Army Duck. Universal elastic shell loops accomodating 12, 16, and 20 gauge. Easily accessible slanted utility pockets with roomy storm-flap breast pocket. Outside entrance to large blood-proof rubberized game bag on back.

Sizes - Sm. (36-38) Med. (40-42), Large (44-46)  
X-Large (48-50)      Retail      Special  
\$ 5.00      \$ 3.95

## hunting accessories



#### MODEL DX RECOIL PAD

A lace-on style recoil pad where shock is absorbed by soft corrugated rubber base. The leather tongue in rich mahogany color protects the stock indefinitely. Made of top grain cow-hide. Sizes: 5", 5 1/4" and 5 1/2"

Special \$ 1.90



#### MODEL RHB RECOIL PAD

A permanent type pad complete with attaching screws and instructions. Made of red rubber body and black fibre base designed to insure maximum recoil absorption.

Style # 0-4 5/8" long, 1 11/16" wide

Style # 1-5" long, 1 11/16" wide

Style # 2-5 3/8" long, 1 7/8" wide

Only \$ 1.75



#### MODEL RHX "STRETCH-ON" RECOIL PAD

Red, all rubber sides stretches over stock and holds pad on firmly. The built-in inner pad utilizes pneumatic principle of cushioning. RED HEAD quality is guaranteed.

Size # 2 - 16-20 Ga. shotguns (5 1/4")

Size # 3 - 12 Ga. shotguns (5 1/2")

Only \$ 1.75



#### DETACHABLE BELT HOLSTER

A custom made, hand-blocked holster from selected heavy full grain russet leather. This dark walnut finish is the envy of all handgun users. The custom finishing of polished edges, waxed stitching, and smooth backings makes this the most outstanding holster buy. Safety strap to hold gun in position and quick detachable cross strap. Individually boxed. Please specify make, model number and barrel length of gun.

Only \$ 3.95



*Ideal for carrying  
Hunting & Fishing  
Equipment*

Made of heavy green, dry water-proofed Army Duck with double bottom. Zipper along top. Leather faced handles and side reinforcements. "D" shaped ends with piped edges.

MODEL 375      Retail \$10.50  
Size 24"x15"x12"      Special \$8.25



#### PISTOL CASE

"Luggage type" carrying case for pistols and revolvers. Dark tan vinyl cover with soft plush lining and trim. Full zipper, leather handles. Inside pockets for cleaning gear.

Model PC ..... \$4.95

# PARKER'S

3516 WHITE PLAINS ROAD

N. Y., 67, N. Y.




# CONROY

Gloves  
and Mittens



## PARKER'S



**902** - Finest Hunting mitt made, of best quality selected deerskin. Wool and Rayon Knit lining with inner liner of Curtis Wright curon for extra warmth, heavy elastic wrist, light in weight. These mitts will dry soft, and pliable. Specify for right or left hand shooting. Solid red color only. Made in sizes S.M.L. In ordering give your dress glove size.

Only \$6.95



**900** - Heavy 100% Virgin wool Knit glove for Hunters. Palms, thumb, and fingers covered with cork colored deerskin for long wear. A very popular style glove.


S.M.L.

Only \$3.95



**96** - Our most popular sportsman's glove, warm, comfortable, easy to slip off and on. Made of carefully selected, black leather deer hide, lined with wool and dacron Knit, water repellent treated. Highly recommended for Hunters, and general sportswear. A Glove you will be happy to own, Natural color only. Sized S.M.L.XL

Only \$5.95



**903** - Hunters Mitt, same general specifications

902, but back covered with heavy 100% wool knit. Deerskin palms with red wicks. Sized S.M.L. Available for right and left hand shooting.

Only \$4



**966** - A top quality glove for the deer hunter who wants the best. Curtis Wright curon insulated for extra warmth. Cut from the very best hides. Available in rich bright red only.

Available in Sizes S.M.L.-XL.

Only \$6.95



**974** - A beautifully made lightweight unlined deerskin glove with ribbed palm and finger. Designed expressly for trap and skeet shooters who want warmth and protection without loss of feel of gun or trigger. Also very popular with sports car drivers. Made in cork color only. Sized S.M.L. and XL

Only \$5.95

## Headwear by

## MALROV-UNITED




**The Hunter** - Sportsman's most popular hunting cap made with 9 oz. water repellent sateen, expansion nylon fleeced inband that hugs neck and ears, double lapel outerband, that can be worn up or down for added warmth. Entire crown wool Quilt insulated - a warm durable, practical cap. Sized 6 3/4 to 7 3/4. Available in Bright Red, Yellow, Blue, Green.

Only \$2.95

**The Trooper** - Designed for the Hunter who requires extra warmth and comfort, made of 9 oz. water repellent Sateen Crown completely insulated with virgin dacron quilt. Neck band, ear flaps and peak covered with thick luxurious orlon pile. This cap will keep you warm, regardless of how low the temperature. Bright Red and yellow only. Sized 6 3/4 to 7 3/4. When ordering specify your regular dress hat size.

Only \$3.95



## PARKER'S

3516 WHITE PLAINS ROAD N. Y. , 67, N. Y.